
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





LIERTER SEPTEMBER U.S. Deptember of Latoutone,

Price List

Fall 1937 Spring 1938

Trees, Shrubs
Evergreens
Vines, Roses
Herbaceous Perennials

Henry Kohankie & Son > >

Painesville, Ohio
Thirty Miles East of Cleveland on Rt. 20
Tel. Main 137



PRICE LIST

E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of eight hundred acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20
One Mile East of Painesville
PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

We do not guarantee our stock to live and no allowance will be made for plants that fail. Our methods of handling and packing stock are modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to carriers. If goods suffer through delay in transit, claim should at once be made on transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

Deciduous and Evergreen Irees,
Shrubs and Vines5-151
Herbaceous Material (including
Rock and Alpine Plants)152-191
Fruit Garden Material191
Large Specimen Material201
Plants for Special Purposes201-203
Schedule of B&B Charges204
PLANT CLASSIFICATIONS
Coniferous Evergreens192
Broad-leaved Evergreens193
Deciduous Shade Trees193-194
Deciduous Small Trees195-196
Deciduous Shrubs196-200

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

Deciduous and Evergreen Trees Shrubs and Vines

We recommend that all varieties marked with an asterisk be lifted with ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following each variety, indicate the average height of the plant at maturity.

					1-4 Each	5-24 Each	25 & up Each
Abelia gran	diflor	a. <i>Gl</i>	ossy	Abelia. 3'			
12	to 15	in., 3	in.	pots	50	.40	.35
15	to 18	in., 3	in.	pots	60	.50	.40
18	to 24	in., 4	in.	pots	75	.60	.50
schuma	anni.	<i>5</i> ′					
12	to 18	in., 4	in.	pots	. 1.50	1.25	
Abies balsas	mea.	Balsan	n F	ir. 50'			
2	ft			B&B	3.00	2.50	2.00
3	ft	• • • • •		B&B	3.75	3.00	2.50
4	ft			B&B	4.75	4.00	3.50
5	ft			B&B	6.00	5.00	
6	ft			B&B	7.50	6.00	
7	ft			B&B	10.00		
8	ft			B&B	15.00		
concolo	or. V	Vhite F	ir.	70'			
18	in			B&B	3.00	2.50	2.00
2	ft			B&B	4.50	3.75	3.00
3	ft			B&B	6.50	5.50	4.50
4	ft			B&B	8.00	7.00	6.00
5	ft			B&B	10.00	8.50	7.50
6	ft			B&B	12.50	10.00	
7	ft			B&B	15.00	12.50	
8	ft			B&B	18.00	15.00	
9	ft	• • • • •		B&B	20.00	18.00	
10	ft	• • • • •		B&B	25.00	20.00	

For larger sizes to 20 ft., add \$10.00 per foot.

Abies.

concolor violacea. Purplecone Whit	1-4 Each e Fir.	5-24 Each 70'	25 & up Each
18 inB&B	4.50	4.00	
2 ftB&B	6.00	5.00	4.50
3 ftB&B	7.50	6.00	5.50
4 ftB&B	10.00	7.50	
firma. Momi Fir. 50'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.50	4.50	
fraseri. Fraser Fir. 50'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.00	4.75	
4 ftB&B	6.50	6.00	
5 ftB&B	7.50	7.00	
homolepis. Nikko Fir. 60'			
3 ftB&B	6.00	5.00	
4 ftB&B		6.50	
5 ftB&B		0,00	
nordmanniana. Nordmann Fir. 75'			
3 ftB&B	5.00		
4 ftB&B			
5 ftB&B			
	1.00		
pectinata. Silver Fir. 50'	4.00		
2 ftB&B 3 ftB&B	$\frac{4.00}{5.00}$		
pectinata pyramidalis. Sentinel Fir.	10'		
18 inB&B	4.00		
2 ftB&B	5.00		
veitchi. Veitch Fir. 80'			
3 ftB&B	5.00	4.50	3.50
4 ftB&B	7.50	6.50	
5 ftB&B	10.00	8.50	
11 ftB&B	30.00		
12 ftB&B	40.00		
14 ftB&B	60.00		
Acanthopanax pentaphyllum. Five-leave	ed Aral	lia. 10'	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.55	.45
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Acanthopanax			
ricinifolium. Castor Aralia. 25'			
6 to 8 ft	6.50	6.00	
8 to 10 ft	8.00	7.50	
10 to 12 ft	10.00	9.00	
ricinifolium maximowiczi. 25'		•	
5 ft	7.50		
6 ft	10.00		
7 ft	12.50		
8 ft	15.00		
•			
Acer buergerianum. Trident Maple. 40) '		
2 to 3 ft	2.00	1.50	1.25
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.50	5.00	
10 to 12 ft	10.00		
12 to 14 ft			
14 to 16 ft	20.00		
cappadocicum. Coliseum Maple. 4	o '		
10 to 12 ft	10.00		
12 to 14 ft	15.00		
14 to 16 ft	20.00		
dasycarpum. Silver Maple. 75'			
8 to 10 ft	1.50	1.25	1.10
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.60	
• $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	1.90	
1 3/4 to 2 in	3.00	2.25	
2 to $2\frac{1}{2}$ in	3.50	2.75	
2 ½ to 3 in	4.50	3.50	
3 to $3\frac{1}{2}$ in	6.00	5.00	
$3\frac{1}{2}$ to 4 in	7.50	6.50	

	1-4 Each	5-24 Each	25 & up Each
Acer			
dasycarpum pyramidale. Pyramidal	Silver	Maple.	75'
6 to 8 ft	1.50	1.25	1.10
8 to 10 ft	2.00	1.60	1.35
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	1.65
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.25	2.00
$1\frac{3}{4}$ to $2 \cdot \text{in}$	3.50	2.75	2.50
2 to $2\frac{1}{2}$ in	4.50	3.50	3.00
$2\frac{1}{2}$ to 3 in	6.00	5.00	4.00
3 to 3½ in	7.50	6.50	
dasycarpum wieri. Wier Maple. 75	,		
8 to 10 ft	2.00	1.60	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	$\frac{1.30}{2.25}$	
1 % to 2 in	3.50	2.75	
$\frac{1}{4}$ to $\frac{2}{1}$ in	5.00	3.50	
2 00 2/2 111	5.00	0.00	
ginnala. Amur Maple. 12'			
3 to 4 ft	.85	.75	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.50	2.00	
griseum. Paperbark Maple. 25'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00		
japonicum aureum. Goldenmoon Ma	ple. 1	5 '	
2 to 3 ftB&B	_		
3 to 4 ftB&B	7.50		
negundo. Box Elder. 60'			
T. Comments of the comment of the co	1.00	05	75
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	1.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25		
$1\frac{3}{4}$ to 2 in	3.00		
$\frac{2}{2}$ to $\frac{2}{2}$ in	3.75		2.50
$2\frac{1}{2}$ to 3 in	5.00	4.00	

	1-4 Each	5-24 Each	25 & up Each
Acer		-1	
nigrum. Black Maple. 80'			
8 to 10 ft	4.50	4.00	
1 1/4 to 1 1/2 in	5.00	4.50	
1½ to 1¾ in	5.50	5.00	
1 3/4 to 2 in	6.50		
2 to 2½ in	7.50		
nikoense. 40'			
2 to 3 ft	3.50		
palmatum. Japanese Maple. 15'			
2 to 3 ftB&B	2.25	1.75	1.50
3 to 4 ftB&B	2.50	2.00	1.75
4 to 5 ftB&B	3.50	2.75	2.25
5 to 6 ftB&B	4.50	3.50	
palmatum atropurpureum.			
Bloodleaf Japanese Maple. 10'			
2 to 3 ftB&B	3.50	3.00	
3 to 4 ftB&B	5.00	4.50	
4 to 5 ftB&B	7.50	6.00	
	10.00	7.50	
palmatum dissectum atropurpureu			
Purple Threadleaf Japanese Maple			
18 to 24 inB&B			
2 to 3 ftB&B	10.00		
palmatum filicifolium, Fernleaf M	anle.	10 '	
2 to 3 ftB&B	_		
3 to 4 ft			
	10,00		
palmatum roseo-marginatum. Pink	kedge I	Maple. 10) '
2 to 3 ftB&B	7.50		
3 to 4 ftB&B	10.00		
pennsylvanicum. Striped Maple. 23	5 '		
4 to 5 ft	1.50		
	$\frac{1.50}{2.00}$		
	2.50		
0 00 0 10	2.00		

				1-4 Each	5-24 Each	25 & up Each
Acer				Laci	Pach	126.011
platanoi	les.	Nor	way Maple. 75'			
6	to	8	ft	1.75	1.50	1.25
8	to	10	ft	2.25	1.75	1.50
1 1/4	to	$1\frac{1}{2}$	in	2.50	2.00	1.75
1 ½	to	$1\frac{3}{4}$	in	3.50	2.75	2.50
1 3/4	to	2	in	4.50	3.50	3.00
2	to	$2\frac{1}{2}$	in	5.50	4.25	3.75
2 ½	to	3	in	7.00	5.50	4.50
3	to	$3\frac{1}{2}$	in	10.00	7.50	
3 ½	to	4	in	12.50	10.00	
4	to	5	in. spec	25.00		
platanoic	les	globo	sum. Globe Nor	гоау Ма	iple.	
2 ye	ear,	6 ft.	standards	4.00		
platanoid	les	schwe	dleri. Schwedler	Maple.	<i>60'</i>	
6	to	8	ft	2.50	2.00	1.75
8	to	10	ft	3.00	2.25	2.00
1 1/4	to	$1\frac{1}{2}$	in	3.75	2.75	2.50
1 ½	to	$1\frac{3}{4}$	in	4.50	3.75	3.25
1 3/4	to	2	in	6.00	5.00	4.00
2	to	$2\frac{1}{2}$	in	10.00	7.50	
2 ½	to	3	in	12.50	10.00	
3	to	3 ½	in	17.50	15.00	
3 ½	to	4	in	25.00		
pseudopl	ataı	nus.	Sycamore Maple.	<i>60</i> ′		
6	to	8	ft	2.50	2.00	
8	to	10	ft	3.00	2.25	
1 1/4	to	$1\frac{1}{2}$	in	3.75	2.75	
1 ½	to	$1\frac{3}{4}$	in	4.50	3.75	
rubrum.	Re	d Ma	ple. 75 '			
6	to	8	°ft	2.25	2.00	1.50
8	to	10	ft	3.00	2.50	2.00
1 1/4	to	$1\frac{1}{2}$	in	3.75	3.00	2.50
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	4.50	4.00	3.25
1 3/4	to	2	in	6.50	5.50	4.50
2	to	2 ½	in	9.00	7.50	6.50
2 ½	to	3	in	12.50	10.00	8.50
3	to	3 ½	in	15.00	12.50	10.00
3 ½	to	4	in	20.00		
4	to	$4\frac{1}{2}$	in	30.00		
4 1/2	to	5	in	40.00		

	1-4 Each	5-24 Each	25 & up Each
Acer	Lacii	Pacif	Each
saccharum. Sugar Maple. 75'			
8 to 10 ft	2.25	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.25	2.00
1½ to 1¾ in	3.75	3.00	2.50
1 % to 2 in	4.50	4.00	3.25
2 to 2½ in	6.50	5.00	4.00
$2\frac{1}{2}$ to 3 in	7.50	6.50	5.00
3 to $3\frac{1}{2}$ in	12.50	10.00	
$3\frac{1}{2}$ to 4 in	15.00	12.50	
4 to $4\frac{1}{2}$ in	25.00		
$4\frac{1}{2}$ to 5 in	35.00		
spicatum. Mountain Maple. 20'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.00 1.25	1.00	
5 to 6 ft	1.75	1.00 1.25	
0 to 0 1t	1.70	1.20	
tataricum. Tatarian Maple. 20'			
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	4.50		
Actinidia arguta. Bower Actinidia. 20'			
2 year	.60	.45	.35
Aesculus carnea. Red Horsechestnut. 4	o '		
4 to 5 in	60.00		
5 to 6 in	75.00		
glabra. Ohio Buckeye. 25'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00		
$1\frac{1}{2}$ to 2 in	6.00		
2 to 2½ in	7.50		

	1-4 Each	5-24 Each	25 & up Each
Aesculus	20011		
hippocastanum. Horsechestnut. 70'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.50	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50	3.00
1½ to 1¾ in	4.50	4.00	3.50
1 % to 2 in	5.00	4.50	
2 to $2\frac{1}{2}$ in	6.00	5.00	
$2\frac{1}{2}$ to 3 in	9.00	7.50	
3 to $3\frac{1}{2}$ in	12.50	10.00	
$3\frac{1}{2}$ to 4 in	18.00	15.00	
4 to 5 in	25.00	20.00	
hippocastanum baumanni.			
Double White Horsechestnut. 50'			
4 to 5 ft	5.00		
5 to 6 ft	7.50		
	10.00		
8 to 10 ft	12.50		
octandra. Yellow Buckeye. 60'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.75	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50	3.00
1½ to 1¾ in	5.00	4.00	3.50
1 3/4 to 2 in	5.50	4.50	4.00
2 to $2\frac{1}{2}$ in	7.50	6.00	
$2\frac{1}{2}$ to 3 in	10.00	7.50	
3 to $3\frac{1}{2}$ in	12.50	10.00	
$3\frac{1}{2}$ to 4 in	17.50	15.00	
parviflora. Dwf. Horsechestnut. 12	P		
	3.50		
3 to 4 ft			
7 10,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2.00		
turbinata. Japanese Horsechestnut.	<i>30'</i>		
	15.00		
3 to 4 in			
5 to 6 in			
0 00 0 111.	30.00		

	1-4 Each	5-24 Each	25 & up Each
Ailanthus glandulosa. Tree of Heaven.	<i>50'</i>		
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.00	1.75	
10 to 12 ft	2.25	2.00	
1½ to 1¾ in	2.75	2.50	
1 3/4 to 2 in	3.50	2.75	
2 to 2½ in	4.00	3.25	
$2\frac{1}{2}$ to 3 in	6.00	5.00	
3 to 4 in	7.50	6.00	
vilmoriniana. 50'			
8 to 10 ft	2.00	1.75	
10 to 12 ft	2.25	2.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	
$1\frac{3}{4}$ to 2 in	3.50	3.00	
2 to $2\frac{1}{2}$ in	4.50	3.50	
$2\frac{1}{2}$ to 3 in	6.00	5.00	
Akebia lobata. Threeleaf Akebia. 15'			
2 year	.75	.60	.50
18 in. from pots	1.00	.75	
quinata. Fiveleaf Akebia. 15'			
2 year	.45	.35	.30
3 year	.55	.40	.35
o year	•00	• • • •	.00
Albizzia julibrissin rosea. Silktree. 30			
6 to 12 in. from 4 in. pots	1.25	1.00	
Alnus cordata. Italian Alder. 40'			
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.50	2.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	
glutinosa. European Alder. 60'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	2.00	
1 % to 2 in	3.00	2.25	
$\frac{1}{2}$ to $\frac{2}{2}$ in	3.75	2.75	2.50
$2\frac{1}{2}$ to 3 in	4.50	3.50	
glutinosa laciniata. Cutleaf Alder.	40'		
5 to 6 ft	4.00		

	1-4 Each	5-24 Each	25 & up Each
Alnus	Bach	Bach	Bach
incana. Speckled Alder. 50'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	2.00
1 ¾ to 2 in	3.75	3.00	2.50
2 to $2\frac{1}{2}$ in	4.50	3.50	3.00
japonica. Japanese Alder. 50'			
6 to 8 ft	2.25	2.00	
8 to 10 ft	2.75	2.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	
pendula. 30'			
2 yr. 4 ft. stems	5.00		
rugosa. Hazel Alder. 10'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
viridis. European Green Alder. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft		1.50	
Althea. (See Hibiscus).	_,,	_,00	
Amelanchier alnifolia. Saskatoon. 7'			
3 to 4 ft	1.50		
4 to 5 ft	1.75		
asiatica. 35'	1.10		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.00 1.25	
5 to 6 ft	$\frac{1.50}{2.00}$	1.50	
6 to 8 ft	2.50	1.00	
	2.00		
canadensis. Downy Shadblow. 30'	CO	۳۸	4 5
2 to 3 ft	.60	.50	.45
	.75	.65 $.85$.60
4 to 5 ft	$\frac{1.00}{1.75}$	1.25	.75 1.00
6 to 8 ft			1.00
6 to 8 ft. standards	$\frac{2.50}{3.00}$	2.00	
8 to 10 ft. standards		2.50	
o to to tt. standamis	4.00	3.00	

							1-4 Each	5-24 Each	25 & up Each
Amelanchie	er.							- ·	
laevis.	Ai	lleg	heny	Servicel	erry.	35'			
3	to	4	ft				1.00	.75	.60
4	to	5	ft				1.25	1.00	.75
5	to	6	ft				1.75	1.50	1.25
6	to	8	ft				2.50	2.00	1.50
8	to	10	ft				3.50	3.00	
6	to	8	ft.	standard	ls	• •	3.00	2.50	
8	to	10	ft.	66	• • • •	• •	4.00	3.50	
laevis	ros	ea.	<i>35</i> ′						
3	to	4	ft.	standard	ls		2.00	1.75	
4	to	5	ft.	66			2.50	2.00	
5	to	6	ft.	66		• •	3.50	3.00	
oblong	ifol	ia.	Th	icket Sha	dblow.	25	,		
2	to	3	ft				.60	.50	.45
3	to	4	ft				.75	.65	.60
4	to	5	ft				1.25	1.00	.75
5	to	6	ft				1.75	1.25	1.00
6	to	8	ft			• •	2.50	2.00	
8	to	10	ft				3.00	2.50	
6	to	8	ft.	clumps	B	&B	12.50		
8	to	10	ft.	clumps	B	&B	15.00		
10	to	12	ft.	clumps	B	&B	20.00		
rotund	ifol	lia,	syn	. vulgar	is.				
Euro	pea	in S	Shad	blow. 25	•				
2	to	3	ft				.50	.45	.40
3	to	4	ft	• • • • • •			.70	.60	.50
4	to	5	ft				.85	.70	.60
5	to	6	ft				1.25	1.00	.75
6	to	8	ft			• •	2.25	1.75	1.25
8	to	10	ft			• •	3.00	2.50	
	to			standard	ls	• •	3.00	2.50	
			ft.	• • • • • • • • • • • • • • • • • • • •			4.00	3.50	
8	to	10	ft.	clumps.	B	åВ	15.00		
sangui	nea	. <i>I</i>	Roun	dleaf Sho	adblor w	. <i>8</i> ′			
	to						.75	.60	
	to			• • • • • •			1.00	.75	
	to			• • • • • • •			1.25	1.00	
	to			• • • • • • •			2.00	1.50	
6	to	8	ft	• • • • • •		• •	2.50	2.00	

TO HENRI KUHANKIE 6	g SUN		
	1-4 Each	5-24 Each	25 & up Each
Amelanchier	Hach	Hach	134011
stolonifera. Running Shadblow. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.55	.50
Amorpha canescens. Lead Plant. 2'			
15 to 18 in	.45	.35	.30
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
fruticosa. Indigobush. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.60	.50	.40
6 to 8 ft	.75	.60	
Ampelopsis aconitifolia. Monkshood V	ine. 15'		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
henryana. Silvervein Creeper. 15'	•••	•00	.10
from 4-inch pots	.75	.60	.50
		,00	.00
heterophylla. Porcelain Ampelopsi		0.0	25
2 year	.40	.30	.25
3 year	.50	.40	.35
4. year	.60		.45
heterophylla amurensis. Amur An			
2 year	.75	.60	.50
3 year	1.00	.75	.60
heterophylla elegans, syn. siebold	li. <i>15'</i>		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
quinquefolia. Virginia Creeper. 38	5 '		
2 year	.35	.25	.18
3 year	.40	.30	.22
4 year	.50	.40	.30
quinquefolia englemanni. Englema	•		
2 year	.35	.25	.20
3 year	.40	.30	.25
4 year	.50	.40	.30

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis.		an **	
quinquefolia murorum. Wall Creep			
2, year	1.00	.75	
quinquefolia saintpauli. St. Paul C	reeper.	<i>35'</i>	
2 year	.35	.25	.20
3 year	.45	.35	.25
tricuspidata veitchi. Boston Ivy. 4	0 '	6	
2 year	.45	.35	.30
3 year	.55	.45	.40
2 year from pots	.65	.55	.50
tricuspidata lowi. Geranium Ivy.	8 '		
2 year from pots	.65	.60	.50
Amygdalus davidiana. Chinese Wild Pea	ch. 25'		
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
davidiana alba. 25'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
nana georgica. Russian Almond. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
persica alboplena. Double White Pe	each. 10) '	
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
persica Clara Meyer. Double Pink	Peach.	10'	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
persica rosea plena. Double Pink P	each. 1	.0 '	
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
persica rubroplena. Double Red Ped	ach. 10	,	
3 to 4 ft	.60	.50	
4 to 5 ft			
5 to 6 ft	1.25	1.00	

	1-4		
Andromeda. (See Pieris).	Each	Each	Each
Aralia japonica. Angelica Tree. 25'			
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.40	1.00	.90
6 to 8 ft	2.00	1.75	1.25
pentaphyllum. (See Acanthopanax).		0	
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.40	1.00	.90
6 to 8 ft	2.00	1.75	1.25
8 to 10 ft	2.50	2.00	
Arctostaphylos uva-ursi. Bearberry.			
2½ in. pots	.60	.50	
Aristolochia sipho. Dutchman's Pipe. 30	,		
2 year		1.00	.75
	1.20	1.00	• • •
tomentosa. 30'		0.0	~ 0
2 year	.75	.60	.50
Aronia arbutifolia. Red Chokeberry. 8'			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
atropurpurea. Purple Chokeberry.	8 '		
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
melanocarpa. Black Chokeberry. 6	,		
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	.70
melanocarpa elata. Glossy Chokebe	rry. 10) '	
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	.70
5 to 6 ft	1.25	1.00	.85
Artemesia abrotanum. Southernwood.	5'		
3 to 4 ft	.35	.25	.20
4 to 5 ft	.45	.35	.25
5 to 6 ft	.60	.45	.35
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Azalea amoena. Amoena Azalea. 4'	234011	_	230022
10 to 12 inB&B	1.25		
12 to 15 inB&B	1.75		
15 to 18 inB&B	2.25		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	3.75	. 3.00	2.75
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	3.50	2.75	2.50
hinodegiri. Carmine Azalea. 3'			
10 to 12 inB&B	1.50		
12 to 15 inB&B	2.00		
kaempferi. Torch Azalea. 5'			
12 to 15 inB&B	2.25	2.00	
15 to 18 inB&B	2.75	2.50	
18 to 24 inB&B	3.75	3.50	
ledifolia. Snow Azalea. 6'			
18 to 24 inB&B	3.50	3.25	3.00
24 to 30 inB&B	4.00	3.75	3.50
lutea. 10'			
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.00	4.00	3.50
mollis. Chinese Azalea. 6'			
15 to 18 inB&B	2.50	2.25	2.00
18 to 24 inB&B	3.75	2.75	2.50
24 to 30 inB&B	4.50		
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	3.50	2.75	2.50
3 to 4 ftB&B	4.00	3.50	
pontica. Pontic Azalea. 6'			
24 to 30 inB&B	6.00	5.00	
3 to 4 ftB&B	8.50	7.00	
4 to 5 ftB&B	12.00		
poukhanensis. Korean Azalea. 6'			
18 to 24 inB&B	3.50	3.25	3.00
24 to 30 inB&B			
3 to 4 ftB&B	6.00	5.00	
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B			
24 to 30 inB&B	3.50	2.75	2.50

		1-4 Each	5-24 Each	25 & up Each
Azalea		230011		
yodogawa. Yodogaw	a Azalea. 4'			
18 to 24 in	B&B	3.00	•	
24 to 30 in	B&B	3.50		
Baccharis halimifolia. G	roundselbush.	10 '		
		.60	.50	.40
	• • • • • • • • • • • • • • • • • • • •	.75	.60	.50
4 to 5 ft	• • • • • • • • • • • • • • • • • • • •	1.25	1.00	.75
*Benzoin aestivale. Spic	e Bush. 12'			
		.50	.40	.35
		.60	.50	.45
		.90	.70	.60
	• • • • • • • • • • • • • • • • • • • •	1.00	.85	.75
	• • • • • • • • • • • • • • • • • • • •	1.50	1.25	1.00
	D 0 D	2.50	2.00	
8 to 10 ft. clu	mps B&B	15.00		
Berberis aggregata. Salv	non Barberry.	10'		
18 to 24 in		1.25	1.00	.75
	• • • • • • • • • • • • • • • • • • • •	1.50	1.25	1.00
3 to 4 ft		1.75	1.50	
diaphana. Kansu I	Barberry. 6'			
2 to 3 ft		1.50	1.35	
henryana. 6'				
3 to 4 ft		1.75	1.50	
4 to 5 ft	• • • • • • • • • •	2.00	1.75	
ilicifolia. Holly Bard	berry. 4'			
18 to 24 in	B&B	1.75	1.50	1.25
24 to 30 in	B&B	2.00	1.75	1.50
3 to 4 ft	B&B	2.50	2.25	2.00
julianae. Wintergree	en Barberry. 5	,		
15 to 18 in	B&B	1.75	1.50	
18 to 24 in	В&В	2.25	1.75	
koreana. Korean Be	urberry. 6'			
2 to 3 ft	• • • • • • • • • •	1.50		
neuberti. Neubert B	•			
18 to 24 in	B&B	2.25	1.75	
sargentiana. Sargent	t Barberry. 5'			
15 to 18 in	B&B	1.75		1.25
18 to 24 in	B&B	2.25	2.00	1.75

TAINESVILLE, OHI			21
	1-4 Each	5-24 Each	25 & up Each
Berberis	24011	110011	20000
thunbergi. Japanese Barberry. 4'			
15 to 18 in	.25	.20	.15
18 to 24 in	.35	.25	.20
24 to 30 in	.40	.30	.25
2 to 2½ ft. spec	.85	.75	
$2\frac{1}{2}$ to 3 ft. spec	1.25		
3 to 3½ ft. spec	1.75	1.50	
		D 1	~*
thunbergi atropurpurea. Redleaf Jo	_		
18 to 24 in	.50	.45	.40
24 to 30 in	.65		
30 to 36 in	.75	.65	.60
thunbergi minor. Box Barberry. 2			
12 to 15 in	.40	.30	.25
15 to 18 in	.50	.40	.35
18 to 24 in	.60	.50	.45
24 to 30 in	.75	.60	.55
thunbergi pluriflora. 5'			
18 to 24 in	.35	.25	.20
24 to 30 in	.45	.35	.25
24 to 50 m	.40	•00	.20
thunbergi pluriflora erecta. Truehed	dge Col	umnberi	·y.
9 to 12 in	.35	.25	.20
12 to 15 in	.45	.35	.30
15 to 18 in	.50	.40	.35
triacanthophora. Threespine Barl	herry .	5 '	
6 to 9 in., 4 inch pots	.75	.60	
12 in	1.00	.75	
14 111	1.00		
vernae. Verna Barberry. 5'			
18 to 24 in	.75		
24 to 30 in	.85	.70	
3 to 4 ft	1.00	.85	.75
verruculosa. Warty Barberry. 3'			
6 in., 4 inch pots	1.25	1.00	
12 to 15 in. spdB&B	3.00	2.75	
wilsonae. Wilson Barberry. 5'			
18 to 24 in	.65	.55	.50
2 to 3 ft	.75		

TIENTI ROHANKIE (C	BOIL		
	1-4 Each	5-24 Each	25 & up
Berchemia racemosa. Japanese Suppleja	_	Each	Each
15 to 18 in	.75	.60	.50
18 to 24 in		.75	
10 to 24 m	1.00	.10	.60
*Betula alba. European White Birch. 5	0 '		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
1 % to 2 in	3.50	3.00	2.75
2 to $2\frac{1}{2}$ in	5.00	4.00	3.50
$2\frac{1}{2}$ to 3 in	6.00	5.00	
*-lb- fastinists Dunamidal White	D:7.	501	
*alba fastigiata. Pyramidal White		50'	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	7.50		
*alba laciniata. Cutleaf Weeping E	Birch.	<i>35</i> ′	
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.00	2.75	
1¼ to 1½ in	3.75	3.50	
1½ to 1¾ in	4.50	4.00	
1 % to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
*fontinalis. Water Birch. 40'			
5 to 6 ft	3.50		
3 to 0 1t	0.00		
*lenta. Sweet Birch. 40'			
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.50	2.25	
1 1/4 to 1 1/2 in	3.00	2.75	
1½ to 1¾ in	3.50	3.00	
1 3/4 to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
*1-1 W.H.w. Dinal 50'			
*lutea. Yellow Birch. 50'	1 50	1 05	1.00
5 to 6 ft	$\frac{1.50}{2.00}$	1.25 1.75	$1.00 \\ 1.50$
6 to 8 ft	2.00 2.50	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$	$\frac{1.50}{2.00}$
	3.00	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	$\frac{2.73}{3.00}$	4.50
$1\frac{7}{2}$ to $1\frac{9}{4}$ in	$\frac{3.30}{4.00}$	3.50	
	5.00		
2 to $2\frac{1}{2}$ in	5.00	4.00	

			1-4 Each	5-24 Each	25 & up Each
*Betula				-	
		Monarch Birch.		~ = 0	
	0 8	ft	2.75		;
	o 10	ft	3.50	3.00	
i -	o 1¾		4.50	4.00	
1 ¾ t	o 2	in	6.00	5.00	
stnigra. R	iver Bi	rch. 50'		5	
6 t	o 8	ft	1.75	1.50	1.25
8 t	o 10	ft	2.50	2.25	2.00
1 1/4 t	$0 1\frac{1}{2}$	in	3.00	2.75	2.50
1½ t	o 1¾	in	3.50	3.00	2.75
1 3/4 t	0 2	in	4.00	3.50	3.00
2 t	$0 \frac{2\frac{1}{2}}{2}$	in	5.00	4.50	4.00
2 ½ t	0 3	in	6.50	5.50	
*papyrifer	a. Car	noe Birch. 40'			
6 to	s 8	ft	2.00	1.75	1.50
8 to	10	ft	2.50	2.25	2.00
1 1/4 to	$1\frac{1}{2}$	in	3.00	2.75	2.50
1 ½ to	1 3/4	in	3.50	3.25	3.00
1 3/4 to	2	in	4.00	3.75	3.25
2 to	$2\frac{1}{2}$	in	5.00	4.50	4.00
2 ½ to	3	in	7.50	6.00	
3 to	$3\frac{1}{2}$	in	10.00	7.50	
3 ½ to	4	in	12.50	10.00	
*papyrifer	a cord	ifolia. 40'			
1½ to	1 3/4	in	5.00		
2 to	$2\frac{1}{2}$	in	7.50		
*populifoli	a. Gre	ay Birch. 40'			
6 to	8	ft	1.75	1.50	1.25
8 to	10	ft	2.50	2.25	2.00
1 1/4 to	$1\frac{1}{2}$	in	3.00	2.75	2.50
1 ½ to	1 3/4	in	3.50	3.00	2.75
1 3/4 to	2	in	4.00	3.50	3.00
2 to	$2\frac{1}{2}$	in	5.00	4.50	4.00
2½ to	3	in	6.50	5.50	
Bignonia grand	iflora.	Chinese Trumpet	creeper.	20'	
2 year	·		.75	.60	.50
3 year	·		.85	.75	.60
4 year	r		1.00	.85	.75
grandiflora	Mad.	Gallen. 20'			
		• • • • • • • • • • • • • • • • • • • •	1.00	.75	

	1-4 Each		25 & up Each
Bignonia.			
radicans. Trumpetcreeper. 30'			
2 year	.30	.20	.15
3 year	.35	.25	.20
speciosa. Painted Trumpetcreeper.	<i>30</i> ′		
2 year	.75	.50	
3 year	1.00	.75	
Bischoffia trifoliata. 12'			
3 to 4 ft	2.50		
Broussonetia papyrifera. Paper Mulber	ry. 40'	•	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
Bruckenthalia spiculifolia. Spikeheath.	1 '		
6 in., 3 inch pots		1.25	
Buddleia davidi. Orange-eye Butterfly	Rush	5 '	
	.30		.15
3 to 4 ft	.40	.30	.20
	• • •	•00	
davidi superba. 5'	20	90	15
2 to 3 ft	.30		.15
4 to 5 ft	.40 $.50$.30	.30
		.00	.00
davidi veitchi. Veitch Butterfly Bu		20	4 5
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30
farquhari. 5'			
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30
5 to 6 ft	.60	.50	.40
lle de France. 4'			
2 to 3 ft	.50	.40	.30
intermedia. Wisteria Butterfly Bus	h. 5'		
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
lindleyana. Lindley Butterfly Bush	. 5'		
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20

PAINESVILLE, OHIO	•		25
		5-24 Each	
Buddleia			
paniculata.			
3 to 4 ft	.40	.35	.25
4 to 5 ft	.50	.40	.35
Buxus microphylla.			
6 to 9 in	.60	.50	.40
microphylla koreana.			
6 to 8 in	65	55	.50
12 to 15 in	1.25	1.00	.75
	1.20	1.00	.10
sempervirens handsworthi.			
4 to 6 in	.60	.50	.40
Callicarpa americana. American Beautyb	erry.	<i>6</i> ′	
2 to 3 ft	.75	.65	
giraldiana. eta'			
2 to 3 ft.	75	c F	c O
2 10 5 16	.75	.65	.60
japonica. Japanese Beautyberry. 4'			
18 to 24 in	.40	.30	.20
2 to 3 ft	.45	.35	.25
purpurea. Chinese Beautyberry. 4'			
18 to 24 in	40	20	20
		.30	
2 to 3 ft	.45	.35	.25
Calluna vulgaris. Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris alba. White Heather. 2'			
	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	, , ,
·			
vulgaris alporti. Alport Heather. 2'		0.0	
4 inch pots	.75	.60	
vulgaris aurea. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris carnea. Flesh Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	
vulgaris searlei. 2'			
_	.75	.60	.50
	1.25	1.00	

20	HENRI KUHANKIE & SO	JN	
		ach Each	25 & up
Calveanthu	s floridus. Sweet Shrub. 5'	ach Each	Each
	to 24 in	.35 .30	.25
	to 3 ft	.45 .35	.30
3	to 4 ft	.60 .50	.40
4	to 5 ft	.75 .60	.50
occide		12 '	
		0075	
	•	25	
		15'	20
	to 3 ft	.35 .25	.20
	to 4 ft	.40 .30	.25
	to 5 ft	.50 .40	.30
	to 6 ft	.75 .60	.50
6	to 8 ft	0075	.60
boisi.	<i>6</i> '		
2	to 3 ft	.00 .75	
frutex	Russian Pea-shrub. 10'		
		.25 1.00	.75
		.50 1.25	
		.75	
		2.50	
_	1	30 '	
		2.00 1.75	1.50
3	to 4 ft	2.75 2.50	2.25
4	to 5 ft 3	3.25	3.00
5	to 6 ft 4	50 4.00	3.75
6	to 8 ft 5	6.50 4.75	4.50
8	to 10 ft 7	6.50	6.00
10	to 12 ft 15	5.00 12.50	
Sheare	d plants, 4 to 8 ft. quoted on	request.	
*caroli	niana. American Hornbeam. 4	80°	
2	to 3 ft 1	50 1.35	1.25
3	to 4 ft 2	2.00 1.85	1.75
4	to 5 ft 2	2.75 2.60	2.50
5	to 6 ft 3	3.25	3.00
6	to 8 ft 4	4.50 4.25	4.00
8		5.50	5.00
		2.50 10.00	
	d plants, 4 to 10 ft., quoted or	request.	
*corda	ta. <i>35</i> ′		
	to 4 ft 2	2.50 2.00	

	1-4 Each	5-24 Each	25 & up Each
*Carpinus			
*japonica. 40'			
2 to 3 ft	2.00	1.50	
3 to 4 ft., bushy	3.00	2.50	
*yedoensis. 25'		,	
2 to 3 ft	2.25	2.00	1.75
3 to 4 ft	2.75	2.25	
4 to 5 ft	3.50		
5 to 6 ft	5.00		
Caryopteris incana. Bluebeard. 4'			
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
tangutica. 5'			
10 to 12 in., 4 inch pots	1.00	.80	.75
1			
Castanea sativa. Spanish Chestnut. 60'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
Catalpa bignonioides nana syn. bungei.			
Umbrella Catalpa. 12'			
2 yr. heads,			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	
speciosa. Western Catalpa. 30'			
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	1.75	1.50	
1 ³ / ₄ to 2 in	2.00		
2 to 2½ in		2.25	
2 ½ to 3 in	3.50		
Ceanothus americanus. Jersey Tea. 3'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	
	.10	.00	.00
Cedrela sinensis. Chinese Cedrela. 50'			
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 8 ft	4.00	3.50	
Cedrus deodara Deodar. 50'			
2 ftB&B	3.50	3.00	
3 ftB&B	5.00		

	1-4	5-24 Frank	25 & up
Cedrus	Each	Each	Each
libani. Cedar of Lebanon. 50'			
2 ftB&B	3.50	3.00	
3 ftB&B	5.00		
Celastrus orbiculatus. Oriental Bitterswe	eet. 20'		
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.45	.40
scandens. Native Bittersweet. 25'			
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.45	.40
Celtis occidentalis. Hackberry. 50'			
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.75	2.50	2.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.25	3.00
1 % to 2 in	4.00	3.75	
2 to $2\frac{1}{2}$ in	5.00	4.00	
$2\frac{1}{2}$ to 3 in	7.50	5.00	
sinensis. Chinese Hackberry. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
Cephalanthus occidentalis. Button Bush	n. 6'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	
*Cercidiphyllum japonicum. Katsura T	ree. 30'		
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	7.50	6.50	(
10 to 12 ft. specB&B			
12 to 14 ft. specB&B			
14 to 16 ft. specB&B	35.00		
*japonicum sinense. Chinese Katsu	ura Tree	. 50'	
2 to 3 ft	3.50		
3 to 4 ft	5.00		

	1-4 Each	5-24 Each	25 & up Each
*Cercis canadensis. American Redbud.		Exten	Later
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2,00	1.75
8 to 10 ft	3.00	2.75	2.50
6 to 8 ft. specB&B	7.50		
8 to 10 ft. specB&B	10.00		
10 to 12 ft. specB&B	15.00		
*chinensis. Chinese Redbud. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	3.00	2.50	
5 to 6 ft	5.00	4.00	
Chamaecyparis lawsoniana. Lawson Cy	press.	100'	
2 ftB&B	3.00	2.50	
3 ftB&B	4.00	3.50	
4 ftB&B	6.00	5.00	
5 ftB&B	9.00	7.50	
1			1 <i>[</i>]
lawsoniana pendula. Weeping Law			10
		6.00	
4 ftB&B	10.00		
lawsoniana Triomphe de Boskoop	. 40'		
3 ftB&B	4.00	3.50	
4 ftB&B	6.00	5.00	
5 ftB&B	9.00	7.50	
nootkatensis. Nootka Cypress. 75	,		
2 ftB&B	3.00	2.50	2.25
3 ftB&B	4.00	3.00	2.75
4 ftB&B	5.00	4.50	
5 ftB&B	7.50	6.00	
6 ftB&B	9.00	7.50	
obtusa compacta. Compact Hinoki	Cypres	ss. 10'	
2 ftB&B	3.00	2.50	
3 ftB&B	4.00	3.50	
4 ftB&B	5.50	5.00	
5 ftB&B	7.50	6.00	
6 ftB&B	10.00	7.50	
7 ftB&B	12.50	10.00	

	1-4 Each	5-24 E ach	25 & up Each
Chamaecyparis	124011	Дасп	134011
obtusa crippsi. Yellow Hinoki Cyj	ress. I	10'	
3 ftB&B	5.00		
4 ftB&B	6.00		
obtusa gracilis. Slender Hinoki Ca	press.	15'	
2 ftB&B	4.00	3.50	
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
obtusa nana. Dwarf Hinoki Cypre	ss. 3'		
12 inB&B	3.50	3.00	
15 inB&B	4.00	3.50	
18 inB&B	6.00	5.00	
24 inB&B	7.50		
pisifera. Sawara Cypress. 30'			
•	0.50	0.00	1 75
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.75 5.00	$\frac{3.00}{4.00}$	2.75 3.75
4 ftB&B 5 ftB&B		5.00	0,10
5 ft		7.50	
7 ft. specB&B			
8 ft. specB&B			
9 ft. specB&B			
10 ft. specB&B			
For larger sizes to 16 ft., add \$5.			
, , ,	1		
p. aurea. Golden Sawara Cypress.	<i>30'</i>		
2 ftB&B	3.00	2.50	
3 ftB&B	3.50	3.00	
4 ftB&B	5.00	4.00	
5 ftB&B	6.00	5.00	
6 ft. specB&B	10.00		
7 ft. specB&B	12.50		
8 ft. specB&B	15.00		
9 ft. specB&B	17.50		
10 ft. specB&B			
For larger sizes to 16 ft., add \$5.	00 per	foot.	

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis	~	بـ	.,
p. filifera. Thread-branched Japan	ese Cyp	ress. 15	,
2 ftB&B	3.50	3.00	2.50
3 ftB&B	4.00	3.50	3.00
4 ftB&B		5.00	4.00
4 ft. specB&B			
5 ft. specB&B			
6 ft. specB&B			
7 ft. specB&B			
8 ft. specB&B			
9 ft. specB&B			
p. filifera aurea.			
Golden Thread-branched Japanes	e Cypres	ss. 10'	
18 in. spdB&B	3.50	2.75	
24 in. spdB&B		3.75	
30 in. spdB&B			
36x36 in. specB&B			
48x48 in. specB&B			
54x54 in. specB&B			
60×60 in. spec			
p. filifera aurea nova. Variegated Thread-branched Japa		press.	10'
	Ĭ	•	
18 to 24 in. spdB&B			
24 to 30 in. spdB&B			
30 to 36 in. spdB&B			
36 to 42 in. spdB&B			
42 to 48 in. spdB&B			
48 to 54 in. spdB&B	15.00		
p. plumosa. Plume Cypress. 30'			
2 ft. shearedB&B		2.00	1.75
3 ft. shearedB&B			
4 ft. shearedB&B		4.00	
5 ft. shearedB&B		5.00	4.50
6 ft. shearedB&B		7.00	
7 ft. shearedB&B	10.00	9.00	
8 ft. shearedB&B	15.00	12.50	
9 ft. shearedB&B	18.00	15.00	
10 ft. shearedB&B	20.00	18.00	
For larger sizes to 16 ft., add \$5.	00 per	foot.	
3 ft. high x 4 ft. spread ex.			
specB&B	7.50		

	4 4	F 9.4	25 6 112
	1-4 Each		25 & up Each
Chamaecyparis p. plumosa			
4 ft. high x 5 ft. spread ex.			
specB&B	12.50		
5 ft. high x 6 ft. spread ex.			
spec	15.00		
		0.74	
p. plumosa aurea. Goldenplume Cy	press.	25'	
2 ft. shearedB&B	2.50	2.00	1.75
3 ft. shearedB&B	3.75	3.00	2.50
4 ft. shearedB&B	5.00	4.00	3.75
5 ft. shearedB&B	6.00	5.00	4.50
6 ft. shearedB&B	8.00	7.00	6.00
			7.50
	15.00	12.50	10.00
	18.00		
10 ft. shearedB&B			
For larger sizes to 16 ft., add \$5.0			
2 ft. high x 3 ft. spread ex.	o per	1000.	
specB&B	5.00		
	0.00		
3 ft. high x 4 ft. spread ex.	7 50		
specB&B	7.50		
4 ft. high x 5 ft. spread ex.	10 50		
spec	12.50		
5 ft. high x 6 ft. spread ex.			
specB&B	15.00		
p. plumosa argentea. Silvertip Cyp	ress.	25 '	
	3.50	3.00	
3 ftB&B	4.50	4.00	
p. plumosa lutescens. (Globe form)	. 5'		
24 inB&B	3.00	2.50	2.00
30 inB&B	3.50	3.00	2.50
36 inB&B	4.00	3.50	_, ,
42 inB&B	5.00	4.00	
	6.00	5.00	
	7.50	6.00	
60 in		0.00	
00 111	10.00		
p. plumosa sulphurea. Sulphurplume Cypress. 25'			
4 ftB&B	5.00	4.50	
5 ftB&B	6.50	5.50	
6 ftB&B	8.00	7.00	
7 ftB&B	10.00	8.50	
8 ftB&B	15.00	12.50	

	1-4 Each	5-24 Each	25 & up Each			
Chamaecyparis	Each	Each	Each			
p. squarrosa. Moss Retinospora. 30'						
2 ft. shearedB&B	3.00	2.50	2.00			
3 ft. shearedB&B	4.00	3.50	3.00			
4 ft. shearedB&B	5.50	4.50	4.00			
5 ft. shearedB&B	6.50	5.50	5.00			
6 ft. shearedB&B	8.50	7.00	6.00			
7 ft. shearedB&B	10.00	9.00				
8 ft. shearedB&B	15.00	12.50				
9 ft. shearedB&B	20.00					
10 ft. shearedB&B	25.00					
Chamaedaphne calyculata. Leatherleaf.	3'					
15 to 18 inB&B	3.00	2.50				
18 to 24 inB&B	3.50	3.00				
Chionanthus virginica. White Fringe.	25 '					
2 to 3 ft	.75	.60	.50			
3 to 4 ft	1.00	.75	.65			
4 to 5 ft	1.50	1.25	1.00			
5 to 6 ft	2.25	1.75	1.50			
6 to 8 ft	3.00	2.25	2.00			
8 to 10 ft	4.00	3.00				
5 to 6 ft. specB&B	7.50	6.00				
6 to 8 ft. specB&B	10.00	7.50				
8 to 10 ft. specB&B						
Cladrastis lutea. Yellow Wood. 30'						
4 to 5 ft	3.00	2.75	2.50			
5 to 6 ft	4.00	3.25				
6 to 8 ft	5.00	4.50				
		6.00				
	12.50	10.00				
	15.00	12.50				
Clematis apiifolia. October Clematis. 25	5 '					
2 year	.50	.40	.30			
chrysocoma sericea.						
2 year	1.00	.75	.60			
coccinea. (See texensis).						
crispa. Curly Clematis.						
2 year	1.00	.75				
fargesi.						
2 year, 3 in. pots	1.00	.75				

94	HENRI KOHANKIE &	NOG		
		1-4 Each	5-24 Each	25 & up Each
Clei	matis.	Each	Each	Jacii
	flammula. Plume Clematis. 15'			
	2 year	1.00	.75	
	hybrids. Large Flowering Clematis.			
	2 year		.60	
	Jackmanni, Mad. Ed. Andre, He			
	Duchess of Edinburg.			
	ligusticifolia. Western Virgins-bowe	er. 15'		
	2 year	.75	.60	.50
	montana rubens.			
	3 inch pots	1.00	.75	.65
	montana undulata.			
	3½ inch pots	1.00		
	montana wilsoni.			
	3 inch pots	1.00	.75	
	orientalis. Oriental Clematis. 12'			
	2 year	.50	.40	.30
	paniculata. Sweet Autumn Clematis.	. 25'		
	2 year	.35	.25	.20
	3 year	.45	.35	.25
	serratifolia. Korean Clematis.			
	2 year	1.00	.75	.60
	tangutica. Golden Clematis. 12'			
	2 year	.60	.50	.40
	texensis syn. coccinea. Scarlet Clea	matis.	10'	
	2 year		.50	.40
	veitchi. 10'			
	3 inch pots	1.00	.75	
	viorna. Leatherflower.			
	2 year	1.00	.75	
	virginiana. Virgins-bower. 25'			
	-	.35	.25	.20
	3 year	.45	.35	.25
	vitalba. Travelers-joy. 25'			
	2 year	.60	.50	.40
	viticella. Italian Clematis. 10'			
	2 year	.75	.60	
٥.	v			
Cler	rodendron trichotomum. Harlequin (
	3 to 4 ft			
	4 to 5 ft	2.00	1.75	

	1-4 Each	5-24 Each	25 & up Each
Clethra alnifolia. Sweet Pepper Bush.	<i>5</i> ′		
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
2½ to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
barbinervis. Tree Clethra. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	• 40
	.10	•00	
paniculata. 5'			
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
Colutea arborescens. Bladder Senna. 10			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
cilicica. Cilician Bladder Senna. 6'			
2 to 3 ft	1.50		
2 00 9 10	1.00		
media. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
Comptonia asplenifolia. Sweetfern. 3'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.50	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.75	
alba elegantissima. Silverblotch D	ogwood	. 6'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.70
5 to 6 ft	1.00	.90	
6 to 8 ft	1.25	1.15	

	2011		
	1-4 Each	5-24 Each	25 & up Each
Cornus	Hacii	Hacii	Eacii
alba sibirica. Coral Dogwood. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.80	.70	.60
6 to 8 ft	1.00	.90	
alba spaethi. Golden variegated De	ogwood.	8 '	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	
alternifolia. Pagoda Dogwood. 20	,		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
amomum syn. sericea. Silky Dogw	ood. 1	o '	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.65	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
baileyi. Bailey Dogwood. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
*florida. White Flowering Dogwood	d. 25'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.35
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	3.25
8 to 10 ft	6.00	5.00	4.50
5 to 12 ft., heavy spec.,			
B&B at \$1.50 per foot.			
florida plena. Dbl. White Flg. Dog	rwood.	<i>25</i> ′	
2 to 3 ftB&B		3.00	
3 to 4 ftB&B		4.00	
4 to 5 ftB&B		5.00	
5 to 6 ft. specB&B			
6 to 8 ft. specB&B			

	PAINESVILLE, OHI	.0		37
		1-4 Each	5-24 Each	25 & up Each
Cornus		Hacon	130011	200
florida rub	ra. Red Flowering Dog	rwood.	20'	
2 to	3 ftB&B	2.50	2.00	1.75
3 to	4 ftB&B	3.75	3.00	2.50
4 to	5 ftB&B	5.50	4.50	3.75
5 to	6 ftB&B	7.50	6.50	
5 ft.,	heavy specB&B	12.50		
6 ft.,	heavy specB&B	15.00		
7 ft.,	heavy specB&B	20.00		
8 ft.,	heavy specB&B	25.00		
*kousa. <i>I</i>	Kousa Dogwood. 20'			
2 to	3 ft	1.00	.75	.60
3 to	4 ft	1.25	1.00	.75
4 to	5 ft. heavyB&B	3.50		
5 to	6 ft. heavyB&B	5.00		
mas. Corn	nelian Cherry. 20'			
2 to	3 ft	.75	.65	.55
3 to	4 ft	1.25	1.00	.80
4 to	5 ft	1.75	1.50	1.25
5 to	6 ft	2.00	1.75	1.50
6 to	8 ft	2.50	2.25	2.00
	0 ft	3.00	2.75	2.50
officinalis.	Japanese Cornelian Che	rry. 15	5 ′	
	4 ft	2.00		
paniculata.	Gray Dogwood. 15'			
	3 ft	.60	.50	.45
	4 ft	.75	.60	.55
	5 ft	.90	.75	.70
5 to	6 ft	1.00	.85	
pubescens.	<i>15</i> ′			
•	3 ft	.60	.50	
sanguinea.	Bloodtwig Dogwood. 1	(O'		
2 to	3 ft	.40	.30	.25
	4 ft	.50	.35	.30
4 to	5 ft	.65	.50	.45
5 to	6 ft	.75	.60	.55
6 to	8 ft	1.00	.75	
sanguinea	viridissima. Greentwig	Dogwoo	od. 10'	
_	3 ft	.50	.40	.35
	4 ft	.60	.50	.45
4 to	5 ft	.75	.60	

	1-4 Each	5-24 Each	25 & up Each
Cornus	Bacii	130011	120011
stolonifera. Red Osier Dogwood.	8 '		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.65	.50	.40
5 to 6 ft	.75	.60	.55
6 to 8 ft	1.00	.75	.65
stolonifera flaviramea. Goldentwig	n Dogw	ood. 8'	
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	
Corylus americana. American Hazelnus	t. 10'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	
avellana. Filbert. 15'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
avellana atropurpurea. Purple Fi	lbert.	<i>15</i> ′	
2 to 3 ft	4.00	3.50	
3 to 4 ft	4.50	4.00	
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
rostrata. Beaked Hazelnut. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
*Cotoneaster acutifolia. Peking Coton	easter.	12'	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65		.50
4 to 5 ft	.75		.60
5 to 6 ft	1.00	.80	.75
*acutifolia villosula. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75

		1-4	5-24	25 & up			
Cotoneaster	Cotoneaster Each Each Each						
adpressa. Creep	ing Cotoneaster. 2						
6 to 8 in.	from pots	1.25	1.00	.75			
ambigua. 6'							
_	B&B	1.75	1.50	1.25			
3 to 4 ft	B&B	2.00	1.75	1.50			
apiculata. 6'							
The state of the s	from pots	1.50	1.25				
dammeri. 2'							
6 to 8 in,	from pots	1.75	1.50				
dielsiana. Diels	Cotoneaster. 6'						
2 to 3 ft	В&В	1.75	1.50	1.25			
3 to 4 ft	B&B	2.00	1.75	1.50			
4 to 5 ft	B&B	2.50	2.25	2.00			
5 to 6 ft	B&B	3.00	2.75	2.50			
divaricata. Spre	ading Cotoneaster.	6 '					
2 to 3 ft	B&B	1.75	1.50	1.25			
3 to 4 ft	B&B	2.00	1.75	1.50			
4 to 5 ft	B&B	2.50	2.25	2.00			
12 to 18 in.,	4 in. pots	1.25	1.00	.75			
foveolata. 10'							
2 to 3 ft	B&B	1.75	1.50	1.25			
3 to 4 ft	B&B	2.00	1.75	1.50			
4 to 5 ft	B&B	2.50	2.25	2.00			
francheti. Franc	chet Cotoneaster.	10'					
18 to 24 in	B&B	1.75	1.50				
2 to 3 ft	B&B	2.00	1.75				
12 to 18 in.,	4 in. pots	1.25	1.00	.75			
himalaicus. 6'							
8 to 10 in.,	4 in. pots	1.25	1.00	.75			
horizontalis. Ra	ck Cotoneaster. 3	,					
12 to 15 in. s	pd. from pots	1.50	1.25	1.00			
15 to 18 in. s	pd. from pots	1.75	1.50	1.25			
18 to 24 in. s	pdB&B	2.50	2.00				
horizontalis perpusilla. 3'							
10 to 12 in.,	from pots	1.50	1.25	1.00			
12 to 15 in.,	from pots	2.00	1.50	1.25			
hupehensis. Hu	pen Cotoneaster. 5	7					
2 to 3 ft	B&B	2.00	1.75				
3 to 4 ft	B&B	2.50	2.25				
15 to 18 in.,	3 in. pots	1.25	1.00				

	5014		
	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
integerrima. European Cotoneaste	er. 6'		
2 to 3 ftB&B	2.00	1.75	
3 to 4 ft	2.50	2.25	
*lucida. <i>12'</i>			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
18 in., 4 in. pots	1.25	1.00	•••
		_, ,	
melanocarpa. 6'	2.00		
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.25	2.00	
4 to 5 ftB&B	3.00	2.50	
microphylla. Rockspray. 6'			
10 to 12 in., 4 in. pots	1.50	1.25	1.00
· True Catananatan	401		
moupinensis. Mupin Cotoneaster.		1.05	1 00
15 to 18 in., 4 in. pots	1.50	1.25	1.00
multiflora. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.25	2.00	1.75
4 to 5 ftB&B	3.00	2.50	2.25
2 to 3 ft., 4 in. pots	1.50	1.25	1.00
nitens. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
	2.50		2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
obscura. 10'			
2 to 3 ftB&B	1.75	1.50	1.25
	2.00	1.75	1.25 1.50
	2.50		
12 to 18 in., 4 in. pots	$\frac{2.30}{1.25}$	1.00	.75
	1.20	1.00	.10
racemiflora soongarica. 6'	0.50	2.00	
	2.50	2.00	
3 to 4 ftB&B	3.00	2.50	
rotundifolia. Roundleaf Cotoneaste	r. 2'		
10 to 12 in. from pots	1.50	1.25	1.00
12 to 15 in. from pots	1.75	1.50	1.25

٠			1-4 Each	5-24 Each	25 & up Each
Cotoneaster			Each	Hacii	134C11
rosea.	6 '				
2 t	to 3	ftB&B	1.75	1.50	1.25
3 t	to 4	ftB&B	2.00	1.75	1.50
4 1	to 5	ftB&B	2.50	2.25	2.00
18 1	to 24	in., 4 in. pots	1.25	1.00	.75
salicifo	lia.	Willowleaf Cotoneaster.	<i>10</i> ′		
2 1	to 3	ftB&B	2.50	2.00	
salicifo	lia flo	occosa. 6'			
15	to 18	in. from pots	1.75	1.50	1.25
simonsi	. Si	mons Cotoneaster. 8'			
2 t	to 3	ftB&B	2.25	2.00	
3 t	to 4	ftB&B	2.50	2.25	
12 1	to 18	in., 4 in. pots	1.25	1.00	.75
tenuipe	s. 6'	, •			
8 1	to 12	in. from pots	1.25	1.00	.75
12	to 15	in. from pots	1.50	1.25	1.00
wilsoni.	W	ilson Cotoneaster. 5'			
2 t	to 3	ftB&B	1.75	1.50	1.25
3 t	to 4	ftB&B	2.00	1.75	1.50
15 t	to 18	in., 4 in. pots	1.25	1.00	.75
zabeli.	<i>6'</i>				
15 t	to 18	in., from pots	1.50	1.25	1.00
*Crataegus	apric	a. 20'			
_	_	ft	2.00	1.50	
arkansa	ına.	Arkansas Hawthorn. 3	0'		
4 t	to 5	ft	2.00	1.75	1.50
5 t	to 6	ft	2.75	2.25	2.00
6 t	to 8	ft	3.50	3.00	2.50
8 t	to 10	ft	5.00	4.00	
*arnold	liana.	Arnold Hawthorn. 20) '		
3 t	to 4	ft	1.75	1.50	1.25
4 t	io 5	ft	2.00	1.75	1.50
5 t	to 6	ft	2.75	2.25	2.00
6 t	o 8	ft	3.50	3.00	2.50
8 t	to 10	ft	5.00	4.00	3.50
*carrier	rei.	Carriere Hawthorn. 20			
4 t	_	ft	2.00	1.75	1.50
5 t	_	ft	2.75	2.25	2.00
-		ft	3.50	3.00	2.50
		ft	5.00	4.00	3.50
6 t	0 8	ft. standards, quoted	on rec	quest.	

	1-4	5-24	25 & up
*Crataegus.	Each	Each	Each
*coccinea. Thicket Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
*coccinioides. 20'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	
*cordata. Washington Hawthorn.	20 '		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50	6.00	5.00
*crusgalli. Cockspur Thorn. 30'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 ft. spec	18.00	15.00	
*cuneata. Nippon Hawthorn. 20'			
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.50	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*hupehensis. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.25	2.75	
*macracantha. Spike Hawthorn. 20	<i>O'</i>		
2 to 3 ft	2.00		
*mollis. Downy Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50

		1-4 Each	5-24 Each	25 & up Each
Crataegus				
	• English Hawthorn. 2			
5 to	6 ft	3.00	2.50	2.00
	8 ft	3.50	3.00	2.50
8 to 1	0 ft	5.00	4.00	
*nitida. G	Flossy Hawthorn. 15'			
3 to	4 ft	2.00	1.75	1.50
4 to	5 ft	2.50	2.25	2.00
5 to	6 ft	3.00	2.50	2.25
	8 ft	4.00	3.00	2.75
	0 ft	6.00	5.00	
*oxyacanth	· · · · · · · · · · · · · · · · · · ·			
	5 ft	1.75	1.50	1.25
	6 ft	2.00	1.75	1.50
	8 ft	3.50	2.75	2.50
	0 ft	4.50	4.00	3.50
	0 ft. specB&B	12.50		
•	a plena. Dbl. White T			
	5 ft	2.50	2.25	2.00
	6 ft	3.00	2.50	2.25
	8 ft	3.50	3.00	2.75
	0 ft	5.00	4.50	4.00
· ·	a pauli. Paul's Scarlet		15'	
	5 ft	2.50	2.25	2.00
	6 ft	3.00	2.50	2.25
	8 ft	3.50	3.00	2.75
	0 ft	5.00	4.50	4.00
	a punicea. Sgl. Red Th			2.00
	5 ft	2.50	2.25	2.00
	6 ft	3.00	2.50	2.25
	8 ft	3.50	3.00	2.75
	0 ft	5.00	4.50	4.00
	Persian Hawthorn. 15'		2.00	
	4 ft	2.50	2.00	
	5 ft	3.00	2.50	
	0 ft	7.50		
*persistens.		0.00	4 55	1 50
	4 ft	2.00	1.75	1.50
	5 ft	2.50	2.25	2.00
	6 ft	3.00	2.50	$\begin{array}{c} 2.25 \\ 2.75 \end{array}$
	8 ft	4.00	3.00	2.75
8 to 1	0 ft	6.00	5.00	4.00

	1-4 Each	5-24 Each	25 & up Each
Crataegus.			
*pinnatifida major. Peking Hawth	orn. 20	O '	
3 to 4 ft	2.50	2.00	
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.00	3.75	
*pruinosa. Frosted Hawthorn. 18	•		
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
*prunifolia. Plumleaf Hawthorn.	25'		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.00	2.75
*punctata. Dotted Hawthorn. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
pyracantha lalandi. Laland Fireth	orn. 10) '	
18 to 14 in. bushy B&B	3.50	3.00	
2 to 3 ft. bushy B&B	4.00	3.50	
3 to 3½ ftB&B	5.50	4.50	
3½ to 4 ftB&B	6.50	5.50	
12 to 15 in. 4 in. pots	1.25	1.00	.75
pyracantha yunnanensis. 10'		•	
12 to 18 in., 4 in. pots	1.25	1.00	.75
*succulenta. Fleshy Hawthorn. 2	0'		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	2.75	
*tomentosa. Pear Hawthorn. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	
*viridis. 35'			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.00	2.75
8 to 10 ft	5.00	4.00	

PAINESVILLE, OHIO)		40
	1-4	5-24	25 & up
Cryptomeria japonica lobbi. Lobb Cryp	Each tomeric	Each <i>a. 20'</i>	Each
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
	10.00	7.50	0.00
	12.50	1.00	
	15.00		
	20.00		
	20.00		
Cydonia cathayensis. 8'			
3 to 4 ft	1.50		
4 to 5 ft	2.50		
japonica. Flowering Quince. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	•00
	•00	.00	
japonica Falconet Charlet.			
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
japonica pygmaea. Dwarf Jap. Qu	ince.	3'	
18 to 24 in	.45	.35	.30
2 to 3 ft	.50	.45	
japonica rosea plena.			
Dbl. Pink Flowering Quince. 5'			
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	$\frac{2.50}{3.50}$		
4 10 0 10	0.00		
japonica umbilicata. Navel Flower	ing Qu	ince. 5	•
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
4 to 5 ft	1.00	.75	
4 to 5 ft. heavyB&B	7.50		
kermesiana semi-plena. 4'			
2 to 3 ft	2.00	1.75	
	5'		
maulei. Lesser Flowering Quince.	_	10	.35
18 to 24 in	.50	.40	
2 to 3 ft	.60	.50	.45
Cytisus nigricans. Spike Broom. 4'			
12 to 15 in	.60	.50	.40

45	1-4 Each		25 & up Each
Cytisus			
scoparius. Scotch Broom. 10'			
• 15 to 18 in	.50	.40	.35
scoparius andreanus. Paradise Bro	oom. 10	9 '	
15 to 18 in	.50	.40	.35
2 to 3 ft	.60	.50	.40
spachianus. 6'			
10 to 12 in., 4 in. pots	.60	.50	.40
Daphne cneorum. Garland Flower. 1'			
8 to 10 in. spdB&B	.85	.70	.60
10 to 12 in. spdB&B	1.00	.85	.75
12 to 15 in. spdB&B	1.50	1.35	1.25
mezereum. February Daphne. 4'			
15 to 18 inB&B	1.50	1.25	1.00
18 to 24 inB&B	1.75	1.50	1.25
2 to 2½ ftB&B	2.00	1.75	1.50
mezereum alba. White February	Daphne.	4'	
18 to 24 inB&B	1.75	1.50	1.25
24 to 30 inB&B	2.00	1.75	1.50
Davidia involucrata. Dovetree. 40'			
10 to 12 in., 4 in. pots	6.00		
- n · C	0.00		
Decumaria barbara.			
3 yr. from pots	.50	.45	.40
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in		.30	.25
18 to 24 in	.50	.35	
24 to 30 in	.60	.45	.40
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.35	.30
2½ to 3 ft	.60		.40
3 to 4 ft	.75	.60	.50
lemoine avalanche. Avalanche Der	′		~ ~
$\frac{2}{2}$ to $\frac{2}{2}$ ft	.50	.40	.35
$2\frac{1}{2}$ to 3 ft	.60	.50	.40
lemoine compacta. 5'	4 =		2.0
18 to 24 in	.45		.30
2 to 3 ft	.55		.40
3 to 4 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Deutzia	T) / *	.,	
myriantha Boule Rose. Dbl. Pink		•	0.0
18 to 24 in	.50	.40	.30
	.60	.50	.40
parviflora. Mongolian Deutzia. 5'	4.0		2 =
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.35	.30
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
$2\frac{1}{2}$ to 3 ft	.75	.60	.50
rosea campanulata. Bellflower Dev	itzia. E	5 '	
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea carminea. Carmine Deutzia.	4'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea eximea. Pink Choice Deutzia.	. 5 '		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea venusta. White-panicle Deutz	ia. 5'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	•=0
scabra candidissima. Snowflake Dev		12!	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
scabra Pride of Rochester. 12'	• • • •	,00	•==
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
scabra rosea plena. 12'	.40	.00	.20
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
scabra watereri. Waterer's Deutzia.		.00	,20
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
scabra wellsi. Wells Deutzia. 12'	, 20		
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	

	1-4 Each	5-24 Each	25 & up Each
Deutzia	22300		
vilmorinae. Vilmorin Deutzia. 10'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
Diervilla sessilifolia. Southern Bush Ho	neysuck	cle. 5'	
2½ to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.65	.50	.40
trifida. Dwarf Bush Honeysuckle.	4'		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.65	.50	.40
(See also Weigela)			
Diospyros virginiana. Common Persimm	non. 15	5 *	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
Dirca palustris. Leatherwood. 6'			
18 to 24 in	2.00	1.50	
Elaeagnus angustifolia. Russian Olive.	20 '		
3 to 4 ft	.60	.45	.40
4 to 5 ft	.70	.55	.50
5 to 6 ft	.90	.75	.70
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.50	1.35	1.25
argentea. Silverberry. 12'			
3 to 4 ft	.60	.45	.40
4 to 5 ft	.70	.55	.50
5 to 6 ft	.90	.75	.70
6 to 8 ft	1.25	1.00	.90
longipes. Cherry Elacagnus. 6'			
2 to 3 ft	.75	.60	
umbellata. Autumn Elaeagnus. 12'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	
Elsholtzia stauntoni. 4'			
18 to 24 in	.60	.45	.40
2 to 3 ft	.75	.55	.50

Enkianthus campanulatus. Redvein Enk	1-4 Each		25 & up Each
10 to 12 in	1.50	1.25	
perulatus. White Enkianthus. 6'			
12 to 18 in	1.50	1.25	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60
darleyensis. 2'			
6 to 8 in., 4 in. pots	1.00	.75	.60
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60
Euonymus alatus. Winged Euonymus.	10'		
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft. heavyB&B	7.50		
8 to 10 ft. heavyB&B	10.00		
alatus compacta. Dwarf Winged E-	uonymus	. 6'	
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
americanus. Brook Euonymus. 8'			
2 to 3 ft	.75		
atropurpureus. Native Wahoo. 15'	•		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
bungeanus. Winterberry Euonymus	s. 15'		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
europaeus. European Burning Bus	h. 15'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
europaeus fructu-coccineus. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
latifolius. Broadleaf Burning Bush.	10'		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	
maacki. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
nanus. Dwarf Burning Bush. 3'			
12 to 15 in	1.00	.75	
15 to 18 in	1.25	1.00	
obovatus. Running Euonymus. 1'			
8 to 10 in	.40	.30	.25
oxyphyllus 15'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.25	1.00
patens syn. sieboldianus. 8'			
18 to 24 in	.65	.55	.50
2 to 3 ft	.90	.80	.75
radicans. Wintercreeper. 15'			
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
radicans acutus. Sharpleaf Winter	creeper.	1'	
12 to 15 in	.50	.40	.35
15 to 18 in	.65	.50	.45
radicans argenteo-marginatus.			
Silveredge Wintercreeper. 1'			
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
radicans carrieri. Glossy Wintercro	eper.	3'	
12 to 15 in	.50	.40	.35
15 to 18 in	.60	.50	.45
	.00	.00	,40

	1-4 Each	5-24 Each	25 & up Each
Euonymus	230011	130011	220012
radicans colorata. 10'			
12 to 15 in	.50	.40	.35
15 to 18 in	.60		.45
18 to 24 in	.75		
radicans minima. Baby Wintercree	ner. 1'		
	.45	.35	.30
8 to 12 in. from pots 12 to 15 in. from pots	.55	.45	.40
			.40
radicans vegetus. Bigleaf Wintercre			
12 to 15 in	.55	.45	.40
15 to 18 in	.65	.55	.50
18 to 24 in	.80	.70	.65
24 to 30 in	1.50	1.25	
sieboldianus (see patens)			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Evodia hupehensis. 25'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	
Exochorda grandiflora. Pearl Bush. 10) '		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.65	.55	.45
5 to 6 ft	.75	.65	
6 to 8 ft	1.00	.75	
8 to 10 ft	1.25	1.00	
6 to 8 ft. specB&B	10.00		
8 to 10 ft. specB&B	12.50		
giraldi. Redbud Pearlbush. 15'			
3 to 4 ft	2.50		
giraldi wilsoni. Wilson Pearlbush.	15 '		
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	3.00		

	22221212		1-4	F 0.4	95 C
			Each	5-24 Each	25 & up Each
Fagus americ	ana. Amer	rican Beech. 60) '		
2 to	3 ft	B&B	3.50	3.00	
3 to	4 ft	B&B	4.50	4.00	
4 to	5 ft	B&B	6.00	5.00	
			8.50	7.50	
6 to	8 ft	В&В	12.50	10.00	
3	77	20 3 W. W.			
sylvatica	. European	Beech. 75'			
3 to	$4 ext{ ft.} \dots$	B&B	3.50	3.00	2.50
4 to	5 ft	B&B	4.50	4.00	3.50
5 to	6 ft	B&B	6.50	5.50	5.00
6 to	8 ft	B&B	9.00	8.00	7.50
8 to	10 ft	B&B	12.50	10.00	9.00
10 to	12 ft	B&B	20.00	15.00	
12 to	14 ft	B&B	25.00	20.00	
	fa-si-i-s-	Dunamidal Da	aah OA	·	
_		Pyramidal Be		,	
5 to	6 ft	B&B	12.50		
sylvatica	heterophyll	la. Fernleaf I	Beech.	25'	
_	_	B&B		4.00	
		B&B		4.00	
		B&B			
		B&B			
0 00	0 10		12.00		
sylvatica	pendula.	Weeping Beech	n. 50'		
5 to	6 ft	B&B	12.50		
6 to	8 ft	B&B	15.00		
8 to	10 ft	B&B	20.00		
10 to	12 ft	B&B	25.00		
		B&B			
sylvatica	purpurea.	Purple Beech.	75'		
3 to	4 ft	B&B	6.00	5.00	
4 to	5 ft	B&B	7.50	6.50	
5 to	6 ft	B&B	10.00	7.50	
6 to	8 ft	B&B	12.50	10.00	
8 to	10 ft	B&B	15.00		
10 to	12 ft	B&B	20.00		
awl.vatica	wiwawai P	iman'a Rocal	4 <i>51</i>		
		iver's Beech.			
5 to		B&B			
6 to		B&B			
		B&B			
10 to	12 ft., 1½	inB&B	25.00		

	1-4 Each	5-24 Each	25 & up Each
Fontanesia fortunei. Fortune Fontanes			
3 to 4 ft		.50	.40
4 to 5 ft		.60	.50
5 to 6 ft		.75	.60
6 to 8 ft	1.25	1.00	.75
Forsythia europea. Albanian Forsythia.	. 6'		
2 to 3 ft	.75		
3 to 4 ft	1.00		
4 to 5 ft	1.25		
intermedia. Border Forsythia. 8	,		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45
6 to 8 ft	.90	.75	.60
intermedia spectabilis. Showy Bo	rder Fo	rsythia.	8'
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45
6 to 8 ft	.90	.75	.60
ovata. 8'			
2 to 3 ft	.75	.50	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
suspensa. Weeping Forsythia. 6'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
suspensa atrocaulis. Purple Stem	Forsyti	hia. 6'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
suspensa fortunei. Golden Bell.	8'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45

	1-4 Each	5-24 Each	25 & up Each
Forsythia			
suspensa sieboldi. Siebold Forsyth		a =	-
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45
6 to 8 ft	.90	.75	.60
viridissima. Greenstem Forsythia.			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Fothergilla gardeni. Dwarf Fothergilla	. 3'		
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.50		
Franklinia (see Gordonia)			
Fraxinus americana. White Ash. 80'			
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
1 % to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
2 ½ to 3 in	6.50	5.50	5.00
chinensis. Chinese Ash. 50'			
3 to 4 ft	2.00		
excelsior. European Ash. 100'			
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
1 % to 2 in	4.00	3.75	3.50
2 to $2\frac{1}{2}$ in	5.00	4.50	4.00
lanceolata. Green Ash. 60'			
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
1 % to 2 in	4.00	3.75	3.50
2 to $2\frac{1}{2}$ in	5.00	4.50	4.00
$2\frac{1}{2}$ to 3 in	6.50	5.50	5.00
3 to $3\frac{1}{2}$ in	10.00	7.50	
$3\frac{1}{2}$ to 4 in	12.50	10.00	
mandshurica. Manchurian Ash. 8	80'		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Fraxinus	224011	1144011	220011
nigra. Black Ash. 80'			
8 to 10 ft	2.50	. 2.00	
pennsylvanica. Red Ash. 60'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
1½ to 1¾ in	4.50	4.00	
Gaylussacia baccata. Black Huckleberr	y. 3'		
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.00	2.50	
Genista juncea. 2'			
15 to 18 in. from pots	.60	.50	.40
pilosa. Silky Leaf Broom. 1'			
4 to 6 in	.60	.50	.40
sagittalis. Arrowhead Broom. 9"			
4 to 6 in	.75	.60	.50
4 00 0 111	.10	.00	.00
scoparia. (See Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Ginkgo biloba. Maidenhair-tree. 60'			
6 to 8 ft	3.25	2.50	2.25
8 to 10 ft	3.75	3.25	2.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	4.00	3.75
1½ to 1¾ in	6.00	5.00	4.50
1 ½ to 2 in	7.50	6.00	5.50
2 to 2½ in	10.00	8.50	
2½ to 3 in	15.00		
Gleditsia elegantissima. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
japonica. Japanese Honeylocust.	40'		
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	

	1-4 Each	5-24 Each	25 & up Each
Gleditsia			
triacanthos. Honey Locust. 60'			
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	2.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	3.50	
1 % to 2 in	6.50	5.00	
2 to 2½ in	9.00	7.50	
$2\frac{1}{2}$ to 3 in	12.50	10.00	
3 to 3½ in	15.00	12.50	
triacanthos inermis. Thornless Ho	neylocus	t. 50'	
1 3/4 to 2 in	6.50	5.00	
2 to 2½ in	9.00	7.50	
Gordonia alatamaha. 20'	15.00		
4 to 5 ftB&B	15.00		
Gymnocladus dioica. Kentucky Coffeetr	·ee. 40'		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	6.50	5.00	
2 to 3 in	15.00		
Halesia tetraptera. Great Silverbell. 1	5 '		
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	2.50	2.25	2.00
8 to 10 ft. specB&B	10.00		
Hamamelis japonica. Japanese Witchl		o '	
18 to 24 in	1.50	1.25	1.00
2 to 3 ft	1.75	1.50	1.25
japonica rubra. 20'			
18 to 24 in	2.00	1.75	1.50
2 to 3 ft	2.25	2.00	1.75
3 to 4 ft	3.00	2.50	10
vernalis. Vernal Witch Hazel. 6'			
2 to 3 ft	1.50	1.00	.75
3 to 4 ft	1.75	1.25	1.00
4 to 5 ft	2.00	1.75	1.00
100010	2.00	1.10	

	1-4 Each	5-24 Each	25 & up Each
Hamamelis			
vernalis tomentella. 6'			
2 to 3 ft	2.00	1.50	1.25
3 to 4 ft	2.25	1.75	1.50
4 to 5 ft	2.50	2.25	
virginiana. Witch Hazel. 15'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
Hedera helix. English Ivy. 20'			
2 year, 4 in. pots	.50	.40	.30
3 year, 4 in. pots	.60	.50	.40
helix Albany. Albany Ivy.			
2 yr., 3 in. pots	.75	.60	
helix baltica. 15'			
2 year, 3 in. pots	75	.60	.50
	.10	.00	.00
helix conglomerata. 10'			
2 year, 3 in. pots	1.00		
helix gracilis. Small-leaved English	Ivy.	10'	
2 year, 3 in. pots	.50	.40	.30
3 year, 3 in. pots	.60	.50	.40
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	1.00	.75	
Hibiscus syriacus. Shrub Althea. 12'			
double varieties.			
	.40	.30	.25
3 to 4 ft	.50		
	.60		
	.75		.50
6 to 8 ft			.75
8 to 10 ft. hvy B&B		,00	***
Ardens—Purple.	±0,00		
Banner—Blush.			
Jeanne d'Arc—White.			
Lady Stanley—White, shaded	raga		
Rubra Plena—Red.	1030:		
Speciosa Plena—Pink.			
Speciosa Ficha Film			

	1-4 Each	5-24 Each	25 & up Each
Hibiscus			
single varieties.			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Coelestis—Blue.			
Rosea—White, crimson eye.			
Rubis—Red.			
Totus albus—White.			
variegatus. Variegated leaved Alth	hea. 8'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.55	.50
variegatus meehani. Meehan's Va	riegated	Altheo	ı. 6'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	•
Hicoria ovata. Shagbark Hickory. 75'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
Hippophae rhamnoides. Sea-buckthorn.	12'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.25 1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00	3.00	
10 00 12 10	9.00		
Holodiscus discolor ariaefolius. 4'			
2 to 3 ft	1.50		
*Hovenia dulcis. Raisintree. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.50	2.50	
Hydrangea arborescens. Smooth Hydr	angea.	6'	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
arborescens grandiflora. Snowhill	Hydrar	ngea. 6	,
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Hydrangea			
cineria sterilis. Ashy Hydrangea.	<i>6'</i>		
2 to 3 ft	.50	.40	.35
opuloides Otaksa. 3'			
4 year	.75	.60	.50
opuloides Thos. Hogg. 3'			
4 year	.75	.60	.50
paniculata. Panicle Hydrangea. 10 2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
paniculata grandiflora. Peegee Hyd		10'	.40
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
3 to 4 ft., tree form	1.25	1.00	•40
4 to 5 ft., tree form	1.50	1.00 1.25	
	1.00	1.20	
paniculata praecox. 10'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
petiolaris. Climbing Hydrangea.			Mag.
4 inch pots	1.00	.85	.75
quercifolia. Oakleaf Hydrangea. 4	,		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	• • •	
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	
		.00	•00
Hypericum arnoldianum. δ' 18 to 24 in	.75		
	.10		
aureum. Golden St. Johnswort. 4'	4 5	25	20
18 to 24 in	.45	.35 $.45$	
2 to 3 ft	.60	-	
3 to 4 ft	.75	.55	.50
bucklei. Mountain St. Johnswort.		CO	50
6 inches	.75	.60	.50
densiflorum. 5'			0.0
18 to 24 in	.45	.35	
2 to 3 ft	.60	.45	
3 to 4 ft	.75	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Hypericum	Lacii	Hacii	224011
kalmianum. 4'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
lobocarpum. 6'			
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
moserianum. Goldflower. 2'			
15 to 18 in	.55	.45	.40
18 to 24 in	.65	.55	.50
patulum. Japanese Hypericum. 3'			
18 to 24 in	.75	.60	.50
patulum henryi. Henry Hypericum.	· ·	= 0	4 ==
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.55	.50
prolificum. Shrubby St. Johnswort.	<i>5'</i>		
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	.40
Idesia polycarpa. 40'			
2 to 3 ft	1.50	1.25	
	,,		
Ilex cornuta. Chinese Holly. 10'	0.00		
18 to 24 inB&B	2.00		
crenata. Japanese Holly. 10'			
15 inB&B	2.50	2.00	1.75
18 inB&B	3.50	3.00	2.50
crenata bullata. 10'			
12 to 15 inB&B	2.50	2.00	1.50
. 1 . 6 1 . 40			
crenata latifolia. 10'	2.00	0.50	
18 to 24 inB&B	3.00	2.50	
crenata microphylla. Little Leaf Ja	panese	Holly.	10'
15 inB&B			
18 inB&B			2.50
24 inB&B	5.00	4.00	
geniculata. 5'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	

	1-4 Each		25 & up Each
Ilex	Hach	Macii	Hach
glabra. Inkberry. 8'			
12 to 15 inB&B	1.75	1.50	1.35
15 to 18 inB&B	2.25	2.00	1.75
18 to 24 inB&B	2.75	2.50	2.25
24 to 30 inB&B	3.50	3.00	2.75
30 to 36 inB&B	4.50	3.50	
36 to 42 inB&B	6.00	5.00	
laevigata. Smooth Winterberry. 6	•		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
monticola. Mountain Winterberry.	10'		
2 to 3 ft		.65	
opaca. American Holly. 40'	250	2.00	0.50
2 ftB&B 3 ftB&B	$3.50 \\ 5.00$	$3.00 \\ 4.50$	$2.50 \\ 3.75$
3 ftB&B 4 ftB&B	7.50	6.00	5.00
5 ftB&B	10.00	7.50	6.50
6 ftB&B	12.50	10.00	8.50
	15.00	12.50	0.00
8 ft	20.00	12.00	
		101	
serrata. syn. sieboldi. Finetooth H	•		75
2 to 3 ft	1.25	$1.00 \\ 1.25$.75
4 to 5 ft	$\frac{1.50}{2.00}$	1.40	1.00
verticillata. Common Winterberry.	6'	٣٥	4.0
2 to 3 ft	.60 .75	.50 .60	.40
3 to 4 ft	.85	.70	.60
5 to 6 ft	1.00	.85	.75
verticillata chrysocarpa. Yellow-fru			ry. 6'
2 to 3 ft	1.50	1.25	
Indigofera amblyantha. Pink Indigo. 6	3'		
2 to 3 ft	1.25	1.00	.75
kirilowi. Kirilow Indigo. 4'			
2 ft	2.00		
potanini. Potanin Indigo. 5'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	
0 00 1 10	1.00	1.20	

	1-4 Each	5-24 Each	25 & up Each
Itea virginica. Sweetspire. 3'	77	CO	F 0
2 to 3 ft	.75	.60	.50
Jasminum nudiflorum. Winter Jasmine.	3'		
15 to 18 in	.50	.40	.30
18 to 24 in	.60	.50	.40
12 to 15 in. $2\frac{1}{2}$ in. pots	.60	.50	.40
stephanense. 3'			
2 ft., 4 in. pots	1.25	1.00	.75
Juglans cinerea. Butternut. 75'			
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
1 % to 2 in	4.50	4.00	
2 to 2½ in	6.00	5.00	
nigra. Black Walnut. 80'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1½ to 1¾ in	3.50	3.00	2.75
1 3/4, to 2 in	4.50	4.00	
2 to 2½ in	6.00	5.00	0.00
$2\frac{1}{2}$ to 3 in	7.50	6.00	
· ·	50'	0.00	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
	2.00	2.00	
sieboldiana. Japanese Walnut. 50'	0.50	0.00	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
1 % to 2 in	4.50	4.00	
2 to 2½ in	6.50	5.00	
2½ to 3 in	10.00	7.50	
Juniperus chinensis. Chinese Juniper.	<i>20'</i>		
2 ftB&B	3.00	2.50	
3 ftB&B	4.00	3.50	
4 ftB&B	5.50	4.50	
5 ftB&B		6.00	
6 ftB&B		7.50	
7 ftB&B		10.00	
8 ftB&B		12.50	
For larger sizes to 14 ft., ad	d \$5.00	per f	oot.

Innimanna	1-4 Each	5-24 Each	25 & up Each
Juniperus himania albamania arta Whiteleaf	Ohinaaa	Tamina	r. 20'
chinensis albovariegata. Whiteleaf		_	
		6.00	5.00
4 ftB&B 5 ftB&B	8.50		
V 2000 000 000 000 000 000 000 000 000 0			
chinensis columnaris. Columnar C		-	20'
4 ftB&B	6.00	5.00	4.00
· ·	7.50	6.50	5.50
6 ftB&B	10.00	8.00	7.00
chinensis globosa. Globe Chinese J	uniper.	5 '	
18 inB&B	4.00	3.50	3.00
24 inB&B	4.50	4.00	3.50
36 inB&B	6.00	5.00	
chinensis mas. 10'			
2 ftB&B	3.50	3.00	2.50
2½ ftB&B	4.00	3.50	3.00
3 ftB&B	6.00	5.00	4.00
3 ½ ftB&B	7.50	6.00	
4 ftB&B	10.00	7.50	
chinensis neaboriensis. Conical Ch	inese Ir	ıniner	<i>10</i> ′
3 ftB&B	4.50	4.00	10
4 ftB&B	5.50	4.00	
5 ftB&B	6.50		
6 ftB&B			
7 ftB&B			
8 ftB&B 9 ftB&B			
	10.00		
chinensis oblonga. 8' 3 ftB&B	5.00		
	6.00		
4 ftB&B			
5 ftB&B	7.50	,	
chinensis pfitzeriana. Pfitzer's Jun			0.00
18 to 24 in. spdB&B			
2 to 2½ ft. spdB&B			
$2\frac{1}{2}$ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			
3½ to 4 ft. spdB&B			
4 to $4\frac{1}{2}$ ft. spdB&B			
$4\frac{1}{2}$ to 5 ft. spdB&B			
5 to 6 ft. spdB&B			
6 to 7 ft. spdB&B			12.50
(Upright form can be furnish	ned in si	izes 18'	to b')

0 12		TILL	TFT	17.01	TTTIA.	IXIII C	e bon		
							1-4 Each	5-24 Each	25 & up Each
Juniperus							230011	2300011	<u></u> ~~
1.				9	4	T	er. 2'		
chinens				·		_			
						. B&B		2.75	
						B&B		3.75	
30	ın	• • • •		• • •	• • • •	B&B	6.00	5.00	
commu	nis.	Con	ımon	Jun	iiper	. 25'			
2	ft					В&В	3.00	2.50	2.00
						В&В	3.75	3.00	2.50
						B&B	4.00	3.50	3.00
						В&В	5.00	4.50	4.00
						В&В	6.00	5.50	5.00
7	ft					В&В	7.50	6.50	6.00
8	ft					B&B	9.00	8.00	7.50
commun	nis c	layi	25'						
4	ft	• • • •		• • • •		В&В	5.00	4.00	
5	ft	• • • •				B&B	6.00	5.00	
				Ð					
commun		_						3'	
18			, –				2.25	1.75	
24						B&B	2.50	2.00	1.75
$2\frac{1}{2}$							3.50		
3							5.00		
4	to	5 1	t. sı	od	• • • •	B&B	7.50	6.00	5.00
commur	nis d	lepre	ssa a	aure	a. G	olden	Prostrat	te Junip	er. 3'
18		_					3.00	2.50	
24				_			3.50		
							4.50		
3				_			6.00		
$3\frac{1}{2}$	to						7.50		
4	to			_			10.00		
				1					
commun						01			
Purpl	_		-					2 2 -	1
18								2.25	
								3.00	2.50
							4.50		
3	to	$3\frac{1}{2}$	ft.			B&B	6.00	5.00	

	•		***
	1-4 Each		25 & up Each
Juniperus			
communis hibernica. Irish Juniper.	15'		
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.00	2.50	2.25
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	5.50
7 ftB&B	10.00	7.50	
8 ftB&B	12.50	10.00	
9 ftB&B	15.00		
communis kraccovica. Polish Junip	er. 10) '	
2 ftB&B	2.50		
3 ftB&B	3.00		
communis suecica. Swedish Junipe	r. 25'		
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.00	2.75	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B		5.00	
communis suecica nana. Dwarf Sw	vedish	Juniper.	<i>6</i> ′
2 ftB&B		3.00	
3 ftB&B			
4 ftB&B			
conferta. Shore Juniper. 5'			
18 inB&B	4.00	3.50	
2 ftB&B	5.00	4.50	
excelsa. Greek Juniper. 50'	0.00	2.00	
3 ftB&B	3.50	3.00	
4 ftB&B	4.50	4.00	
5 ftB&B	6.00	5.50	
	7.50	6.50	
	8.50	7.50	
	12.50	10.00	
	15.00	12.50	
	18.00	15.00	
excelsa stricta. Spiny Greek Junipe			
18 inB&B	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2 ½ ftB&B	3.50	3.00	2.75
	4.50	4.00	3.50
3 ½ ftB&B	7.00	6.00	5.00
4 ft	8.50	7.50	6.50
	10.00	9.00	

	7.4	- 04	05 0
	1-4 Each	5-24 Each	25 & up Each
Juniperus excelsa stricta			
5 ftB&B	12.50	10.00	
	15.00	12.50	
6 ftB&B		15.00	
	20.00	10.00	
8 ftB&B			
horizontalis. Creeping Juniper. 1'			
18 to 24 in. spdB&B		2.00	
24 to 30 in. spdB&B			
$2\frac{1}{2}$ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B	4.50	4.00	3.50
horizontalis glauca. Blue Creeping	Junipe	r. 1'	
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.75	3.50
3 to 3½ ft. spdB&B	5.00	4.50	
• • • • • • •			
japonica. Japanese Juniper. 8'			
18 inB&B	2.50	2.25	
2 ftB&B	3.50		
3 ftB&B	5.00	4.00	3.50
4 ftB&B	7.50	6.00	
japonica aurea. Golden Japanese .	Juniper.	8'	
18 inB&B	3.50	3.00	
2 ftB&B	4.50	4.00	
3 ftB&B			
recurva. Himalayan Juniper. 30'			
	2 50		
2 ftB&B	3.50		
rigida. Needle Juniper. 30'			
2 ftB&B	4.00	3.00	
3 ftB&B	5.00	4.00	
sabina. Savin Juniper. 6'			
2 to 2½ ft. spdB&B	3.00	2.50	2.00
2 to 2 72 ft. spdB&B 2 ½ to 3 ft. spdB&B			_
3 to 3½ ft. spdB&B			
3 ½ to 4 ft. spdB&B			
4 to 4½ ft. spdB&B			
$4\frac{1}{2}$ to 5 ft. spdB&B			0.00
The coordinate of the sputh	12.00	10.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus			3. 3. 3.
sabina tamariscifolia. Tamarix So	win. 2	•	
18 to 24 in. spdB&B	2.75	2.25	2.00
24 to 30 in. spdB&B	4.00	3.50	3.00
$2\frac{1}{2}$ to 3 ft. spdB&B	5.00	4.50	4.00
3 to $3\frac{1}{2}$ ft. spdB&B	7.50	6.00	5.50
sabina Von Ehron. 10'			
24 to 30 in. spdB&B	2 50	3.00	
30 to 36 in. spdB&B		$\frac{3.00}{4.00}$	
ov to so m. spab&b	4.00	4.00	
scopulorum. Colorado Juniper. 40	,		
3 ftB&B	4.00	3.50	3.25
4 ftB&B	6.00	5.00	4.50
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.50	7.50
7 ftB&B	12.50	10.00	9.00
8 ftB&B	15.00	12.50	
For larger sizes to 16 ft., add	\$5.00	per foo	ot.
sphaerica:			
2 ftB&B	3 50	3.00	
3 ftB&B	4.50	4.00	
squamata. Japanese Trailing Junip	er. 3'		
2 to 2½ ft. spdB&B	5.00		
squamata meyeri. Meyer Juniper.	4'		
18 to 24 in	3.50	3.00	2.50
24 to 30 in	4.00	3.50	3.00
virginiana. Red Cedar. 40'	9 50	9.00	0.50
3 ftB&B	3.50	3.00	$\frac{2.50}{3.50}$
4 ftB&B 5 ftB&B	4.50	4.00 5.50	5.00
	6.00		
6 ftB&B 7 ftB&B	7.50 10.00	7.00 9.00	
• -••		$\frac{9.00}{12.50}$	
9 ftB&B 10 ftB&B			
For larger sizes to 18 ft., ad			
ror larger sizes to 10 It., ad	ια φυ.υ	o per 10	300.

virginiana burki. Syn. virginiana venusta.

68 HENRY KOHANK	TE &	SON		
		1-4 Each	5-24 Each	25 & up Each
Juniperus				
virginiana cannarti. Cannar	t Red	Cedar.	<i>15</i> ′	
3 ft	B&B	5.00	4.50	4.00
4, ft	B&B	6.00	5.50	5.00
5 ft	B&B	8.00	7.00	6.50
6 ft	B&B	11.00	9.00	8.00
7 ft	B&B	15.00	12.50	10.00
8 ft	B&B	18.00	15.00	12.50
9 ft	B&B	22.50	18.00	15.00
10 ft	B&B	27.50	22.50	18.00
For larger sizes to 18 ft	t., ad	d \$5.00	per fo	ot.
virginiana elegantissima. Go	oldtip	Red Ce	dar. 15	,
2 ft	B&B	4.50	4.00	
3 ft	B&B	5.50	5.00	
4 ft	B&B	6.50	6.00	
5 ft	B&B	7.50		
6 ft	B&B	10.00		
7 ft		15.00		
8 ft	B&B	20.00		
9 ft	B&B	25.00		
virginiana glauca. Silver Red	d Cede	ar. 25'		
3 ft	B&B	5.00	4.50	4.00
4 ft	B&B	6.00	5.50	5.00
5 ft	B&B	8.00	7.00	6.50
6 ft	B&B	11.00	9.00	8.00
7 ft	B&B	15.00	12.50	
8 ft	B&B	18.00	15.00	
9 ft	B&B	22.50		
For larger sizes to 18 ft	, ado	d \$5.00	per fo	ot.
virginiana globosa. Globe Re		Ť		
18 to 24 in			3.50	3.00
24 to 30 in	B&B	5.00	4.50	
virginiana keteleeri. 15'		0 10	0.07	0.00
$2 ext{ ft.} \dots \dots$		3.50	3.25	3.00
3 ft			4.00	3.75
4 ft			6.00	
5 ft		10.00	7.50	
6 ft,.,	SWB	12.50	10.00	

	1-4 Each		25 & up Each
Juniperus			
virginiana kosteri. Koster Red Ce	dar. 4	•	
2 to 2½ ft. spdB&B	3.50	3.00	2.75
$2\frac{1}{2}$ to 3 ft. spdB&B	4.50	4.00	3.50
3 to 3½ ft. spdB&B	6.00	5.00	4.50
$3\frac{1}{2}$ to 4 ft. spdB&B	7.50	6.50	
4 to 4½ ft. spdB&B	10.00	7.50	
$4\frac{1}{2}$ to 5 ft. spdB&B	12.50	10.00	
5 to 6 ft. spdB&B	15.00		
virginiana pendula. Weeping Red		<i>15</i> ′	
6 ftB&B			
7 ftB&B	15.00		
virginiana schotti. Schott Red Ced	dar. 15	? .	
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	
5 ftB&B	8.50	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
For larger sizes to 16 ft., add	d \$5.00	per fo	ot.
virginiana tripartita. Fountain Rec	d Cedar	r. 5'	
2 ftB&B	4.50	4.00	
2 ½ ftB&B	5.50	5.00	
3 ftB&B	8.50	7.50	
3 ½ ftB&B	10.00	9.00	
4 ftB&B	12.50	10.00	
virginiana venusta. 15'			
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	
5 ftB&B	8.50	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
Kalmia latifolia. Mountain Laurel. 6'			
18 to 24 inB&B	3.00	2.50	2.25
2 to 3 ftB&B	3.50	3.00	2.75
3 to 4 ftB&B	5.00	4.00	
Kerria japonica. Kerria. 4'	60	50	.45
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	.55
japonica florepleno. Double Kerrid	u. 4'		
12 to 15 in	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Koelreuteria paniculata. Goldenrain			
4 to 5 ft	. 1.75	1.50	1.25
5 to 6 ft	. 2.00	1.75	1.50
6 to 8 ft	. 3.00	2.75	2.50
Kolkwitzia amabilis. Beauty Bush.	8 '		
2 to 3 ft	75	.60	.55
3 to 4 ft	. 1.00	.80	.75
4 to 5 ft	. 1.25	1.10	1.00
5 to 6 ft	. 1.50	1.25	
*Laburnum alpinum. Scotch Laburna	um. 30'		
4 to 5 ft	. 3.50		
5 to 6 ft	. 5.00		
*vulgare. Goldenchain. 20'			
4 to 5 ft	. 2.50	2.00	
5 to 6 ft	. 3.50	3.00	
6 to 8 ft. heavyB&	B 12.50		
8 to 10 ft. heavyB&	B 15.00		
10 to 12 ft. heavyB&	B 20.00		
*watereri. Waterer Laburnum.	20'		
4 ft	. 7.50		
5 ft	. 10.00		
6 ft	. 12.50		
Lagerstroemia indica rubra. Red Cr	apemyrtle.	12'	
18 to 24 in. from pots	. 1.25	1.00	
Larix dahurica. Dahurian Larch. 6	0 '		
5 to 6 ftB&	B 5.00		
6 to 8 ftB&			
8 to 10 ft			
europea. European Larch. 60'			
5 to 6 ftB&	B 6.00	5.00	
6 to 8 ft			
8 to 10 ft			
laricina. American Larch. 50'			
6 to 8 ftB&	B 10.00	7.50	
8 to 10 ft	B 12.50	10.00	
10 to 12 ftB&		12.50	

TAINESVIELE, OII			
	1-4 Each	5-24 Each	25 & up Each
Larix	224011		
leptolepis. Japanese Larch. 50'			
4 to 5 ftB&B	5.00	4.00	
5 to 6 ftB&B	6.00	5.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B	10.00	7.50	
10 to 12 ftB&B	15.00	12.50	
12 to 14 ftB&B	20.00		
Laurocerasus officinalis schipkaensis.	<i>10</i> ′		
12 to 15 in.,4 in. pots		.75	
18 to 24 inB&B		1.25	1.00
Leiophyllum buxifolium prostratum.			
Allegheny Sandmyrtle. 2'			
8 to 12 inB&B	2.50	2.00	
Lespedeza bicolor. Shrub Bushclover.	6 '		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
farman and deliforne Dame	J. Daral	halaman	,,
formosa syn. penduliflorum. Purp	ne busi	iciover.	4
2 year		.40	.30
	.50	.40	
2 year	.50 .60	.40 .50	.30
2 year	.50 .60	.40 .50	.30
2 year	.50 .60 elover. .60	.40 .50	.30
2 year 3 year formosa albiflora. Japanese Busho 2 year	.50 .60 clover. .60 choe. 4'	.40 .50	.30
2 year	.50 .60 clover. .60 choe. 4' 2.00	.40 .50 5'	.30 .40
2 year	.50 .60 clover. .60 choe. 4' 2.00 2.50	.40 .50 5' .50	.30 .40 .40
2 year	.50 .60 clover. .60 choe. 4' 2.00 2.50	.40 .50 5' .50	.30 .40 .40
2 year	.50 .60 clover. .60 choe. 4' 2.00 2.50	.40 .50 5' .50	.30 .40 .40
2 year	.50 .60 clover. .60 choe. 4' 2.00 2.50 3.50	.40 .50 5' .50 1.75 2.00	.30 .40 .40 1.50 1.75
2 year	.50 .60 clover. .60 choe. 4' 2.00 2.50 3.50	.40 .50 5' .50 1.75 2.00	.30 .40 .40 1.50 1.75
2 year	.50 .60 clover. .60 choe. 4' 2.00 2.50 3.50	.40 .50 5' .50 1.75 2.00	.30 .40 .40 1.50 1.75
2 year	.50 .60 .60 .60 .60 .50 2.50 3.50 .40 .50	.40 .50 5' .50 1.75 2.00 .40 .40 vet. 10' .30	.30 .40 .40 1.50 1.75
2 year	.50 .60 .60 .60 .60 .60 .2.00 2.50 3.50 .40 .50 .7y Priv.40	.40 .50 5' .50 1.75 2.00 .40 .40 vet. 10' .30	.30 .40 .40 1.50 1.75
2 year	.50 .60 .60 .60 .60 .60 .2.00 2.50 3.50 .40 .50 .7y Priv.40	.40 .50 5' .50 1.75 2.00 .40 .40 vet. 10' .30	.30 .40 .40 1.50 1.75
2 year	.50 .60 .60 .60 .60 .60 .4' 2.00 2.50 3.50 .40 .50 .77 Priv.	.40 .50 5' .50 1.75 2.00 .40 vet. 10' .30 .40	.30 .40 .40 1.50 1.75 .25 .35 .25 .35
2 year formosa albiflora. Japanese Busho 2 year Leucothoe catesbaei. Drooping Leucoth 15 to 18 in	.50 .60 .60 .60 .60 .60 .2.00 2.50 3.50 .40 .50 .77 Pring.40 .50	.40 .50 5' .50 1.75 2.00 .40 .40 .40 .40	.30 .40 .40 1.50 1.75 .25 .35 .25 .35
2 year formosa albiflora. Japanese Busho 2 year Leucothoe catesbaei. Drooping Leucoth 15 to 18 in	.50 .60 .60 .60 .60 .60 .2.00 2.50 3.50 .40 .50 .25 .35 .40 .55	.40 .50 5' .50 1.75 2.00 .40 .40 .40 .40 .40	.30 .40 .40 1.50 1.75 .25 .35 .15 .18 .25 .35
2 year formosa albiflora. Japanese Busho 2 year Leucothoe catesbaei. Drooping Leucoth 15 to 18 in	.50 .60 .60 .60 .60 .60 .2.00 2.50 3.50 .40 .50 .77 Priv40 .50	.40 .50 5' .50 1.75 2.00 .40 .40 .40 .18 .25 .30	.30 .40 .40 1.50 1.75 .25 .35 .25 .35

	1-4 Each	5-24 Each	25 & up Each
Ligustrum			
ibolium. Ibolium Privet. 8'	0.5	10	4.0
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.45	.40
ibota. Ibota Privet. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
ibota nanum. Pygmy Privet. 6'			
18 to 24 in	.35	.25	.20
2 to .3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
ibota regelianum. Regel Privet. 6	7		
18 to 24 in. spd	.55	.45	.40
24 to 30 in. spd	.65	.55	.50
$2\frac{1}{2}$ to 3 ft. spd	.75	.65	.60
3 to 4 ft. spd	1.25	1.00	.75
4 to 5 ft. spd	1.75	1.50	
lodense. Dwarf Privet. 3'			
12 to 15 in	.35	.25	.20
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
ovalifolium. California Privet. 10	,		
18 to 24 in	.20	.10	.06
24 to 30 in	.25	.12	.07
ovalifolium variegatum. Golden Pr	rivet.	10'	
15 to 18 in	.40	.30	.25
18 to 24 in	.45	.35	.30
vulgare. European Privet. 12'			
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.65	.55	.50
6 to 8 ft	1.00	.80	.75
vulgare foliosum. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
			•

PAINESVILLE, UHIO)		73
	1-4 Each	5-24 Each	25 & up Each
Ligustrum			
vulgare leucocarpum. Yellowberry	Privet.	12'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.65	.50	.40
5 to 6 ft	.75	.60	.50
Lindera benzoin. (See Benzoin aestivale,).		
*Liquidambar formosana Formosa Swe	etaum.	60'	
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.00	3.50	
5 to 6 ft	5.00	0.00	
	0.00		
*styraciflua. Sweetgum. 60'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.75	3.25	3.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	4.00	3.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.50	4.00
1 ¾ to 2 in	6.00	5.50	5.00
2 to 2½ in	7.50	6.50	6.00
2½ to 3 in	12.50	10.00	7.50
3 to 3½ in	20.00	15.00	
	30.00		
	50.00		
*Liriodendron chinense. Chinese Tulip			
5 to 6 ft	6.00	5.00	
6 to 8 ft	7.50	6.00	
*tulipifera. Tuliptree. 80'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1 1/4 to 1 1/2 in	3.00	2.75	2.50
1½ to 1¾ in	4.00	3.50	
1 ¾ to 2 in	5.00	4.50	
	7.50	6.00	
	12.50	10.00	
· —	20.00	15.00	1.00
· · · · · · · · · · · · · · · · · · ·	25.00	18.00	
*tulipifera pyramidale. Pyramid T	_	?. 70'	
6 to 8 ft	7.50		
8 to 10 ft			
	12.50		
2 to 2½ in	15.00		

	DOI		
	1-4	5-24	25 & up
Lonicera alseuosmoides.	Each	Each	Each
2 year	.75	.60	.50
			,,,,
bella albida. White Belle Honeysu			20
2 to 3 ft	.35	.25	.20
3, to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
bella rosea. Belle Honeysuckle. 10) <i>'</i>		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
billardi. 8'			
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
browni plantierensis. Orange Hone	ysuckle	. 4'	
2 year	.50	.40	.35
3 year	.60	.50	,,,,
· ·		,,,,	
caprifolium. Sweet Honeysuckle.		4.0	9.0
2 year		.40	.30
chrysantha. Coralline Honeysuckle.			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60
6 to 8 ft	1.00	.85	.75
conjugialis. 8'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60
dioica. Limber Honeysuckle. 10' 2 to 3 ft	F 0	4.0	25
	.50	.40	.35
3 to 4 ft	.60	.50	.40
fragrantissima. Winter Honeysuck			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	

Lonicera		5-24 Each	25 & up Each
fuchsioides.			
2 year	.75	٠	
gracilipes. Spangled Honeysuckle.	6'		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
heckrotti. Everblooming Honeysuck	kle. 15	,	
2 year	.50	.40	.30
henryi. Henry Honeysuckle. 15'			
2 year	1.00		
hirsuta. Hairy Honeysuckle. 15'			
2 year	.50	.40	
3 year	.60	.50	
japonica. Japanese Honeysuckle. 1	'5'		
2 year	.25	.20	.15
3 year	.35	.25	.18
ii ballana Wall Ianguaga	Homan		00'
japonica halleana. Hall Japanese	.25		.15
2 year	.35	•	.18
3 year	.50	.40	,10
japonica reticulata aurea.			
Yellow Japanese Honeysuckle. 15			
2 year	.45	.35	.25
kesselringi. Black fruited Honeys	uckle.	10'	
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
koehneana. 12'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75		.50
korolkowi floribunda. Broad Bluele	eaf Hor	rey suck l	e. 10'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
ledebouri. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.50	.,,,,

	2011		
	1-4 Each	5-24 Each	25 & up Each
Lonicera	20011		
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	
maacki podocarpa. Late Honeysud			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
	1.00		
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
			.00
muendeniensis. Muenden Honeysu			
5 to 6 ft	.65	.55	.50
6 to 8 ft	.75	.65	/ .60
8 to 10 ft	1.00	.85	.75
nitida. <i>3'</i>			
6 to 12 in	.50	.40	\ .30
periclymenum belgica. Dutch Woo	odbine.	15'	
2 year	.40	.30	.25
3 year	.50	.40	.35
pileata. Privet Honeysuckle. 2'			•
6 to 12 in	.60	.50	.40
life Winserti Canno H			
prolifera syn. sullivanti. Grape H			0.5
3 year	.60	.45	.35
quinquelocularis. Mistletoe Honeys	suckle.	10'	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•••	

, o <u></u> , o <u></u>			• • •
	1-4 Each	5-24 Each	25 & up Each
Lonicera	Bach	Hacii	134011
ruprechtiana. Manchurian Honeysi	ickle.	10'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
	•••		•••
saccata. 6'		4.0	0.0
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.5.0	.40
sempervirens. Trumpet Honeysuck			
2 year	.40	.30	.25
3 year	.50	.40	.30
spinosa alberti. Thorn Honeysuckl	le. 2'		
12 to 15 in	.45	.35	.30
15 to 18 in	.55	.45	.40
18 to 24 in	.75	.60	.55
	* * -	• • •	
standishi. 5'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
syringantha. Lilac Honeysuckle. 4	,		
15 to 18 in., 4 inch pots		.75	
2 to 3 ft., field grown	1.50	1.25	
2 to 5 it., field grown	1.00	1,20	
syringantha wolfi. Wolf Honeysuc	kle. 6'		
15 to 18 in., 4 in. pots	1.00	.75	
2 to 3 ft., field grown	1.50	1.25	
tatarica. Red Tatarian Honeysuckl	le. 10'		
		.25	.20
2 to 3 ft	.35 $.45$.25	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.00
0 10 8 10	1.00	.10	
tatarica alba. White Tatarian Hon	eysuckle	e. 10'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65

	1-4 Each	5-24 Each	25 & up
Lonicera	racn	Each	Each
tatarica grandiflora. Pink Tatarian	n Hone	ysuckle.	10'
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
tatarica lutea. Yellow Tartarian H	oneysu	ckle. 10) '
3 to 4 ft	.75		
tatarica siberica. Siberian Honeysu	ickle.	10'	
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
tellmanniana.			
2 year	1.00	.90	
thibetica. Tibetan Honeysuckle. 4'			
2 year	1 25	1.00	
tragophylla	1.20	1.00	
2 year	1.50		
pu ĝ	1.00		
, , , , , , , , , , , , , , , , , , , ,	.50	.35	.30
2 year			.50
virginalis alba. Maiden Honeysuck			0.5
2 to 3 ft	.40	.30	.25 .30
3 to 4 ft	.60	.50	.40
4 to $5/\text{ft}$			
5 to $6 \text{ ft.} \dots \dots$.75	.60	.50 .65
6 to 8 ft	1.00	.10	.00
xylosteum. Fly Honeysuckle. 8'	40	20	.25
2 to 3 ft	.40	.30	.30
3 to 4 ft	.50	.50	.40
4 to 5 ft	.75		
5 to 6 ft		.60	.50
6 to 8 ft	1.00	.75	.65
Lycium chinense. Chinese Matrimony V			15
2 to 3 ft	.25	.20	.15
3 to 4 ft	.35	.25	.20
halimifolium. Common Matrimony			
2 to 3 ft		.20	.15
3 to 4 ft	.35	.25	.20

PAINESVILLE, OHIO		79
1-4 Each		25 & up Each
Lyonia ligustrina. He-Huckleberry. 12'	ı Zacıı	230071
15 to 18 in 1.28	5 1.00	
18 to 24 in 1.50	1.25	
Maackia amurensis. Amur Maackia. 40'		
2 to 3 ft	0	
3 to 4 ft)	
Magnolia acuminata. Cucumber Tree. 70'		
4 to 5 ftB&B 3.00	$0 \qquad 2.50$	
5 to 6 ftB&B 4.00	3.50	
6 to 8 ftB&B 5.00		
8 to 10 ftB&B 6.00		
conspicua. Yulan. 50'		
3 to 4 ftB&B 7.50)	
4 to 5 ft		
fraseri. Fraser Magnolia. 50'	,	
5 to 6 ftB&B 10.0	n	
6 to 8 ftB&B 12.5		
glauca. Sweetbay. 25'	U	
2 to 3 ftB&B 2.5	0 2.00	1.50
3 to 4 ftB&B 3.5		2.50
4 to 5 ftB&B 5.0		
5 to 6 ftB&B 7.5		5.50
6 to 8 ft		7.00
8 to 10 ft	0 10.00	9.00
hypoleuca. Silver Magnolia. 50'		
4 to 5 ft		
5 to 6 ftB&B 12.5		
6 to 8 ftB&B 15.0	0 12.50	
kobus. 30'		
4 to 5 ftB&B 5.0	0 4.00	
5 to 6 ftB&B 7.5	0 - 6.50	
6 to 8 ftB&B 10.0	0 9.00	
8 to 10 ftB&B 12.5	0 10.00	
lennei. Lenne Magnolia. 20'		
2 to 3 ftB&B 5.0	0	
3 to 4 ftB&B 7.5	0	
5 to 6 ftB&B 15.0	0	
macrophylla. Bigleaf Magnolia. 50'		
3 to 4 ftB&B 5.0	0	
4 to 5 ftB&B 6.0	0	
5 to 6 ftB&B 7.5	0	
6 to 8 ftB&B 10.0		

	1-4 Each	5-24 Each	
Magnolia			
parviflora. Oyama Magnolia. 30'	= F0	0.00	
2 to 3 ftB&B			
3 to 4 ftB&B		7.50	
4 to 5 ftB&B	12.50		
soulangeana. Saucer Magnolia. 2	0'		
3 to 4 ftB&B	6.00	5.50	
4 to 5 ftB&B	8.00	7.50	
5 to 6 ftB&B	12.50	10.00	
soulangeana nigra. 20'			
5 to 6 ftB&B	15.00		
stellata. Star Magnolia. 8'			
2 to 3 ftB&B	7.50	6.00	
3 to 4 ftB&B	10.00	7.50	
stellata rosea. Pinkstar Magnolia.	15'		
2 to 3 ftB&B			
3 to 4 ft			
4 to 5 ftB&B			
± 00 0 10	10.00		
tripetala. Umbrella Magnolia. 30'			
5 to 6 ftB&B	6.00	5.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B	10.00	7.50	
Mahonia aquifolium. Oregon Hollygrap	e. 5'		
18 to 24 in	2.00	1.75	1.50
24 to 30 in	2.50	2.00	1.75
30 to 36 in	3.00	2.75	2.50
		2.10	2.00
Malus angustifolia. Southern Crab. 25			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
arnoldiana. Arnold Crab. 12'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
baccata. Siberian Crab. 30'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	

TAINEDVILLE, OHIO		0.1
1- Ea		25 & up Each
Malus		130011
baccata mandshurica. Manchurian Cra	ıb. 30'	
3 to 4 ft	25 1.00	
4 to 5 ft	75 1.50	
5 to 6 ft	50 2.00	
brevipes. 12'		
3 to 4 ft	50 1.25	1.00
4 to 5 ft 1.	75 1.50	1.25
5 to 6 ft	50 2.00	
coronaria. Wild Sweet Crab. 30'		
4 to 5 ft 1.	50 1.25	*
	75 1.50	
6 to 8 ft 3.	00 2.50	2.00
8 to 10 ft 5.	00 4.00	3.00
10 to 12 ft 10.	00 7.50	
coronaria Charlotte. 15'		
3 to 4 ft	50 1.25	1.00
	00 1.60	1.35
5 to 6 ft	50 2.00	
6 to 8 ft 3.	50 3.00	
dolga. <i>15</i> ′		
	50 1.25	1.00
	00 1.60	1.35
	00 2.50	
Elisa Rathke. Weeping Flg. Apple. 8	,	
	00	
	00	
4 to 5 it. spread 4.	00	
florentina. Florentine Crab. 20'		
	25 1.00	
	75 1.50	
5 to 6 ft 2.	50 2.00	
floribunda. Japanese Flowering Crab.	20'	
3 to 4 ft 1.	25 1.00	.75
4 to 5 ft 1.	50 1.25	1.00
5 to 6 ft 2.	00 1.60	1.35
6 to 8 ft 3.	00 2.50	2.00
8 to 10 ft 5.	00 4.00	

	1-4 Each	5-24 Each	25 & up Each
Malus			
floribunda atrosanguinea. Carmine		20'	
3 to 4 ft	1.25	1.00	.75
4 to 5, ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	
	10.00	7.50	
	12.50		
floribunda lemoinei. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	2.50	2.00
8 to 10 ft	5.00	4.00	
fusca. Oregon Crab. 20'		4 50	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	2.50	
glaucescens. Dunbar Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	2.50	2.00	
halliana. Hall Crab. 15'			
6 to 8 ft	6.00	5.00	
		0,00	
halliana parkmani. Parkman Crab.		1 50	1 05
3 to 4 ft	$1.75 \\ 2.25$	1.50	1.25 1.75
4 to 5 ft	3.00	2.00 2.75	$\frac{1.75}{2.50}$
6 to 8 ft	4.00	3.50	$\frac{2.50}{3.00}$
8 to 10 ft	5.00	4.50	5.00
	0.00	4.00	
hopa. Red Flowering Crab. 12' $4 ext{ to } 5 ext{ ft.} \dots$	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	$\frac{1.33}{2.00}$
8 to 10 ft	4.50	$\frac{2.50}{3.50}$	2.00
	4.00	3.00	
ioensis. Prairie Crab. 25'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	2.50	

	7		5-24 2 Each	5 & up Each
Malus	-	racii 1	2acii	Dacii
ioensis bechteli. Bechte	l Crab. 15'		•	
3 to 4 ft		1.75	1.50	1.25
4 to 5 ft		2.00	1.75	1.50
5 to 6 ft		2.50	2.25	2.00
6 to 8 ft		4.00	3.50	3.00
8 to 10 ft		5.00	4.50	4.00
10 to 12 ft		7.50	6.00	
micromalus. Midget Cr	ab. 10'			
3 to 4 ft		1.25	1.00	.75
4 to 5 ft		1.50	1.25	1.00
5 to 6 ft		2.00	1.60	1.35
6 to 8 ft		3.00	2.50	2.00
8 to 10 ft	• • • • • • •	5.00	4.00	•
niedzwetzkyana. Redve	in Crab. 20'			
3 to 4 ft		1.25	1.00	.75
4 to 5 ft		1.50	1.25	1.00
5 to 6 ft		2.00	1.60	1.35
6 to 8 ft		3.00	2.50	
Oekonemurat Echterme	yer. <i>15'</i>			
3 to 4 ft		1.50	1.25	1.00
4 to 5 ft		2.00	1.50	1.25
5 to 6 ft			2.50	1.20
purpurea. Purple Crab				
3 to 4 ft		1.25	1.00	.75
4 to 5 ft			1.25	1.00
5 to 6 ft			1.60	1.35
6 to 8 ft		_,,,	2.50	2.00
8 to 10 ft		_	4.00	2.00
		0.00	1.00	
purpurea aldenhamensis	. 15'			
3 to 4 ft			1.25	1.00
4 to 5 ft		2.00	1.50	1.25
5 to 6 ft			2.00	1.50
6 to 8 ft		3.50	3.00	2.50
purpurea eleyi. Eley Fl	lowering Cral	b. 15'		
3 to 4 ft		1.25	1.00	.75
4 to 5 ft		1.50	1.25	1.00
5 to 6 ft		2.00	1.60	1.35
6 to 8 ft		3.00	2.50	

	1-4 Each	5-24 Each	25 & up Each
Malus	20011		
prunifolia rinki. Chinese Apple.	<i>15</i> ′		
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	
robusta. Cherry Crab. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	2.50	2.00	
robusta fastigiata. 15'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
robusta persicifolia. 12'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50		
8 to 10 ft	5.00		
sargenti. Sargent Crab. 6'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	
scheideckeri. Scheidecker Crab.	<i>20'</i>		
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
sieboldi. Toringo Crab. 15'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
spectabilis. Chinese Flowering Cra			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	

Malus	1-4 Each	5-24 Each	25 & up Each
spectabilis alba plena. Dbl. White	Chinese	Crab.	<i>15</i> ′
3 to 4 ft	1.25	1.00	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00		
sublobata. Yellow Autumn Crab.	12'		
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
theifera. Tea Crab. 20'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
theifera rosea. 20'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
toringoides. Cutleaf Crab. 15'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
tschonoski. 20'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
yunnanensis veitchi. 25'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
zumi. Zumi Crab. 12'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Malus	Bacii	Bacii	24011
zumi calocarpa. 15'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.50	
Morus alba pendula. Weeping Mulbern	y. 10'		
3 yr. heads, 5 to 7 ft. stems	3.00		
alba tatarica. Russian Mulberry.	<i>60</i> ′		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00	1.75	1.50
1 ½ to 2 in	2.50	2.25	2.00
2 to 2½ in	3.50	3.00	
Myrica carolinensis. Northern Bayberr	y. 5'		
18 to 24 in	.75	.60	.50
24 to 30 in	1.00	.75	.60
cerifera. Southern Waxmyrtle. 5'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
gale. Sweetgale. 4'			
18 to 24 inB&B	2.00	1.50	
2 to 3 ftB&B	2.50	2.00	
Nandina domestica. Nandina. 8'			
18 to 24 inB&B	2.50	2.00	
Neillia longeracemosa. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
sinensis. Tube Neillia. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
Nemopanthus mucronatus. Mountain H	olly. 1	0 '	
2 to 3 ft	_	1.00	
3 to 4 ft		2.00	
	1,00		

PAINESVILLE, UHI	.0		87
	1-4		25 & up
Neviusia alabamensis. Snow-wreath. 6'	Each	Each	Each
2 to 3 ft	1.25		
3 to 4 ft	1.50		
	1.00	٠	
*Nyssa aquatica. Big Tupelo. 40'			
2 to 3 ft	2.00		
*sylvatica. Tupelo. 40'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	1.75	1.50
5 to 6 ft	2.75	2.25	1.75
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	7.50	6.50	
	hara 15	•	
Osmanthus aquifolium. Holly Osmanth			
2 to 3 ftB&B	2.50		
Ostrya virginiana. American Hophorni	beam.	40 '	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00	4.50	
*Oxydendrum arboreum. Sourwood.	<i>40</i> ′		
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	3.50	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.50	5.50	4.50
10 to 12 ft	10.00	7.50	1.00
Pachistima canbyi. Canby Pachistima.	1'	1.00	
3 inch pots	.75	.60	.50
_	.10	.00	.00
Paeonia suffruticosa. Tree Peony. 6'	0.00	0.50	
8 to 10 in., 3 year	3.00	2.50	-
Paulownia tomentosa. Royal Paulownia	ia. 30'		
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
10 to 12 ft	7.50		
Periploca graeca. Silk Vine. 30'			
2 year	.50	.40	.30
3 year	.60	.50	.40
sepium. Chinese Silkvine. 25'			
2 year	1.25	1.00	

	1-4	5-24	25 & up
	Each	Each	Each
Perowskia atriplicifolia. 4'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
Phellodendron amurense. Amur Corkt			4 00
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.75	2.50
$1\frac{3}{4}$ to 2 in	4.00	3.50	3.00
2 to $2\frac{1}{2}$ in	5.50	4.50	4.00
$2\frac{1}{2}$ to 3 in	7.50	6.50	5.00
3 to $3\frac{1}{2}$ in	12.50	10.00	
$3\frac{1}{2}$ to 4 in	15.00	12.50	
chinense. Chinese Corktree. 30'			
8 to 10 ft	3.00	2.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
$1 \frac{3}{4}$ to 2 in	5.00	4.00	
2 to $2\frac{1}{2}$ in	6.00	5.00	
sachalinense. Sakhalin Corktree.			
6 to 8 ft		3.00	
8 to 10 ft	4.00	3.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	4.00	
1 ¾ to 2 in	6.00	5.00	
2 to 2½ in	9.00	7.50	
Philadelphus Albatre. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.50
4 10 0 11	.00	.50	
Argentine. 5'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
Avalanche. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
Banniere. 8'	4.0	2.2	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30

	1-4 Each		25 & up Each
Philadelphus			
Bouquet Blanc. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
coronarius. Sweet Mockorange. 1	.0 '		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
coronarius aureus. Golden Mockon		•	9.0
18 to 24 in	.45	.35	.30
24 to 30 in		.45	.40
3 to 4 ft		.60	
4 to 5 ft	1.00	.85	.75
coronarius nanus. 4'			
12 to 15 in	.60	.50	
15 to 18 in	.75	.60	
coronarius multiflorus plenus. 6'			
2 to 3 ft	.50	.40	.30
Dame Blanche. 6'	4.0	9.0	or or
2 to 3 ft	.40	.30	.25
dianthiflorus plenus. 4'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
falconeri. Star Mockorange. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
Favorite. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
	•00	• ** 0	.00
Gerbe de Neige. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30

		2011		
		1-4 Each	5-24 Each	25 & up Each
Philadelphus		Lacii	Laci	12aCII
Glacier. 5'				
2 to 3	3 ft	.40	.30	.25
3 to 4	1 ft	.50	.40	.30
4 to 5	5 ft	.75	.50	
gordonianus	Gordon Mockorange.	<i>12</i> ′		
3	B ft	.40	.30	.25
	f ft	.50	.40	.30
	5 ft	.60	.50	.40
	6 ft	.75	.60	.50
	3 ft	1.00	.85	.75
arandiflorus	. Big Scentless Mocko	ranae	8'	
	Big Scenness Mocko	.35	.25	.20
	f ft	.40	.30	.25
	ft	.55	.45	.35
	6 ft	.75	.60	.50
	8 ft	1.00	.85	.75
0 10 6) 16	1.00	.00	.10
lemoinei er	ectus. 5'			
2 to 3	3 ft	.40	.30	.25
	1 ft	.50	.40	.30
4 to 5	5 ft	.60	.50	.40
lewisi. Ler	wis Mockorange. 10'			
3 to 4	1 ft	.50	.40	.30
4 to 8	5 ft	.60	.50	.40
5 to 6	6 ft	.75	.60	.50
6 to 8	8 ft	1.00	.85	.75
Magdalene.	<i>6'</i>			
	B ft	.40	.30	.25
3 to 4	4 ft	.50	.40	
nenalensis	Nepal Mockorange. 10	,		
-	4 ft	.50	.40	.30
	5 ft	.60	.50	.40
	6 ft	.75	.60	.50
	8 ft	1.00	.85	.75
	owbank Mockorange. 10		20	.25
	3 ft	.40	.30	.30
	4 ft	.50	.40	
	5 ft	.60	.50	.40
	6 ft	.75	.60	.50
6 to	8 ft	1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
Norma. 8'			
2 to 3 ft	.40	30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Ophelia. $6'$			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
Pavillon Blanc. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
	1.00	.00	• • • •
pyramidale. 6'	F 0	4.0	
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
5 to 6 ft	.90	.10	
Sybille. 5'			
2 to 3 ft	.50	.40	.30
virginal. 8'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
Voie Lactee. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	•10
zeyheri. Zeyher Mockorange. 10'	•••	•00	
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	•00
	2.00	•00	
Photinia villosa. 8'	7 5	CO	F.0
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75 1.00
	$1.50 \\ 2.50$	1.25 2.00	1.50
6 to 8 ft	$\frac{2.50}{3.50}$	3.00	1.00
0 10 10 10	5.50	5.00	

	1-4 Each	5-24 2 Each	25 & up Each
Photinia	Each	Each	Pach
villosa laevis. 15'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
Physocarpus intermedius parvifolius.	Dwarf	Ninebark	. 4'
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
monogynus. 3'			
2 to 3 ft	1.00		
opulifolius. Ninebark. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
opulifolius luteus. Goldleaf Ninebo	ark. 1	0 '	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
opulifolius nanus. 5'			· - ·
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Picea alba. White Spruce. 50'		•••	*-*
2 ftB&B	2.50	2.00	1.75
3 ft	3.50	2.75	2.25
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.50	15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 18 ft., add	\$5.00	per foot	•
alba gloriosa. 30'			
2 ftB&B	7.50		
3 ftB&B	10.00		
4 ftB&B	12.50		

	1-4 Each		25 & up Each
Picea	23011	,	
alcockiana. Alcock Spruce. 75'			
4 ftB&B	12.50		
8 ftB&B	20.00		
canadensis. Black Hills Spruce. 6	o'		
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	2.75	2.25
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	9.00	7.50	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.50	15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 18 ft., add	\$5.00	per foot	•
engelmanni. Engelmann Spruce. 7	5'		
5 ftB&B			
6 ftB&B			
7 ftB&B			
For larger sizes to 16 ft., add		per foot	•
excelsa. Norway Spruce. 75'	•	•	
2 ftB&B	2.00	1.50	1.25
3 ftB&B	2.50	2.00	1.75
4 ftB&B	4.50	3.50	3.00
	6.00	5.00	4.00
	7.50	6.00	5.00
	10.00	7.50	6.00
	12.50	10.00	0.00
<u> </u>	15.00	12.50	
	18.00		
For larger sizes to 25 ft., add		per foot	
excelsa aurea. Golden Norway Spe 3 ftB&B		<i>(</i>	
4 ftB&B			
5 ftB&B			
6 ftB&B			
7 ftB&B			
	27.50		
9 ftB&B			
	55,00		
excelsa clanbrasiliana. 7'	F 00	4.00	
15 inB&B	5.00	4.00	
18 inB&B	6.50	5.00	

n·	1-4 Each	5-24 Each	
Picea	. 6'		
excelsa maxwelli. Maxwell Spruce 18 to 24 inB&B			
24 to 30 inB&B	10.00		
excelsa nana compacta. ${\it Dwarf} \ {\it Sp}$	ruce.	4'	
18 to 24 inB&B	7.50	6.00	5.00
24 to 30 inB&B	10.00	7.50	6.00
30 to 36 inB&B	12.50	10.00	
36 to 42 inB&B	15.00	12.50	
excelsa nana pyramidalis. Pyrami	dal Dw	f. Spruc	e. 4'
18 inB&B	6.00		
2 ftB&B	7.50		
excelsa pendula. Weeping Spruce.	20'		
3 ftB&B	5.00	4.50	
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	8.00	
6 ftB&B	12.50	10.00	
excelsa pygmea. Pygmy Norway 8	Spruce.	20'	
18 to 24 inB&B	6.00	5.50	
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00		
36 to 42 inB&B	15.00		
excelsa remonti. Remont Spruce.	6 '		
18 to 24 inB&B	6.50	5.50	5.00
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00		
36 to 42 inB&B	12.50		
glauca conica. Dwarf Alberta Spr	uce. 6	,	
18 inB&B	5.00	4.00	
2 ftB&B	6.00	5.00	
2½ ftB&B			
3 ftB&B	10.00	7.50	
mariana. Black Spruce. 30'			
	3.50		
	5.00		
5 ftB&B			
6 ftB&B			
7 ftB&B			
8 ftB&B			C
For larger sizes to 16 feet, a	aa \$5.0	oo per	root.

P

¬·	1-4 Each	5-24 Each	25 & up Each
Picea			
mariana doumeti. Doumet Spruce.	25'	•	
2 ftB&B	5.00	4.00	
3 ftB&B	6.00	5.00	
4 ftB&B	7.50		
omorika. Serbian Spruce. 50'			
3 ftB&B	12.50		
4 ftB&B	15.00		
orientalis. Oriental Spruce. 75'			
	2.50		
	3.50	*	
8 ftB&B	20.00		
9 ftB&B			
10 ftB&B			
polita. Tigertail Spruce. 75'			
8 ftB&B	18.00		
9 ftB&B	20.00		
10 ftB&B	25.00		
For larger sizes to 16 ft., add	\$5.00	per foo	ot.
pungens. Colorado Spruce. 60'			
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.25	3.00
4 ftB&B	5.00	4.50	4.00
5. ftB&B	7.50	6.50	5.00
	10.00	7.50	6.00
	12.50	10.00	7.50
8 ftB&B	15.00	12.50	
For larger sizes to 18 ft., add	\$5.00	per foo	t.
pungens glauca. Blue Colorado Spr	·uce. (60 '	
2 ftB&B	5.00	4.50	4.00
3 ftB&B	6.50	6.00	5.50
4 ftB&B	8.50	7.50	7.00
5 ftB&B	10.00	9.00	8.00
6 ftB&B	15.00	12.50	
7 ftB&B	18.00	15.00	
8 ftB&B 2	25.00	20.00	
9 ftB&B 8	35.00	30.00	
For larger sizes to 17 ft., add	\$5.00	per foo	t.

	1-4 Each	5-24 Each	25 & up Each
Picea			
pungens kosteri. Koster Blue Spra	uce. 50'		
2 ftB&B	5.50	5.00	4.50
$2\frac{1}{2}$ ftB&B	6.00	5.50	5.00
3 ftB&B	7.50	7.00	6.50
$3\frac{1}{2}$ ftB&B	10.00	9.00	8.50
4 ftB&B	12.00	11.00	10.00
4½ ftB&B	14.00	13.00	12.00
5 ftB&B	16.00	15.00	14.00
5½ ftB&B	17.50	16.00	15.00
6 ftB&B	20.00	18.00	
7 ftB&B	25.00 30.00	20.00 25.00	
8 ftB&B 10 ftB&B	60.00	25.00	
10 ftB&B 12 ftB&B	70.00		
13 ftB&B	80.00		
	90.00		
14 10	00.00		
pungens moerheimi. 40'			
2½ ftB&B	7.00	6.50	
3 ftB&B	8.50	8.00	
3 ½ ftB&B	12.00	10.00	
rubra. Red Spruce. 60'			
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.00	5.00	4.50
6 ftB&B	7.50	6.50	5.50
7 ftB&B	10.00	7.50	
8 ftB&B	15.00	12.50	
9 ftB&B	20.00	15.00	
Pieris floribunda. Mountain Andromedo	ı. 4'		
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.50		
japonica. Japanese Andromeda. 10'			
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.00	2.50	
24 to 30 inB&B	5.00		
mariana. Staggerbush. 4'			
15 to 18 inB&B	1.75	1.50	
18 to 24 inB&B	2.25	1.75	
24 to 30 inB&B	3.00		

	1-4	5-24	25 & up
Pinus banksiana. Jack Pine. 60'	Each	Each	Each
3 ftB&B	3.50	3.00	2.75
4 ftB&B	4	4.00	3.50
5 ftB&B	6.00	5.50	5.00
	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B	22.50	18.00	15.00
11 ftB&B	27.50	22.50	18.00
For larger sizes to 16 ft., add	\$5.00	per foo	t.
densiflora. Japanese Red Pine. 6	0 '		
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	9.00	7.50	6.50
	12.50	10.00	
	15.00	12.50	,
For larger sizes to 17 ft., add	1 \$5.00	per fo	ot.
flexilis. Limber Pine. 30'			
4 ftB&B	7.50		
5 ftB&B	10.00		
6 ftB&B			
7 ftB&B			
For larger sizes to 14 ft., add	1 \$5.00	per fo	ot.
montana. Swiss Mountain Pine. 10	0 '		
18 inB&B	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	4.50	3.75	3.50
3 ftB&B	6.50	5.50	5.00
3 ½ ftB&B	10.00	8.00	7.50
4 ftB&B	15.00	12.50	
5 ftB&B	20.00	15.00	
6 ftB&B	25.00		
7 ftB&B	35.00		
montana mughus. Dwarf Mountai	n Pine.	4'	
15 to 18 in. spdB&B	2.00	1.50	1.25
18 to 24 in. spdB&B	2.50	2.00	1.75
2 to 2½ ft. spdB&B			
2½ to 3 ft. spdB&B	4.50	3.75	3.50

					1-4 Each	5-24 Each	25 & up Each
Pinus mont	ana m	ughus					
3	to	3½ ft	. spd	.B&B	6.50	5.50	5.00
3 1	½ to	4 ft	s. spd	.B&B	10.00	8.00	7.50
4	to	5 ft	s. spd	.B&B	15.00	12.50	10.00
5	to	6 ft	. spd	.B&B	25.00		
6	to	7 ft	. spd	.B&B	35.00		
nigra.	Austr	rian Pin	ne. 50'				
2	ft			.B&B	3.50	3.00	2.50
3	ft			.B&B	4.50	4.00	3.50
4	ft	• • • • •		.B&B	6.00	5.50	
5	ft	• • • • •			7.50	6.50	
6	ft	• • • • •		.B&B	10.00	8.50	7.50
7	ft		• • • • • •	.B&B	15.00	12.50	10.00
8	ft			.B&B	18.00	15.00	12.50
9	ft			.B&B	22.50	18.00	15.00
10	ft			.B&B	27.50	22.50	18.00
For	· large	er sizes	to 16 f	ft., add	\$5.00	per fo	ot.
ponder	osa.	Western	n Yellow	Pine.	60'		
2	ft			.B&B	3.00	2.75	2.50
3	ft	• • • • •		.B&B	4.00	3.75	3.50
9	ft			.B&B	15.00		
10	ft			.B&B	20.00		
For	large	er sizes	to 18 f	t., add	\$5.00	per fo	ot.
resinos	a. Re	ed Pine.	50 '				
3	ft			.B&B	4.50	4.00	3.50
4	ft			.B&B	6.00	5.50	5.00
5	ft			.B&B	7.50	6.50	6.00
6	ft			.B&B	10.00	8.50	7.50
7	ft			.B&B	15.00	12.50	10.00
8	ft	• • • • •		.B&B	18.00	15.00	
9	ft	• • • • •		.B&B	22.50	18.00	
F	or larg	ger size	s to 16	ft., ado	d \$5.00	per fo	ot.
strobu	s. W	hite Pin	ne. 75'				
2	ft			.B&B	3.50	3.00	2.50
3	ft			.B&B	4.50	4.00	3.50
4	ft			.B&B	6.00	5.50	5.00
5	ft			.B&B	7.50	6.50	6.00
6	ft			.B&B	10.00	8.50	7.50
7	ft			.B&B	15.00	12.50	10.00
8	ft			.B&B	18.00	15.00	
F	or larg	ger size	es to 12	ft., ad	d \$5.00	per fo	ot.

	1-4 Each	5-24 Each	25 & up Each
Pinus			
sylvestris. Scotch Pine. 50'		-	
3 ftB&B	3.50	3.00	2.75
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B	22.50	18.00	15.00
11 ftB&B	27.50	22.50	18.00
For larger sizes to 18 ft., add	\$5.00	per fo	ot.
thunbergi. Japanese Black Pine.	60 '		
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00		
For larger sizes to 12 ft., add	\$5.00	per fo	ot.
Platanus occidentalis. American Planet	ree. 75	'	
8 to 10 ft	2.00	1.75	
1½ to 1½ in	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
1 3/4 to 2 in	5.00	4.00	
orientalis. European Planetree. 80	,		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1 1/4 to 1 1/2 in	3.00	2.50	2.00
1½ to 1¾ in	3.50	3.00	2.50
1 3/4 to 2 in	4.00	3.75	3.25
2 to $2\frac{1}{2}$ in	6.00	5.00	4.50
Polygonum auberti. China Fleecevine.	25'		
2 year	.60	.45	.35
Populus alba. White Poplar. 60'			
8 to 10 ft	1.50	1.25	1.00
10 to 12 ft	1.75	1.50	
berolinensis. Volga Poplar. 40'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1½ to 1½ in	3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.25	3.00

	1-4	5-24	25 & up
Populus	Each	Each	Each
bolleana. Bolleana Poplar. 50'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.25	2.00	1.75
1 1/4 to 1 1/2 in	2.75	2.50	2.25
1½ to 1¾ in	3.50	3.00	2.75
1 ³ ⁄ ₄ to 2 in	4.50	3.50	3.25
2 to 2½ in	6.50	5.50	4.50
2½ to 3 in	10.00	7.50	
3 to 3½ in	12.50	10.00	
4 to $4\frac{1}{2}$ in	15.00		
certinensis. Certinensis Poplar. 40	"		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.00	2.50	2.00
maximowiczi. Japanese Poplar. 4	60 '		
8 to 10 ft	3.00	2.50	
10 to 12 ft	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
nigra italica. Lombardy Poplar. 6	30 '		
6 to 8 ft. low branched	1.00	.75	.60
8 to 10 ft. low branched	1.25	1.00	.75
10 to 12 ft. low branched	1.50	1.25	1.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. low branched	2.00	1.60	1.35
1 % to 2 in. low branched	3.00	2.50	2.00
2 to $2\frac{1}{2}$ in. low branched	4.00	3.00	
simoni. Simon Poplar. 35'			
6 to 8 ft	1.25	1.00	
8 to 10 ft	1.50	1.25	
	2.00		
suaveolens przewalski. 40'			
6 to 8 ft	2.50	2.00	
tremuloides. Quaking Aspen. 50'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.75	2.25	1.75
10 to 12 ft	3.50	3.00	
trichocarpa. Black Cottonwood. 4		4	4 F0
8 to 10 ft	2.00	1.75	
10 to 12 ft	2.75	2.25	1.75
Potentilla fruticosa. Shrubby Cinquefoi	l. 4'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35

		1-4 Each	5-24 Each	25 & up Each
Prinsepia sinensis. Cher	ry Priusepia. 6'	Each	. Each	mach
	om pots	1.25	1.00	
Prunus americana. Am	erican Plum. 20	•		
4 to 5 ft		.75	.60	.50
		1.00	.75	.60
6 to 8 ft		1.25	1.00	.75
8 to 10 ft		1.50	1.25	1.00
americana Newpor	t. Purple-leaved	Americ	an Plu	m. 20'
3 to 4 ft		.75	.60	.50
4 to 5 ft		1.00	.85	.75
5 to 6 ft		1.25	1.10	1.00
6 to 8 ft		1.75	1.65	1.50
armeniaca sibirica.	Siberian Aprice	ot. 12'		
4 to 5 ft		2.00	1.50	
5 to 6 ft	• • • • • • • • • •	2.50	2.00	
6 to 8 ft		3.00	2.50	
m^* avium plena. Do	uble White Flowe	ering Cl	herry.	<i>30</i> ′
5 to 6 ft		2.50	2.00	1.50
6 to 8 ft		3.50	3.00	2.25
8 to 10 ft	• • • • • • • • • •	5.00	4.00	
10 to 12 ft	• • • • • • • • • •	6.00	5.00	
3 to 4 in. sp	ecimens	25.00		
besseyi. Bessey Ci	herry. 8'			
2 to 3 ft		.50	.40	.30
3 to 4 ft	• • • • • • • • • •	.60	.50	.40
4 to 5 ft	• • • • • • • • • • • • • • • • • • • •	.75	.60	.50
cerasifera pissardi.	Purpleleaf Plu	m. 12'		
4 to 5 ft		.85	.75	.65
5 to 6 ft		1.25	1.00	.90
6 to 8 ft	• • • • • • • • • • •	1.75	1.65	1.50
cistena. Purplelea	f Sand Cherry 9	20'		
3 to 4 ft	•	.75	.60	.50
			.75	.65
				•00
demissa. Western			F 0	
$3 \text{ to } 4 \text{ ft.} \dots$.60	.50	
4 to 5 ft	• • • • • • • • • •	.75		
dunbari. Dunbar I	Plum. 6'			
2 to 3 ft		.85	.70	.60
3 to 4 ft		1.00	.85	.75
4 to 5 ft		1.25		1.00
5 to 6 ft		1.50	1.25	

	1-4 Each	5-24 Each	25 & up Each
Prunus	- •		
glandulosa. Flowering Almond. 10			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
glandulosa albiplena.			
Double Whiteflowering Almond.	<i>6'</i>		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.65	.60
2 to 3 ft. own roots	1.50	1.25	
glandulosa sinensis.			
Double Pinkflowering Almond. 6'	•		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.65	.60
2 to 3 ft. own roots	1.50	1.25	
3 to 4 ft. own roots	2.00	1.50	
hortulana. Hortulan Plum. 30'			
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.20 1.50	1.00 1.25	
6 to 8 ft			
0 10 8 11	2.00	1.50	
incisa. Mame Cherry. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
japonica. Chinese Bush Cherry. 12	? '		
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
*lannesiana. Hitoye Cherry. 30'			
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
	2.00	-10	2.00
*lannesiana Amayadori. 30' 4 to 5 ft	9.00	1 50	
5 to 6 ft	$\frac{2.00}{2.50}$	1.50	
	2.50	2.00	
*lannesiana Jonioi. 25'			
4 to 5 ft	2.00		
*lannesiana sirotae. Mt. Fuji Che	rry. 25	,	
	2.00	1.50	
	2.50	2.00	
6 to 8 ft	3.50	3.00	

	1-4 Each	5-24 Each	25 & up Each
Prunus			
maacki. Amur Cherry. 12' 3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
maritima. Beech Plum. 12'	1.20	1.00	•••
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	.70
moseri fl. pl. 12'	1.00	•••	
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	
mume. Japanese Apricot. 15'			
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.75	1.50
padus. European Bird Cherry. 30'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.35	1.10	1.00
8 to 10 ft	1.50	1.35	1.25
pennsylvanica. Pin Cherry. 25'			
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	3.00	2.50	
persica. (See Amygdalus).			
pumila. Sand Cherry. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75		
serotina. Wild Black Cherry. 60'			
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	
8 to 10 ft	1.50	1.25	
10 to 12 ft	2.50	2.00	
*serrulata. Oriental Cherry. 40'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.00	2.50	2.25
8 to 10 ft	5.00	4.00	3.00

1-4 5-24 25 & up

		1-4 Each	Each	Each
Prunus				
st serrulata Higantakura. $\it L$	obl. Wh	ite Flg.	Cherry.	<i>30</i> ′
4 to 5 ft		1.75	1.50	1.25
5 to 6 ft		2.50	2.00	1.50
6 to 8 ft		3.50	3.00	
8 to 10 ft		6.00	5.00	
*serrulata Hisakura. Dbl.	Pink F	lg. Cher	ry. 30'	
4 to 5 ft		1.75	1.50	1.25
5 to 6 ft		2.50	2.00	1.50
6 to 8 ft		3.50	3.00	2.25
8 to 10 ft		6.00	5.00	
*serrulata James H. Veitcl	h. syn.	Fugenz	o. 30'	
4 to 5 ft		1.75	1.50	1.25
5 to 6 ft		2.50	2.00	1.50
6 to 8 ft		3.50	3.00	2.25
8 to 10 ft		6.00	5.00	,
*serrulata sachalinensis. sy Yama Cherry. 50'	n. Sarg	genti.		
			4 50	4 0 5
4 to 5 ft		1.75	1.50	1.25
5 to 6 ft		2.50	2.00	1.50
6 to 8 ft		3.50	3.00	2.50
8 to 10 ft		6.00	5.00	3.50
10 to 12 ft	• • • • • •	10.00	7.50	
*sieboldi. syn. Naden. Sieb	bold Ch	erry. 40) '	
5 to 6 ft		2.50	2.00	1.50
6 to 8 ft		3.50	3.00	2.25
8 to 10 ft		6.00	5.00	
spinosa. Blackthorn. 12'				
3 to 4 ft		.75	.60	.50
4 to 5 ft		1.00	.75	.60
5 to 6 ft		1.25	1.00	.75
6 to 8 ft		1.50	1.25	1.00
8 to 10 ft		2.00	1.75	1.50
*subhirtella. Higan Cherry	y. 30'.			
4 to 5 ft		1.75	1.50	1.25
5 to 6 ft		2.50	2.00	1.50
6 to 8 ft		3.50	3.00	2.25
8 to 10 ft		6.00	5.00	3.50
10 to 12 ft		10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Prunus			
*subhirtella ascendens. Shiro-higan	. 20'		
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
*subhirtella autumnalis.			
Autumn Flowering Higan Cherry.	<i>30</i> ′		
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
8 to 10 ft	10.00		
*subhirtella pendula. Weeping Higo	ın Che	rry. 15'	
2 yr. hds, 4 to 6 ft. stem	3.50	3.00	2.50
tomentosa. Nanking Cherry. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.75	1.50
triloba. Single Flowering Plum. 10		2110	1,00
4 to 5 ft	2.50		
5 to 6 ft	3.50		
triloba plena. Double Flowering Po		10'	
-	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
virginiana. Chokecherry. 30'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	.85	.75	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
	4.00	1.10	1.00
*yedoensis. Yoshino Cherry. 35'		1 50	4.05
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.25
8 to 10 ft	6.00	5.00	3.50
*yedoensis taizanfukun.			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.25
8 to 10 ft	6.00	5.00	3.50

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.00, \$2.50 and \$3.50 each, respectively.

Amanogawa—semi-double pale pink
Gioiko—semi-double pale yellow
Hata-zakura—semi-double white
Horaisan—double pink
Hosokawanioi—semi-double flesh
Kuramayami—double pink
Kwanzan—syn. Sekiyama—double deep pink
Miyako—double pink
Shirofugen—double light pink
Shogetsu—double soft pink
Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

	1-4 Each	5-24 Each	25 & up Each		
Pseudotsuga douglasi. Douglas Fir. 70		Each	Laci		
2 ftB&B	2.50	2.25	2.00		
3 ftB&B	3.00	2.75	2.50		
4 ftB&B	4.50	4.00	3.50		
5 ftB&B	6.00	5.00	4.50		
6 ftB&B	8.50	7.50	6.00		
7 ftB&B	10.00	8.50	7.50		
8 ftB&B	15.00	12.50	10.00		
9 ftB&B	18.50	15.00	12.50		
10 ftB&B	22.50	18.50	15.00		
For larger sizes to 20 ft., add	\$5.00	per fo	ot.		
Pseudolarix kaempferi. Golden Larch.	50 '				
7 ftB&B	25.00				
8 ftB&B	35.00				
Ptelea trifoliata. Hoptree. 20'					
4 to 5 ft	.75	.60	.50		
5 to 6 ft	1.00	.75	.60		
6 to 8 ft	1.25	1.00	.75		
8 to 10 ft	1.50	1.25	1.00		
Pueraria thunbergiana. Kudzu-bean. 40'					
2 year	.45	.30	.20		

	1-4 Each		25 & up Each
Pyracantha. (See Crataegus).			
Pyrus calleryana. Callery Pear. 20'	•		
4 to 5 ft	1.75	1:50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
salicifolia. Willowleaf Pear. 30'			
	2.00	1.50	
5 to 6 ft	2.50	2.00	
serrulata. 20'			
	2.50	2.00	
0 1 0 01	3.00	2.50	
	9.00	2.00	
Quercus alba. White Oak. 75'	0.75	9.05	
6 to 8 ft	3.75		
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00	4.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	$6.00 \\ 7.50$	5.50 6.50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10.00	7.50	
$2 \frac{1}{2}$ to 3 in	12.50	10.00	
3 to 3 ½ in	15.00	10.00	
bicolor. Swamp White Oak. 60'			
	3.75		
$1\frac{1}{4}$ to $1\frac{1}{2}$ in			
1½ to 1¾ in			
1 % to 2 in		•	
2 to 2½ in			
2½ to 3 in	15.00		
cerris. European Turkey Oak. 80'			
1½ to 1¾ in	5.00		
1 % to 2 in	6.00		
coccinea. Scarlet Oak. 75'			
	4.00	3.50	2.50
41 1 41 °		4.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	5.50	
1 % to 2 in	7.50	6.50	
2 to 2½ in	10.00	7.50	
$2\frac{1}{2}$ to 3 in		12.50	
3 to $3\frac{1}{2}$ in	20.00		
lyrata. Overcup Oak. 75'			
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	7.50		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.00		

			1-4 Each	5-24 Each	25 & up Each
Quercus					
_		ossycup Oak. 75'			
		in	5.50	4.50	4.00
. –		in	6.50	5.50	5.00
	· -	in	10.00	7.50	6.50
		in	12.50	10.00	8.50
3 to	o 3 ½	in	15.00	12.50	
palustris.	Pin O	ak. 75'			
6 t	o 8	ft	2.00	1.75	1.50
1 1/4 t	$1\frac{1}{2}$	in	3.00	2.50	2.00
1½ t	to 1 3/4	in	3.50	3.00	2.50
1 3/4 t	o 2	in	5.00	4.00	3.50
2 t	$50 \ 2\frac{1}{2}$	in	7.50	6.50	5.00
2 ½ t	to 3	in	10.00	7.50	6.00
3 t	$3\frac{1}{2}$	in	12.50	10.00	7.50
3 ½ t	to 4	in	15.00	12.50	10.00
4 t	o 5	in	30.00	25.00	
5 t	o 6	in	40.00		
phellos.	Willow	Oak. 40'			
3 to 3	3 ½ in		30.00		
4 to	5 in		40.00		
5 to	6 in		50.00		
prinus.	Chestnu	t Oak. 50'			
6 t	to 8	ft	3.50	3.00	
1 1/4 t	to 1½	in	4.50	4.00	
1½ t	to 1 3/4	in	6.00	5.00	
1 3/4 t	to 2	in	7.50	6.00	
2 t	to 2½	in	10.00		
2 ½ t	to 3	in	12.50		
robur. E	nglish	Oak. 80'			
			4.50	4.00	3.00
				5.00	
		in		7.50	
		in			
		in			
rubra. R					
		ft	3 50	2.75	2.50
			$\frac{3.50}{4.50}$		
			5.50		
			$\begin{array}{c} 5.50 \\ 7.50 \end{array}$		
		in		7.50	
<u> </u>	10 4 72	111	10.00	7.50	0.50

	1-4 Each	5-24 Each	25 & up Each
Quercus rubra	Each .	Each	Each
_	15.00	12.50	10.00
3 to 3½ in	20.00	15.00	
$3\frac{1}{2}$ to 4 in	25.00	18.00	
texana. 75'			
6 to 8 ft	4.00	3.00	
1¼ to 1½ in	5.00	4.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	5.00	
1 3/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	8.00	
velutina. Black Oak. 70'			
2½ to 3 in	15.00		
3 to 3½ in			
$3\frac{1}{2}$ to 4 in	25.00		
4 to 5 in			
Retinospora. (See Chamaecyparis).			
Rhamnus caroliniana. Carolina Buckth			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55		.40
4 to 5 ft	.75	.60	.50
cathartica. Buckthorn. 12'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.60	
dahurica. Dahurian Buckthorn. 18	? '		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	.85	.75
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
$egin{array}{cccccccccccccccccccccccccccccccccccc$	hamnus.	<i>12</i> ′	
3 to 4 ft	2.50	2.00	
4 to 5 ft	$\frac{2.50}{3.50}$	3.00	
I 00 0 10	0.00	0.00	

1131VICI ICOIIAIVICID 0	e por		
	1-4	5-24	25 & up
Rhamnus	Each	Each	Each
1			
koraiensis. 12'	1.00	0.0	75
3 to 4 ft		.90	.75
4 to 5 ft	1.50	1.25	
purshiana. Cascara Buckthorn.	12'		
3 to 4 ft		.50	.40
4 to 5 ft		.60	.50
5 to 6 ft		.75	.60
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
Rhododendron carolinianum. Carolina	Rhodode	andron.	6 '
2 to 3 ftB&B	4.50	4.00	3.75
catawbiense. Catawba Rhododena			
2 to 3 ftB&B		4.00	
3 to 4 ftB&B	6.00	5.00	4.75
maximum. Rosebay Rhododendron	. 15'		
2 to 3 ftB&B		3.50	3.00
3 to 4 ft		4.50	4.00
4 to 5 ftB&B		1.00	1,00
Rhodora canadensis. Rhodora. 3'			
15 to 18 inB&B	2.50	2.00	
Rhodotypos kerrioides. Jetbead. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.40	
Rhus canadensis. Fragrant Sumac. 6'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
copallina. Shining Sumac. 20'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25

			a rearrage viller, Office			11.
				1-4 Each	5-24 Each	25 & up Each
Rhus				Each.	Bach	Each
cotinu	s.	Pu	rple Fringe or Smoketre	e. 12'		
3	to	4	ft	1.25	1.00	.75
	to		ft	1.50	1.25	1.00
5	to		ft	2.00	1.75	1.50
6	to	8	ft	2.50	2.25	2.00
8	to	10	ft	2.75	2.50	2.25
glabra	•	Sm	ooth Sumac. 12'			
2	to	3	ft	.30	.25	.18
3	to	4	ft	.40	.30	.25
javani	ca s	syn.	osbecki. Java Sumac	. 18'		
4	to	5	ft	1.25	1.00	.75
5	to	6	ft	1.50	1.25	
6	to	8	ft	2.00	1.75	
8	to	10	ft	3.00	2.50	
typhin	a.	Sta	ighorn Sumac. 25'			
2	to	3	ft	.35	.25	.18
3	to	4	ft	.40	.30	.25
4	to	5	ft	.45	.35	.30
5	to	6	ft	.60	.45	.40
typhin	a l	acir	niata. Shredded Sumac	. 25'		
2	to	3	ft	.40	.30	.25
3	to	4	ft	.45	.35	.30
4	to	5	ft	.55	.45	.40
5	to	6	ft	.75	.60	.50
6	to	8	ft	1.00	.85	.75
_			Iountain Currant. 4'			
			in	.45	.35	.30
2	to	3	ft	.55	.45	.40
3	to	4	ft	.65	.55	.50
aureun	n.	Sle	ender Golden Currant.	10'		
2	to	3	ft	.40	.30	.25
3	to	4	ft	.50	.40	.35
			. Winterberry Currant.			0.7
			in	.50	.40	
2	to	3	ft	.60	.45	.40
3			. Gordon Currant. 8'			
3	to	4	ft	.75	.60	

	1-4	5-24	25 & up
Ribes	Each	Each	Each
sanguineum. Ruby Winter Currant	t. 8'		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Robinia Elliotti. 5'			
2 to 3 ft	3.00		
fertilis. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
hispida. Rose Acacia.			
2 yr. standard, 3 to 4 ft	1.75	1.50	
2 yr. standard, 4 to 5 ft	2.00	1.75	
Bush form 2 to 3 ft	1.50		
holdti. Holdt Locust. 25'			
5 to 6 ft	3.50		
kelseyi. Kelsey Locust. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
pseudoacacia. Common Locust. 60) '		
	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	2.00	1.50	1.00
10 to 12 ft	3.00	2.50	
pseudoacacia bessoniana. Besson		•	
3 to 4 ft	2.00	1.50	
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
pseudoacacia decaisneana. Decais		ust. 40	,
5 to 6 ft	3.50		
6 to 8 ft	4.00		
pseudoacacia Marguerite, 10'			
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.50	4.00	
pseudoacacia umbraculifera. 20'			
3 to 4 ft	2.50		
viscosa. Clammy Locust. 10'			
2 to 3 ft	.55		.40
3 to 4 ft	.65	.55	
4 to 5 ft	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up Each
Rosa acicularis. Prickly Rose. 5'		24011	130011
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	40	.30
blanda. Meadow Rose. 5'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.75	.60	.50
canina. Dogbrier. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
coriifolia froebeli. Froebel Rose.	<i>5</i> ′		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.50	.40
davurica. Dahurian Rose. 6'			
18 to 24 in	1.00	.75	
ecae. $Eca\ Rose.\ 6'$ 2 to 3 ft	50	10	.35
2 to 3 ft	.50	.40	.33
4 to 5 ft	.75	.60	.50
	. 10	.00	.00
foetida. Austrian Copper Rose. 4'			
2 to 3 ft	1.00	.75	
foetida persiana. Persian Yellow R	ose.		
2 year	1.00	.75	
fujisanensis. Mt. Fuji Rose. 8'			
3 to 4 ft	.75	.60	.50
helenae. Helen Rose. 6'			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
hugonis. Hugonis Rose. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
humilis. Pasture Rose. 5'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.40	.35
lucida. Virginia Rose. 6'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.40	.35

			1-4 Each	5-24 Each	25 & up Each
Rosa					
		Iarret Rose. 6'			
3	to	4 ft	1.25	1.00	
moyesi.	M	oyes Rose. 10'			
2	to	3 ft	1.25	1.00	
multifle	ora.	Japanese Rose. 8'			
		3 ft	.50	.35	.25
		4 ft	.55	.40	.30
		5 ft	.60	.50	.40
1		· Costhan Do	se. 6'		
		athayensis. Cathay Ro		.50	.40
Э	to '	4 ft	.60	.50	.40
nitida.	Br	istly Rose. 3'			
18	to 2	4 in	.40	.35	.30
2	to	3 ft	.50	.45	.40
3	to '	4 ft	.75	.60	.50
palustr	is.	Swamp Rose. 8'			
18	to 2	4 in	.40	.35	.30
2	to	3 ft	.50	.40	.35
3	to 4	4 ft	.60	.50	.40
penduli	na.	a,•			
2	to	8 ft	.75	.60	
3	to	4 ft	1.00	.75	
roulett	i.				
12	to 15	5 in., 4 in. pots	.75	.60	.50
15	to 18	3 in., F. G	.60	.50	.40
rubigin	osa.	Sweetbriar. 6'			
2		3 ft	.40	.35	.30
3	to	4 ft	.50	.40	.35
4	to	5 ft	.60	.50	.40
5	to	6 ft	.75	.60	.50
rubigin	osa	hybrids. Lady Penza	ince. Lo	rd - Pe	enzance.
		Mantle, Lucy Ashton,			
		McIvor. 6'			•
2	to	3 ft	.75	.60	
3	to	4 ft	1.00	.75	
rubrifo	lia.	Redleaf Rose. 6'			
18	to 2	4 in	.40	.30	.25
2	to	3 ft	.50	.40	.30
3	to	4 ft	.60	.50	.45

			110
	1-4 Each	5-24 Each	
Rosa	in in its angle of the control of th	шасп	Lacii
rugosa. Rugosa Rose. 6'			
18 to 24 in	.40	30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.55	.50
11 W. 12. D D	at		
rugosa alba. White Rugosa Rose.		4 5	4.0
18 to 24 in	.50	.45	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	
rugosa hybrids. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
Varieties:—Blanche de Couber	ct, C. F	. Meye	er,
C. F. Worth, Agnes Carmer	n, New	Centur	·y,
Nova Zembla, Mad. Geo. B	ruant,	Mrs. A	n-
thony Waterer, Belle Poitev	ine, Si	. Thom	as
Lipton, Hansa, Agnes, F.	J. Groo	tendor	st.
war bak alimbina May Craf	75	C O	
rugosa hyb.—climbing. Max Graf	. 70	.60	
sericea. 4'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
setigera. Prairie Rose. 6'			
	4.0	25	20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.45	.40	.35
4 · to 5 ft	.50	.45	.40
spinosissima altaica. Altai Rose.	4 "		
18 to 24 in	.50	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	
spinosissima hispida. Bristly Scotch	h Rose.	6 '	
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	
spinosissima hybrids. 5'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
Grahamstown, Townsend, Bic			ol.
Blush, Dbl. White, Dbl. Pink,		•	
wichuraiana. Wichurian Rose. 2'			
2 year	.40	.30	.25
3 year	.50	.40	.35

5-24 25 & up Each Each 1-4 Each Each Rosa wichuraiana hybrids. 2' 2 year...... .60 Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection, Evergreen Gem. Roses .50 Hybrid Perpetuals. 2 year No. 1.... .60 J. B. Clark Anne de Diesbach Mme. Albert Barbier Baroness Rothchild Baron de Bonstettin Mrs. John Laing Earl of Dufferin Magna Charta M. P. Wilder Clio Eugene Furst Margaret Dickson Frau Karl Druschki Paul Neyron Gen. Jacqueminot Tom Wood Ulrich Brunner Geo. Arends .75Hybrid Teas. 2 year No. 1.... .60 Betty Uprichard Madame Butterfly Chas. K. Douglas Mrs. Henry Bowles Etoile de France Mrs. Henry Morse Pres. Hoover Gruss an Teplitz Jonkheer J. L. Mock Radiance Rev. F. Page-Roberts Killarney Lady Alice Stanley Sunburst Lady Hillingdon White Killarney Mad. Abel Chatenay Willowmere Climbing roses. 2 year No. 1..... .60 .50 .45American Beauty Mad. Gregoire Staechelin American Pillar Mary Wallace Aviateur Bleriot Paul's Scarlet Climber Dr. W. Van Fleet Roserie Dorothy Perkins Silver Moon Excelsa Star of Persia Gardenia White Dorothy Perkins Hiawatha Polyantha hybrids.. 2 year No. 1.... .65 .55 Else Poulsen Ideal

Katherine Zeimet

Lafayette

Gloria Mundi

Golden Salmon

Rubus deliciosus. Boulder Raspberry.	1-4 Each	5-24 Each	25 & up Each
		1 00	7
	1.25		
3 to 4 ft	1.50	.1.25	1.00
odoratus. Flowering Raspberry.	3 ′		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
phoenicolasius. Wineberry. 8'			
3 to 4 ft	1.00	.75	
Salix babylonica. Babylon Weeping W	illow.	<i>50</i> ′	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1 1/4 to 1 1/2 in	2.25	2.00	
babylonica dolorosa. Wisconsin W	eeping	Willow.	<i>40</i> ′
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in	2.25	2.00	1.75
babylonica salamoni. Salamon We	eping	Willow.	<i>50'</i>
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	2.00
1½ to 1¾ in	2.75	2.50	2.25
1 3/4 to 2 in	3.50	3.00	2.50
	5.00	4.00	3.00
2½ to 3 in	7.50	5.00	
3 to 3 1/4 in	10.00	7.50	
3½ to 4 in	12.50		
4 to 5 in			
caprea. Goat Willow. 20'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25		.90
discolor. Pussy Willow. 20'	.75	60	.50
5 to 6 ft			.65
6 to 8 ft	1.00	.80 1.00	.90
8 to 10 ft	1.25	1.00	.90
doniana. 9'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50		

	4.4	F 0.4	9F 0
	1-4 Each	5-24 Each	25 & up Each
Salix			
elegantissima. Thurlow Weeping W	illow.	<i>50</i> ′	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.00
$1 \frac{3}{4}$ to 2 in	3.00	2.75	
incana. syn. rosmarinifolia. Rosem	ara W	ill 070	<i>୭</i> ೧'
	.55		.40
4 to 5 ft. shrub form			
5 to 6 ft. shrub form			.00
o to o it. sinub ioim	.10	.00	
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	
jessoensis. θ'	1 50	1.05	
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00		
matsudana. Hankow Willow. 35'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
8 to 10 ft	1.25	1.00	.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	1.50	
matsudana tortuosa. 20'	0.75	0.50	
5 to 6 ft	2.75	2.50	
mutabilis. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
myricoides rigida. 9'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	
nigricans cotinifolia. 12'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
niobe. Niobe Weeping Willow. 30'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.20 1.50
10 to 12 ft	2.75	2.50	$\frac{1.50}{2.25}$
	4.10	4.00	4.40

	1-4 Each		25 & up Each
Salix	•		
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.50	-1.25	1.00
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75	1.40
1½ to 1¾ in	2.25	2.00	1.60
purpurea nana. Dwf. Purple Osie	r. 3'		
2 to 3 ft	1.00	.75	.60
regalis. Royal Willow. 30'			
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
sieboldiana. Siebold Willow. 30'			
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
uralensis. 15'			
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.65	.50
6 to 8 ft	1.00	.90	.75
vitellina. Golden Willow. 30'			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75	1.40
1½ to 1¾ in	2.50	2.00	1.60
1 3/4 to 2 in	3.00	2.50	2.00
vitellina britzensis. Bronze Golden	Willor	v. 30'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1¾ in	2.50	2.00	1.75
1 3/4 to 2 in	3.00	2.50	
vitellina glauca. Blue Russian Wi	llorv. 2	20 '	
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
vitellina pendula. Golden Weeping		·	4 0 5
6 to 8 ft		1.50	1.25
8 to 10 ft	2.00	1.75	1.50
wentworthi. 50'	1 50	1.05	1.00
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	2.00	1.50
1 % to 2 in	2.75	2.50	2.00

Sambucus canadensis. American Elder.	1-4 Each <i>10'</i>	5-24 Each	25 & up Each		
2 to 3 ft	.35	.25	.20		
3 to 4 ft	.45	.35	.30		
4 to 5 ft	.55	.45	.40		
5 to 6 ft	.75	.60	.50		
0 0 0 10	.10	.00	•00		
canadensis acutiloba. Cutleaved E	lder. 10	<i>)'</i>			
2 to 3 ft	.40	.30	.20		
3 to 4 ft	.50	.40	.30		
4 to 5 ft	.60	.50	.40		
nigra. European Elder. 15'					
4 to 5 ft	.75	.60	.50		
5 to 6 ft	1.00	.75	.60		
nigra aurea. Golden European El	der. 15	,			
2 to 3 ft	.45	.35	.30		
3 to 4 ft	.55	.45	.40		
4 to 5 ft	.65	.55	.50		
5 to 6 ft	.75	.65	.60		
nigra variegata. Variegated Elder	. 10'				
3 to 4 ft	.75	.50			
4 to 5 ft	1.00	.75			
pubens. Scarlet Elder. 8'					
3 to 4 ft	.60	.50	.45		
4 to 5 ft	.75	.60	.55		
5 to 6 ft	1.00	.75	.65		
pubens leucocarpa. Yellow-fruited	Elder.	8 '			
3 to 4 ft	1.25				
racemosa. European Red Elder. 8	3 '				
3 to 4 ft	.60	.50	.45		
4 to 5 ft	.75	.60	.55		
5 to 6 ft	1.00	.75	.65		
6 to 8 ft	1.25	1.00			
Sassafras variifolium. Sassafras. 50'					
5 to 6 ft	1.50	1.25	1.00		
6 to 8 ft	2.00	1.75	1.50		
8 to 10 ft	3.00	2.50	2.00		
10 to 12 ft	3.50	3.00			
Schizophragma hydrangeoides. 20'					
Japanese Hydrangea-vine					
from pots	1.00	.85	.75		

TAINESVILLE, OIIIO		121
Sciadopitys verticillata. Umbrella Pine. 60'	5-24 Each	25 & up Each
6 ftB&B 50.00		
Shepherdia argentea. Silver Buffaloberry. 15'	9	
2 to 3 ft	.50	
3 to 4 ft	.60	
4 to 5 ft 1.00	.75	.60
5 to 6 ft 1.25	1.00	.75
6 to 8 ft 1.50	1.25	1.00
Skimmia japonica. Japanese Skimmia. 5'		
6 in. bushy, 4 in. pots 1.50	1.25	
Smilax rotundifolia. Horsebrier.		
18 to 24 in	.40	.30
2 to 3 ft	.50	.40
Solanum dulcamara. True Bittersweet.		
2 year	.30	.25
*Sophora japonica. Chinese Scholartree. 25'		
2 to 3 ft 1.25	1.00	.75
3 to 4 ft 1.50	1.25	1.00
4 to 5 ft	2.00	1.50
5 to 6 ft 3.00	2.50	
6 to 8 ft	3.50	
5 to 6 ft. specB&B 7.50		
6 to 8 ft. specB&B 10.00		
vicifolia. Vetchleaf Sophora. 6'		
2 to 3 ft		
Sorbaria aitchisoni. Kashmir False Spiraea.		
3 to 4 ft	.45	
4 to 5 ft	.55	.50
5 to 6 ft	.65	.60
arborea glabrata. 15'	5 0	40
3 to 4 ft	.50	.40
4 to 5 ft	.60	.60
	.10	.00
	.45	.40
3 to 4 ft	.55	.50
sorbifolia. Ural False Spiraea. 6'	.00	•00
2 to 3 ft	.35	.30
3 to 4 ft	.45	.40
4 to 5 ft	.55	.50
5 to 6 ft	.65	.60

122 HENRY KUHANKIE &	SON		
	1-4 Each	5-24 Each	25 & up Each
Sorbus americana. American Mountain		25'	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00		
aria latifolia. White Beam-tree. 4		2.00	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
aucuparia. European Mountain As	h. 50'		
6 to 8 ft	2.50	2.00	1.60
8 to 10 ft	3.00	2.50	2.00
1 1/4 to 1 1/2 in	3.50	3.00	2.50
1½ to 1¾ in	4.00	3.50	2.75
1 3/4 to 2 in	4.50	4.00	3.50
2 to 2½ in	6.00	5.00	4.50
	10.00	7.50	
commixta. Japanese Mountain Ash			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	2.00	
quercifolia. Oak-leaf Mountain Asi		0.00	1 00
6 to 8 ft		2.00	1.60
8 to 10 ft	3.00	2.50	2.00
1 ½ to 1½ in	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	4.00	
	5.50	5.00	
	7.50	6.00	
	10.00	7.50	
3 to $3\frac{1}{2}$ in	12.50	10.00	
spuria. 15'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50	
Spirea arguta. Garland Spiraea. 6'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.60	.50	.40
aitchisoni. (See Sorbaria).			
billiardi. Billiard Spiraea. 6'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25

	1-4 Each	5-24 Each	25 & up Each
Spiraea	Laci	Laci	насп
bumalda. Bumalda Spiraea. 3'			
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
bumalda Anthony Waterer.			
Anthony Waterer Spiraea. 3'			
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
bumalda walluffi. 3'			
18 to 24 in	.45	.35	
24 to 30 in	.50	.40	
callosa alba. (See japonica ovalifo	lia).		
chamaedryfolia ulmifolia. Elmleaf	Spirae	a. 6'	
2 to 3 ft	.65	.50	
dasyantha. 8'			
3 to 4 ft	1.25	1.00	
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
fortunei. Fortune Spiraea. 4'	• • •	•00	,0
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55		
japonica. Japanese Spiraea. 6'	, o o		•
18 to 24 in	.40	.30	.25
24 to 30 in	.45		.30
japonica ovalifolia. White Japanes			•••
18 to 24 in		.30	.25
24 to 30 in	.45		.30
japonica ruberrima. Pink Japanese			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50		.30
latifolia syn. bethlehemensis Pink A			
2 to 3 ft	.40		.25
3 to 4 ft	.50		
lindleyana. (See Sorbaria).			
margaritae. Margarita Spiraea. 5'			
2 to 3 ft	.45	.35	.30

			1-4 Each	5-24 Each	25 & up Each
Spiraea					
	rotundifolia.				•
3 to	4 ft		.60	.50	
4 to	5 ft		.75	.60	
5 to	6 ft	• • • • • • •	1.00	.75	
prunifolia	. Bridal Wree	ath. 8'			
2 to	3 ft	• • • • • • •	.45	.35	.30
3 to	4 ft		.55	.45	.40
4 to		• • • • • • •	.65	.55	.50
5 to	6 ft	• • • • • • •	.75	.65	
pubescens	. 6'				
3 to	4 ft		.60	.50	
4 to	5 ft	• • • • • • •	.75	.60	
reevesiana	. Reeves Spi	raea. 8'			
2 to	3 ft		.40	.30	.25
3 to	4 ft		.45	.35	.30
reevesiana	lanceata. D	ouble Reev	es Spire	aea. 8'	
2 to	3 ft		.45		.30
3 to	4 ft		.55		
salicifolia.	Willowleaf S				
2 to			.35	.25	.20
3 to	4 ft		.40	.30	.25
4 to	5 ft		.50	.40	.35
sorbifolia.	(See Sorbar	ia).			
superba.	Striped Spirae	a. 4'			
18 to :	24 in		.40	.30	.25
2 to	3 ft		.50	.40	
syringiflor	a. Lilac Spir	aea. 3'			
18 to	24 in		.60	.50	
thunbergi.	Thunberg Sp	piraea. 5'			
18 to :	24 in		.35	.25	.20
2 to	0 10		.45	.35	.30
3 to	4 ft		.55	.45	
4 to	5 ft	• • • • • • •	.65	.55	.50
tomentosa	. Hardhack.	4'			
2 to	3 ft		.40	.30	.25
3 to	4 ft		.50	.40	.35
trichocarp	a. Korean Sp				
2 to	3 ft		.40		.25
3 to	4 ft	• • • • • •	.50	.40	.30

		1-4	5-24	25 & up
Spiraea		Each	Each	Each
van houttei. Vanhou	tte Spiraea.	<i>10</i> ′		
2 to 3 ft		.35	.25	.18
3 to 4 ft		.40	.30	.22
4 to 5 ft		.50	.40	.35
5 to 6 ft	• • • • • • • • • •	.65	.50	.40
veitchi. Veitch Spira	iea. 12'			
2 to 3 ft		.50	.40	
3 to 4 ft		.60	.50	
wilsoni. Wilson Spi	raea. 6'			
3 to 4 ft		1.00	.75	
Staphylea bumalda. Bum	alda Bladdern	ut. 8'		
		.60	.50	.40
3 to 4 ft		.75	.60	.50
		1.00	.75	•00
		_, 0	***	
	ddernut. 12'			
	• • • • • • • • • • • • • • • • • • • •	1.75	1.25	
4 to 5 ft		2.00		
pinnata. European	Bladdernut. 1	2'		
3 to 4 ft	• • • • • • • • •	.60	.50	.40
4 to 5 ft		.75	.60	
5 to 6 ft	• • • • • • • • •	1.00	.75	
trifolia. American B	laddernut. 12	?		
2 to 3 ft	• • • • • • • • •	.50	.40	.30
3 to 4 ft	• • • • • • • • •	.60	.50	.40
4 to 5 ft	• • • • • • • • •	.75	.60	.50
5 to 6 ft		1.00	.75	.60
6 to 8 ft		1.25	1.00	.75
Stephanandra flexuosa.	Cutleaf Stepho	unandra.	6 '	
2 to 3 ft		.40	30	.25
3 to 4 ft	• • • • • • • •	.50	.40	.35
Stewartia pentagyna. Me	ountain Stewa	rtia. 15	,	
_	B&B		4.00	
4 to 5 ft			5.00	
5 to 6 ft			6.50	
	B&B			
pentagyna grandiflor	a. 15'			
_ :	B&B	7.50		
5 to 6 ft	B&B	10.00		

			~~ ^
	1-4 Each	5-24 Each	25 & up Each
Stewartia			
pseudocamellia. Japanese Ster	wartia. 25'		
2 to 3 ftBo	&B 4.00		
3 to 4 ftB	&B 5.00		
Stranvaesia davidiana. 5'			
12 to 15 in., from pots	1.25	1.00	.75
*Styrax japonica. Japanese Snowbo	ell. 20'		
3 to 4 ft	1.00	.75	.65
4 to 5 ft		1.25	1.00
5 to 6 ft		2.00	
6 to 8 ft		3.00	
*obassia. Fragrant Snowbell.	20'		
4 to 5 ft		2.50	
5 to 6 ft		3.00	
Symphoricarpos chenaulti. 5'			
2 to 3 ft	35	.25	.20
3 to 4 ft	_		
		.00	.00
mollis. Spreading Snowberry.			
2 to 3 ft		.25	
3 to 4 ft	40	.30	.25
occidentalis. Western Snowber	ry. 5'		
2 to 3 ft	40	.30	.25
3 to 4 ft	50	.40	.35
o. heyeri. 5'			
2 to 3 ft	50	.35	.25
racemosus. Snowberry. 6'			
2 to 3 ft	35	.25	.20
3 to 4 ft	40	.30	.25
4 to 5 ft	50	.40	.30
vulgaris. Coralberry. 5'			
2 to 3 ft	35	.25	.20
3 to 4 ft		.30	.25
*Symplocos paniculata. syn. cratae	roides		
Asiatic Sweetleaf. 10'	goides.		
2 to 3 ft	1.00	.75	.60
3 to 4 ft		1.00	.75
4 to 5 ft		1.50	1.00
5 to 6 ft		2.00	2.00

a			1-4 Each	5-24 Each	25 & up Each
_	to	Early Lilac. 12' 4 ft	1.50		
0	to	4 10	1.50		
affinis	gir	aldi. Purple Early Li	lac. 12'		
2	to	3 ft	1.25	1.00	
3	to	4 ft		1.25	
4	to	5 ft	2.00	1.50	
5	to	6 ft	2.50	2.00	
chinen	sis.	syn. rothomagensis.	Chinese Lile	ac. 10'	
2	to	3 ft	55	.45	.40
3	to	4 ft	65	.55	.50
4	to	5 ft	75	.65	.60
5	to	6 ft	1.00	.85	.75
chinen	sis	alba. White Chinese L	ilac. 10'		
2	to	3 ft	1.00	.75	
3	to	4 ft	1.25	1.00	
4	to	5 ft		1.25	
5	to	6 ft		1.50	
chinen	sis	metensis. 10'			
3	to	4 ft	1.25	1.00	
4	to	5 ft	1.50	1.25	
chinen	sis	augeana. Purple Ch	inese Lilac.	10'	
	,	3 ft		.45	.40
3	to	4 ft		.55	.50
4	to	5 ft		.65	.60
5	to	6 ft	1.00	.85	.75
emodi.		Himalayan Lilac. 8'			
3	to	4 ft	1.00	.75	
4	to	5 ft	1.50	1.00	
henryi	ex	mea. 8'			
2	to	3 ft	2.00	1.75	
3	to	4 ft	2.50	2.00	
henryi	lui	ece. 8'			
2	to	3 ft	2.00	1.75	
3	to	4 ft	2.50	2.00	
japoni	ca.	Japanese Tree Lilac.	20'		
3	to	4 ft	75	.60	.50
4	to	5 ft	1.00	.90	.75
5	to	6 ft	1.50	1.25	1.00
6	to	8 ft	1.75	1.50	1.25
8	to	10 ft	2.50	2.25	1.75
10	to	12 ft	6.00	5.00	

		1-4 Each	5-24 Each	25 & up Each
Syringa				
josikaea.	Hungarian Lilac. 10'			
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
4 to	5 ft	.75	.60	.50
5 to	6 ft	1.00	.75	.60
6 to	8 ft	1.25	1.00	.75
microphyl	la. Littleleaf Lilac. 10'			
2 to	3 ft	1.50	1.25	1.00
3 to	4 ft	2.00	1.75	1.50
4 to	5 ft	2.50	2.25	
oblata.	12'			
3 to	4 ft	1.50	1.25	
4 to	5 ft	1.75	1.50	
oblata dil	atata. <i>12</i> ′			
2 to	3 ft	1.00	.75	.60
3 to	4 ft	1.25	1.00	.75
palibinian	aa. 10'			
2 to	3 ft	1.50		
3 to	4 ft	2.00		
pekinensi	s. Peking Lilac. 15'			
3 to	4 ft	.75	.60	.50
4 to	5 ft	1.00	.90	.75
5 to	6 ft	1.50	1.25	1.00
6 to	8 ft	1.75	1.50	1.25
	10 ft	2.50	2.25	1.75
		6.00	5.00	
	<u>*</u>	10.00		
8 to	10 ft. specB&B	12.50		
persica.	Persian Lilac. 10'			
2 to	3 ft	.55	.45	.40
	4 ft	.65	.55	.50
	5 ft	.75	.65	.60
5 to	6 ft	1.00	.90	
persica al	ba. White Persian Lilac.			
2 to	3 ft	.85	.75	
3 to	4 ft	1.00	.90	

LAINESVILLE, OL	110		120
	1-4 Each	5-24 Each	25 & up Each
Syringa			
villosa. Late Lilac. 8'			
2 to 3 ft	50	.40	.35
3 to 4 ft		.50	.45
4 to 5 ft		.60	.55
5 to 6 ft		.75	.65
6 to 8 ft		1.00	.75
vulgaris. Common Purple Lilac.	<i>15'</i>		
2 to 3 ft	35	.25	.20
3 to 4 ft		.35	.30
4 to 5 ft		.45	.40
5 to 6 ft		.65	.60
6 to 8 ft		.85	.75
4 to 5 ft. clumps			
5 to 6 ft. clumps			
*			
vulgaris alba. Common White L	ilac. 15'		
2 to 3 ft	50	.40	.35
3 to 4 ft	60	.50	.45
4 to 5 ft	75	.60	.55
5 to 6 ft	. 1.00	.75	.65
6 to 8 ft	. 1.25	1.00	.75
4 to 5 ft. clumps	. 4.00		
5 to 6 ft. clumps	. 5.00		
vulgaris. Named Varieties. 15	,		
These hybrid lilacs are gro	wn on t	heir o	wn
roots in bush form. Graft	ted plants	s can	be
supplied at a discount of 50	%.		
2 to 3 ft	75	.60	.50
3 to 4 ft	. 1.00	.85	.75
4 to 5 ft	. 1.50	1.25	1.00
5 to 6 ft	. 2.25	2.00	1.50
6 to 8 ft	. 3.00	2.50	
Belle de Nancy—Double Rose.			
2-3' 3-4' 4-5' 5-6' 6-8'			
Chas. Joly—Dark Purplish Re	d.		
2-3' 3-4' 4-5' 5-6'			
Frau Dammann—Single White	9.		
2-3' 3-4' 4-5' 5-6'			
La Tour d'Auvergne—Double	Purple.		
2-3' 3-4' 4-5' 5-6'			

Syringa vulgaris. Named Varieties.

Ludwig Spaeth-Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier-Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine-Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye—Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra-Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited qualtity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices: A list of varieties will be forwarded on request.

		1-4 Each	5-24 Each	25 & up Each
2 to	3 ft	1.50	Bacii	Bach
3 to	4 ft	2.00		
4 to	5 ft	2.50		
5 to	6 ft	3.50		
Tamarix afric	ana. African Tamarix. 1	'5 '		
3 to	4 ft	.40	.30	.25
4 to	5 ft	.50	.40	.35
5 to	6 ft	.75	.60	.50
6 to	8 ft	1.00	.85	.75
gallica.	French Tamarix. 10'			
3 to	4 ft	.45	.35	.30
4 to	5 ft	.60	.45	.40
gallica ir	dica. India Tamarix. 10'			
3 to	4 ft	.45	.35	.30
4 to	5 ft	.60	.45	.40
juniperin	a. Juniper Tamarix. 15'			
3 to	4 ft	1.50	1.25	
odessana	Odessa Tamarix. 6'			
3 to	4 ft	.45	.35	.30
4 to	5 ft	.60	.45	.40
5 to	6 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Tamarix			
pentandra. Fivestamen Tamarix.	12'	*	
3 to 4 ft	.55	.45	.35
4 to 5 ft	.75	.60	
tetandra purpurea. Fourstamen T	Tamarix.	<i>10</i> ′	
3 to 4 ft		.40	.35
4 to 5 ft	.60	.50	
*Taxodium distichum. Common Balde		<i>50'</i>	
4 to 5 ftB&B		4.00	
5 to 6 ft		5.50	
6 to 8 ftB&B		7.50	
8 to 10 ftB&B	15.00		
The Part of the Pa			
Taxus baccata. English Yew. 50'	2 50	2.00	0.50
18 inB&B 2 ftB&B	$3.50 \\ 4.50$	$\frac{3.00}{4.00}$	$2.50 \\ 3.50$
2 ½ ftB&B	6.00	5.00	0.00
2 72 10	0.00	5.00	•
baccata erecta. Broom Yew. 10'			
	7.50		
3 ftB&B			
3 ½ ftB&B			
4 ftB&B			
baccata fastigiata. Irish Yew. 10	O'		
2 ftB&B	12.50		
3 ftB&B	15.00		
baccata repandens. Spreading En	_		
15 to 18 in. spdB&B			2.00
18 to 24 in. spdB&B			3.00
24 to 30 in. spdB&B		4.00	
30 to 36 in. spdB&B	6.50		
baccata washingtoni. Washington	Yew. 6'	,	
24 in. specB&B			
30 in. spec			
canadensis. Canada Yew. 3'			
15 to 18 in. spdB&B	2.50	2.00	
18 to 24 in. spdB&B			
10 to 24 m. spdbdb	0.00	0.00	

~	1-4 Each	5-24 2 Each	25 & up Each
Taxus			
cuspidata. Japanese Yew. 10'			
15 to 18 in. spdB&B	1.75		1.35
18 to 24 in. spdB&B	2.50	2.25	2.00
2 to 2½ ft. spdB&B		2.75	2.50
2½ to 3 ft. spdB&B	4.50	4.00	3.75
	7.50	6.50	5.50
3½ to 4 ft. spdB&B		10.00	
4 to 4½ ft. spdB&B		12.50	
4½ to 5 ft. spdB&B cuspidata brevifolia. Dwarf Japa		erv. 6'	
15 to 18 inB&B		3.00	2.50
18 to 24 inB&B		4.50	4.00
24 to 30 in		6.50	5.50
30 to 36 inB&B		8.50	
36 to 42 inB&B			
cuspidata brevifolia compacta. 6	•		
18 to 24 inB&B	6.00	5.00	
24 to 30 inB&B	7.50		
cuspidata capitata. Upright Japa	nese Y	ew. 25'	
18 inB&B	3.00	2.50	2.25
2 ftB&B	4.00	3.50	3.00
2½ ftB&B	5.00	4.50	4.00
3 ftB&B	8.00	7.00	6.00
3 ½ ftB&B	12.50		
4 ftB&B	15.00		
Tecoma. (See Bignonia).			
Thuja occidentalis. American Arborvit	ae. 40'	•	
3 ftB&B	2.25	2.00	1.75
4 ftB&B	3.50	3.00	2.75
4 ft. heavy specB&B	6.00		
5 ftB&B	4.50	4.00	3.75
5 ft. heavy specB&B	7.50		
6 ftB&B	6.50	5.50	5.00
6 ft. heavy specB&B			
7 ftB&B	7.50	6.50	6.00
7 ft. heavy specB&B		0 = 0	~ ~ ~ ~
8 ftB&B		8.50	7.50
8 ft. heavy specB&B		10.00	0.50
9 ftB&B		10.00	8.50
10 ftB&B		12.50	10.00
10 ft. heavy specB&B For larger sizes to 15 ft., add		ner foot	
ror larger sizes to 10 1t., and	ψυ.υυ	ber 1000	•

	1-4		25 & up Each
Thuja	Each	Each	Pach
occidentalis aurea douglasi.			
Douglas Golden Arborvitae. 15'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ft	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B	12.50	10.00	
9 ftB&B		12.50	
10 ftB&B	18.00	15.00	
For larger sizes to 14 ft., add	\$5.00	per foo	t.
occidentalis columbia. Silver-tippe	d Arb	orvitae.	40'
3 ftB&B	3.50	3.00	·
4 ftB&B	4.50	4.00	
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.00	
7 ftB&B	8.50	7.00	
8 ftB&B	10.00	8.00	
9 ftB&B	12.50	10.00	
10 ftB&B	15.00		
occidentalis compacta. Compact	4 rhorni	'tae "'	
15 inB&B	1.50	1.25	1.00
18 inB&B	1.75	1.50	
24 inB&B	2.00	1.75	
30 inB&B	3.00	2.50	
36 inB&B	4.00	3.00	2.00
42 inB&B	5.00	0.00	
48 inB&B	7.50		
occidentalis compacta. Parsons An			
2 ½ ftB&B	2.75	2.25	1.75
3 ftB&B	4.00	3.00	2.50
3 ½ ftB&B		3.50	
4 ftB&B			
4 ½ ftB&B	6.00	5.00	
	7.50	6.00	
$5\frac{1}{2}$ ft	8.50	7.50	
	10.00		
	12.50	10.00	
	15.00		
9 ftB&B	18.00		

		~~~		
		1-4 Each	5-24 Each	25 & up Each
Thuja				1
occidentalis elegantissima.	<i>15'</i>			
2 ft	.B&B	2.00	1.50	1.25
3 ft	.B&B	2.50	2.25	2.00
4 ft	.B&B	3.50	3.00	2.50
5 ft	.B&B	5.00	4.50	4.00
6 ft	.B&B	6.50	5.50	5.00
7 ft	.B&B	9.00	7.50	6.00
8 ft	.B&B	10.00	9.00	7.50
9 ft	.B&B	12.50	10.00	9.00
10 ft	. B&B	15.00	12.50	
For larger sizes to 15 f	t., add	\$5.00	per foo	t.
occidentalis ellwangeriana.	Tom '	Thumb	Arborvi	tae. 6'
2 ft	.B&B	2.50	2.00	1.50
2 ½ ft	.B&B	3.00	2.50	2.00
3 ft	.B&B	3.50	3.00	2.50
3½ ft	.B&B	4.50	4.00	3.50
4 ft	.B&B	5.00	4.50	4.00
4 ½ ft	.B&B	6.50	5.50	5.00
5 ft	.B&B	9.00	7.50	
occidentalis ericoides. Hea	th Arb	orvitae.	<i>5'</i>	
occidentalis ericoides. Heat				
	.B&B	2.50	5' 2.00 2.50	
2 ft	. B&B . B&B	$2.50 \\ 3.00$	2.00	
2 ft	. B&B . B&B . B&B	2.50 3.00 3.50	2.00 2.50 3.00	
2 ft	. B&B . B&B . B&B	2.50 3.00 3.50 vitae.	2.00 2.50 3.00	1 05
2 ft	. B&B . B&B . B&B . Arbon . B&B	2.50 3.00 3.50 vitae. 1.75	2.00 2.50 3.00 3' 1.50	1.25
2 ft	. B&B . B&B . B&B . Arbon . B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00	2.00 2.50 3.00 3' 1.50 1.75	1.50
2 ft	. B&B . B&B . B&B . Arbon . B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.00	2.00 2.50 3.00 3' 1.50 1.75 2.50	1.50 $2.00$
2 ft	. B&B . B&B . B&B . B&B . B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.00 3.50	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00	1.50 2.00 2.50
2 ft	. B&B . B&B . B&B . B&B . B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.00 3.50	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00	1.50 2.00 2.50
2 ft	. B&B . B&B . B&B . B&B . B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.00 3.50 n Arbo	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00	1.50 2.00 2.50 8' 1.25
2 ft	. B&B . B&B . B&B . B&B . B&B . B&B . B&B . B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.00 3.50 n Arbo 1.75 2.00	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 rvitae. 1.50 1.75	1.50 2.00 2.50 8' 1.25 1.50
2 ft	. B&B . B&B . B&B . B&B . B&B . B&B . B&B . B&B . B&B	2.50 3.00 3.50 witae. 1.75 2.00 3.00 3.50 n Arbo 1.75 2.00 3.00	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 rvitae. 1.50 1.75 2.50	1.50 2.00 2.50 8' 1.25 1.50 2.00
2 ft	. B&B . B&B	2.50 3.00 3.50  vitae. 1.75 2.00 3.50  n Arbo 1.75 2.00 3.00 3.50	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 rvitae. 1.50 1.75 2.50 3.00	1.50 2.00 2.50 8' 1.25 1.50 2.00 2.50
2 ft	. B&B . B&B	2.50 3.00 3.50  vitae. 1.75 2.00 3.00 3.50  n Arbo 1.75 2.00 3.00 4.00	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 1.75 2.50 3.00 3.50	1.50 2.00 2.50 8' 1.25 1.50 2.00 2.50 3.00
2 ft	. B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.00 3.50 4.00 5.00	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 1.75 2.50 3.00 3.50 4.50	1.50 2.00 2.50 8' 1.25 1.50 2.00 2.50
2 ft	. B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.50 n Arbo 1.75 2.00 3.00 3.50 4.00 5.00 7.50	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 rvitae. 1.50 1.75 2.50 3.00 3.50 4.50 6.00	1.50 2.00 2.50 8' 1.25 1.50 2.00 2.50 3.00
2 ft	. B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.00 3.50 4.00 5.00 7.50 8.50	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 1.75 2.50 3.00 3.50 4.50	1.50 2.00 2.50 8' 1.25 1.50 2.00 2.50 3.00
2 ft	. B&B . B&B	2.50 3.00 3.50  vitae. 1.75 2.00 3.50  n Arbo 1.75 2.00 3.50 4.00 5.00 7.50 8.50 10.00	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 rvitae. 1.50 1.75 2.50 3.00 3.50 4.50 6.00	1.50 2.00 2.50 8' 1.25 1.50 2.00 2.50 3.00
2 ft	. B&B . B&B	2.50 3.00 3.50 vitae. 1.75 2.00 3.00 3.50 4.00 5.00 7.50 8.50	2.00 2.50 3.00 3' 1.50 1.75 2.50 3.00 rvitae. 1.50 1.75 2.50 3.00 3.50 4.50 6.00	1.50 2.00 2.50 8' 1.25 1.50 2.00 2.50 3.00

FAINESVILLE, OHI	U		199
	1-4 Each	5-24 Each	25 & up Each
Thuja	Each	Each	Each
occidentalis Little Gem. 2'			
15 inB&B	3.00		
18 inB&B	4.00	*	
occidentalis lutea. Geo. Peabody's	Arbon	rvitae. 1	15'
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	5.50	5.00	4.50
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.00	7.00
8 ftB&B	12.50	10.00	8.50
9 ftB&B	15.00	12.50	10.00
10 ftB&B	18.00	15.00	
For larger sizes to 14 ft., add	\$5.00	per foo	t.
occidentalis pumila. Green Globe	Arbora	vitae. 3'	
18 in. spreadB&B	2.25	2.00	1.75
24 in. spreadB&B	3.00	2.50	2.25
30 in. spreadB&B	3.50	3.00	2.75
36 in. spreadB&B	5.00	4.00	3.50
occidentalis pyramidalis. Pyramide	al Arb	orvitae.	25'
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.00	2.50	2.25
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	5.50
7 ftB&B	10.00	8.50	7.50
8 ftB&B	12.50	10.00	9.00
9 ftB&B	15.00	12.50	10.00
10 ftB&B	18.00	15.00	
11 ftB&B	22.50	18.50	
For larger sizes to 14 ft., add	\$5.00	per foo	t.
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvitae. 20	O'		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.00	3.50	
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	
7 ftB&B		8.50	
For larger sizes to 13 ft., add	\$5.00	per fo	ot.

	1-4	5-24	25 & up
Thuja	Each	Each	Each
occidentalis recurva nana. 6'			
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.00	2.50	2.25
2 ½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	4.00	3.50
occidentalis reevesi. Reeves Arbor	wit a o	10'	
2½ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
3 ½ ftB&B	4.00	3.50	3.00
4 ftB&B		4.50	4.00
4 ½ ftB&B	6.50	5.50	5.00
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.50	7.50
7 ftB&B	12.50	10.00	1.00
8 ftB&B	15.00	10.00	
occidentalis reidi. Reid Arborvita		2.00	
18 inB&B	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	3.75	3.25
3½ ftB&B	5.50	4.50	
4 ftB&B	6.50	5.50	
4½ ftB&B		6.50	
5 ftB&B 6 ftB&B		7.50	
		10.00	
occidentalis riversi. Rivers Arborz			
4 ftB&B	4.00	3.50	
	5.00		
6 ftB&B			
7 ftB&B			
8 ftB&B			
9 ftB&B			
10 ftB&B For larger sizes to 12 ft., add		12.50	
		- T	
occidentalis rosenthali. Rosenthal			
	$\frac{2.50}{3.50}$	2.00	1.50
- 2007	5.00 $6.50$		3.75
		5.50	
6 ftB&B 7 ftB&B	7.50		
/ It	10.00		

## Thuja

luja							
occidenta	lis spira	lis.	Spiral	Arbor	vitae.	25'	
2 ft				В&В	2.50	2.00	1.75
3 ft				B&B	3.00	.2.50	2.25
4 ft	/• • • • • •		• • • • •	B&B	4.00	3.50	3.00
5 ft				B&B	5.00	4.50	4.00
6 ft				B&B	7.50	6.00	5.50
7 ft	/• • • • • •			B&B	10.00	8.50	7.50
8 ft				B&B	12.50	10.00	9.00
9 ft				B&B	15.00	12.50	
For	larger si	izes t	to 14 f	t., add	£ \$5.00	per fo	ot.
occidenta	lis umbr	aculi	ifera.	Dwar	f Arbo	rvitae.	3 <b>'</b>
15	to 18	in.	spd	B&B	1.50	1.25	1.00
18	to 24	in.	$\operatorname{spd}\dots$	B&B	1.75	1.50	1.25
24	to 30	in.	spd	B&B	2.50	2.00	1.50
2 ½	to 3	ft.	spr	B&B	3.00	2.50	2.00
3	to 3 ½	ft.	spr	B&B	4.00	3.50	
3 1/2	to 4	ft.	spd	B&B	5.50	4.50	
4	to 5	ft.	$\operatorname{spd}\dots$	В&В	7.50	6.50	
occidenta	lis verva	enea	na. V	ervae	ne Arl	borvitae.	12"
3 ft				В&В	2.25	2.00	1.75
	/• • • • • •					3.00	2.75
	'• • • • • •					4.50	4.00
						6.50	5.50
7 ft				B&B	8.50	7.50	6.50
8/ ft	. *			В&В	10.00	9.00	8.00
9 ft	'• • • • • •			В&В	12.50	10.00	
10 ft	, /• • • • • •			В&В	15.00	12.50	
For la	arger siz	es to	12 ft.	, add	\$5.00	per foot	-
occidenta	lis ware	ana.	Ware	or Si	berian	Arborvite	ae. 15'
18	in			В&В	2.00	1.75	1.50
2	ft			B&B	2.50	2.00	1.75
2 ½	ft			B&B	3.00	2.50	2.00
3	ft			B&B	3.50	3.00	2.50
3 ½	ft			B&B	4.00	3.50	3.00
4	ft			B&B	5.00	4.50	4.00
4 1/2	ft			B&B	6.50	5.50	5.00
5	ft			В&В	7.50	6.50	6.00
6	ft			B&B	10.00	8.50	7.50
7	ft			B&B	14.00	12.00	10.00
8	ft			В&В	18.50	15.00	
9	ft			В&В	22.50	20.00	

1-4 5-24 25 & up Each Each Each

Γhuja				
occid	entalis wareana lutescens.			
	den Ware Arborvitae. 15'			
Ę	3½ ftB&B	4.00		
4	ftB&B	5.00		
Ę	ftB&B	7.50		
occid	entalis woodwardi. Woodwar	$\cdot d$ $Arbo$	rvitae.	6 <b>'</b>
18	3 in	2.50	2.00	1.75
24	inB&B	3.00	2.50	2.00
30	inB&B	3.50	3.00	2.50
36	3 inB&B	4.50	3.50	
orient	alis. Oriental Arborvitae. 25	,		
ć	8 ftB&B	3.50	3.00	2.50
4	ftB&B	4.00	3.50	3.00
Ę	ftB&B	5.00	4.50	4.00
6	6 ft	6.50	5.50	
7	ft	7.50	6.50	
8	ftB&B	10.00	7.50	
9	ftB&B	12.50	10.00	
10	ftB&B	15.00	12.50	
F	or larger sizes to 15 ft., add	\$5.00	per fo	ot.
orient	alis conspicua. Goldspire A	rborvit a	ae. 20'	
2	ftB&B	3.50	3.00	
S	ft	4.00	3.50	
orien	talis elegantissima.			
Rol	linson's Golden Arborvitae. 1	0'		
2	ftB&B	3.00	2.50	2.00
2	2½ ftB&B	3.50	3.00	2.50
S	ft	4.50	4.00	3.50
4	ftB&B	5.50	5.00	4.50
5	ft	7.50	6.50	6.00
6	ftB&B	10.00	8.00	
orient	alis nana aurea. Berkmans G	Folden .	Arborvite	ae. 3'
18	in	2.50	2.00	
2	ftB&B	3.50	3.00	
2	2½ ftB&B	4.00	3.50	
3	ftB&B	5.00		
orient	alis sieboldi. Siebold Arborv	ritae. 3	,	
2	ftB&B	3.50		
3	ftB&B	4.00		

	1.4	AIIVED VIELE, OIII	. •		100
			1-4 Each	5-24 Each	25 & up Each
Thuja					
plicata.	Giant A	Arborvitae. 20'			
3 f	t	B&B	3.00	2.50	
4 f	t	B&B	4.00	3.50	
5 f	t	B&B	5.00	4.50	
6 f	t	B&B	6.00	5.50	
7 f	t	B&B	7.50	6.50	
8 f	t	B&B	10.00	8.50	
9 f	t	B&B	12.50	10.00	
standish	i. Stand	ish Arborvitae. 15	; <del>,</del> ,		
6 f	t	B&B	7.50		
7 f	t	B&B	10.00		
8 f	t	B&B	12.50		
9 f	t	B&B	15.00		
10 f	't	B&B	18.00		
Tilia america	na. Am	erican Linden. 75'			
6	to 8	ft	1.50	1.25	1.00
8	to 10	ft	1.75	1.50	1.35
1 1/4	to 1½	in	2.50	2.25	2.00
1 ½	to 1 3/4	in	3.50	3.00	2.50
1 3/4		in	4.50	3.50	3.00
2	to 2½	in	6.50	5.00	4.00
2 ½	to 3		7.50	6.50	
3	to 3 ½	in	12.50	10.00	
3 ½	to 4	in	15.00	12.50	
4	to 5	in	25.00		
5	to 6	in	35.00		
cordata.	Littlele	af European Linde	n. 70'		
6	to 8	ft	3.00	2.50	2.00
8	to 10	ft	3.50	3.00	2.50
1 1/4	to 1½	in	4.00	3.50	3.25
1 ½		in	5.00	4.50	4.00
1 3/4	to 2	in	6.00	5.50	5.00
euchlora	. Crimed	an Linden. 75'			
6	to 8	ft	3.50	3.00	2.50
8	to 10	ft	4.00	3.50	
2	to 2 ½		10.00	3.00	
2 ½	to 3	in	12.50		
3	to 3 ½		18.00		
3 ½	to 4	in	25.00		
4	to 5	in	35.00		

140	HEN.	RI KOHANKIE o	SUN		
			1-4 Each	5-24 Each	25 & up Each
Tilia			Each	Each	Pacif
henryana.	. 50'				
1 1/4	to 1½	$in.\dots\dots\dots$	5.00	4.50	
$1\frac{1}{2}$	to 1 3/4	in	6.50	5.50	
1 3/4	to 2	in	7.50	6.50	
2	to 2½	in	10.00	8.50	
heterophy	lla. Bo	eetree Linden. 60'	,		
		in	4.00	3.50	
1 3/4		in	5.00	4.00	
2	to 2½	in	6.50	5.00	
		in	9.00	7.50	
3	to 3 ½	in	12.50		
oliveri. <i>l</i>	50 <b>°</b>				
			4.00		
		igleaf European L	indon	751	
	to 8	ft	2.00	1.75	1.50
	to 10	ft	2.75	2.50	2.25
		in	3.75	$\frac{2.50}{3.50}$	$\frac{2.25}{3.25}$
		in.,	5.00	4.50	4.00
. 17	to $\frac{1}{4}$		6.00	5.50	5.00
	_	in	8.50	7.50	6.00
$\frac{2}{2}$			10.00	9.00	0.00
				12.50	
	to 4	in		22.00	
	to 5	in			
tomentosa	Silve	er Linden. 40'			
	to 8	ft	3.50	3.00	2.50
1 ½		in	6.50	5.00	2.00
1 3/4		in	7.50	6.50	
		in		0.00	
vulacuia					
	co 8	$egin{array}{cccccccccccccccccccccccccccccccccccc$	2.25	2.00	1.75
		ft	2.75	2.50	2.25
		ź in	3.75	3.50	3.25
		in	5.00	4.50	4.00
1		in	6.00		
		ź in	8.50	7.00	6.00
	to 3		10.00	8.50	
		in	15.00		
	to 4		17.50	15.00	
	to 5	in	25.00		

***************************************			
	1-4 Each	5-24 Each	25 & up Each
Tripterygium regeli. 5'			
2 to 3 ftB&B	1.50	1.25	1.00
3 to 4 ftB&B	1.75	1.50	1.25
Tsuga canadensis. Canada Hemlock.	75 <b>'</b>		
2 ftB&B	2.00	1.75	1.50
3 ftB&B		3.00	
4 ftB&B		4.50	
4 ft. ex. broadB&B		7.00	0.10
5 ftB&B		6.00	5.00
5 ft. ex. broadB&B		0.00	5.00
	8.50	7.50	6.50
6 ftB&B		7.50	
7 ftB&B			
8 ftB&B			10.00
9 ft			
For larger sizes to 16 ft., add	\$5.00	per foot	•
caroliniana. Carolina Hemlock. 50	) <b>'</b>		
2 ftB&B	5.00	4.00	
3 ftB&B	6.50	5.00	
4 ftB&B	10.00		
5 ftB&B	12.50		
sieboldi. Siebold Hemlock. 35'			
7 ft. specimensB&B	50.00		
8 ft. specimensB&B			
Ulex europeaus. Common Gorse. 4'			
18 to 24 in., 4 in. pots	1.25	1.00	
· · · · · · · · · · · · · · · · · · ·	1.20	1.00	
Ulmus americana. American Elm. 80'			
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	1.50	1.25
1½ to 1¾ in	2.00	1.75	1.50
1 3/4 to 2 in	3.00	2.50	2.00
2 to 2½ in	4.00	3.50	3.00
2½ to 3 in	6.50	5.00	4.00
3 to $3\frac{1}{2}$ in	10.00	7.50	
$3\frac{1}{2}$ to 4 in	12.50	10.00	
• 1• 7/-12 7/1	201		
americana moline. Moline Elm. 8		1 00	75
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	
1 3/4 to 2 in	3.50	3.00	
$\frac{2}{2}$ to $\frac{2}{2}$ in	5.00	4.00	3.50
$2\frac{1}{2}$ to $3$ in	7.50	6.00	

144		_	H.E.N.F	(Y	KUHANKIE &	SON		
Ulm	•••					1-4 Each	5-24 Each	25 & up Each
Ulm			,		1 701			
	americai	na v	ase-si	naj	ped. 50'			
	6	to	8	ft	t	1.25	1.00	.75
	8	to	10	ft	t	1.50	1.25	1.00
	1 1/4	to	$1\frac{1}{2}$	ir	1	2.00	1.50	1.25
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	ir	1	3.00	2.50	2.00
	1 3/4	to	2	ir	1	3.50	3.00	2.50
	2	to	$2\frac{1}{2}$	ir	1	5.00	4.00	3.50
	2 ½	to	3	in	1	7.50	6.00	
	campesti	ris.	Eng	lisi	h Elm. 75'			
	6	to	8	ft	t	2.00	1.75	
	8	to	10	ft	t	2.50	2.25	
	1 1/4	to	$1\frac{1}{2}$	in	1	3.00	2.75	
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	ir	1	4.00	3.50	
	$1\frac{3}{4}$	to	2	ir	1	6.00	5.00	
	2	to	$2\frac{1}{2}$	in	1	8.50	7.50	
	$2\frac{1}{2}$	to	3	in	1	12.50	10.00	
	3	to	$3\frac{1}{2}$	ir	1	20.00	15.00	
	4	to	5	in	1	35.00		
	campesti	ris k	tlemn	ıeı	ri. Klemmer E	lm. 75'		
	. 8 to	o 10	ft	• •		5.00		
	campesti	ris l	atifol	ia	. Belgian Elm	. 75'		
	8	to	10	ft	t	3.00		
	1 1/4	to	$1\frac{1}{2}$	in	1	4.00		
	1 ½	to	$1\frac{3}{4}$	in	1	5.00		
	$1\frac{3}{4}$	to	2	in	1	7.50		
	2	to	$2\frac{1}{2}$	in	1	10.00		
	2 ½	to	3	in	1,	12.50		
	campesti	ris n	nonur	ne	entalis. Monun	nent Ela	m. 75'	
	6	to	8	ft	t	4.00	3.50	
	8		10			5.00	4.00	
	1 1/4					6.00	5.00	
	$1\frac{1}{2}$					7.50		
	1 3/4				1	10.00		
	2				1	15.00	10.00	
	2 ½		3		1	18.00		

					1-4 Each	5-24 Each	25 & up Each
Ulmus						*	
campestr	is purpu	rea.	Purplel	leaf 1	English	Elm. 7	0'
8	to 10	ft	• • • • •	• • •	3.00	2:50	
1 1/4	to 1½	in			3.50	3.00	
$1\frac{1}{2}$	to 1 3/4	in			4.00	3.75	
1 3/4			• • • • •		6.00		
2	to 2 ½	in			10.00		
2 ½	to 3	in			12.50		
campestr	is vegeta	H	unting de	on $E^{\dagger}$	lm. 75'		
8	to 10	ft			2.50	2.25	2.00
1 1/4	to 1½	in			3.00	2.75	2.50
$1\frac{1}{2}$	to 1 3/4	in			3.50	3.25	3.00
1 3/4	to 2	in			5.00	4.50	4.00
2	to 2 ½	in			8.50	7.50	6.00
$2\frac{1}{2}$	to 3	in	• • • • •		12.00	10.00	8.00
3	to 3 ½	in			15.00	12.50	
3 ½	to 4	in			20.00	15.00	
4	to 5	in			35.00		
5	to 6	in	• • • • •	• • •	50.00		
campestr	is wheat	leyi.	Wheatl	ey E	lm. 75'		
6	to 8	ft	• • • • •		4.00		
8	to 10	ft			5.00		
1 1/4	to 1½				6.00		
$1\frac{1}{2}$	to 1 3/4	in			7.50		
1 ¾	to 2	in			10.00		
2	to 2 ½	in			15.00		
2 ½	to 3	in			20.00		
fulva.	Slippery 1	Elm.	<i>65</i> ′				
$1\frac{1}{2}$	to 1 3/4 i	n			3.50		
1 3/4	to 2 i	n			5.00		
2	to 2 ½ i	n			7.50		
2 ½	to 3 i	in			10.00		
glabra.	Scotch E	llm.	75 <b>'</b>				
1 1/4	to 1½ i	n			4.00	3.50	
$1\frac{1}{2}$	to 1 3/4 i	in			5.00	4.50	
1 3/4	to 2 i	n			7.50	6.00	
2	to 2½ i	in			10.00	7.50	
2 ½	to 3 i	in			12.50	10.00	
3	to 3½ i	in			18.00	15.00	
4	to 5	in	• • • • •		35.00		
glabra c	amperdov	wni.	Camper	·doren	Elm.	20'	
6 ft	t. stem			• • •	4.00		

	1-4	5-24	25 & up
* * * 1	Each		
Ulmus Cloba Film			
glabra nana. Globe Elm.	10.00		
6 to 8 ft. standards	10.00		
japonica. Japanese Elm. 70'			
8 to 10 ft	5.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.50		
1 % to 2 in	7.50		
$2$ to $2\frac{1}{2}$ in	10.00		
$2\frac{1}{2}$ to $3$ in	12.50		
parvifolia. Chinese Elm. 30'			
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 75'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
racemosa. Rock Elm. 80'			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7 50		
$2 \frac{1}{2} \text{ to } 3  \text{in.} \dots$			
		o.t	
Vaccinium corymbosum. Highbush Blu		8'	1 50
2 to 3 ftB&B			
3 to 4 ftB&B	2.50	2.25	2.00
vacillans. Dryland Blueberry. 3'			
12 to 15 inB&B	2.00	1.75	
Viburnum acerifolium. Mapleleaf Vibu	urnum.	<i>5</i> ′	
18 to 24 in		.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
americanum. American Cranberry	bush.	<i>10</i> <b>′</b>	
		.45	.40
3 to 4 ft	.65		.50
4 to 5 ft		.65	
5 to 6 ft		.80	
6 to 8 ft		1.25	
bitchuiense. Yeddo Viburnum. 6'			
3 to 4 ftB&B	2.25	2.00	

Viburnum         1-4 Each         5-24 Each         Each           Viburnum. 4'           18 to 24 in.         B&B         1.75         1.50         1.25           2 to 3 ft.         B&B         2.00         1.75         1.50           3 to 4 ft.         B&B         2.50         2.25         2.00           18 to 24 in., own roots, B&B         2.75         2.50         Standards           18 to 24 in. stem.         B&B         2.50         2.50           Standards         18 to 24 in. stem.         B&B         2.50           2 to 3 ft.         stem.         B&B         2.50           2 to 3 ft.         .65         .55         .50           3 to 4 ft.         .75         .65         .60           4 to 5 ft.         1.00         .80         .75           5 to 6 ft.         1.25         1.10         1.00           dentatum.         Arrow Wood.         12'         2         2 to 3 ft.         .45         .35         .30           3 to 4 ft.         .60         .50         .45         .45         .45         .35         .75           6 to 8 ft.         1.25	PAINESVILLE, OHI	0		145
carlesi. Fragrant Viburnum. 4'         18 to 24 in	<b>%</b> 7*1			
18 to 24 in.       B&B       1.75       1.50       1.25         2 to 3 ft.       B&B       2.00       1.75       1.50         3 to 4 ft.       B&B       2.50       2.25       2.00         18 to 24 in., own roots, B&B       2.75       2.50         Standards       18 to 24 in. stem.       B&B       2.75       2.50         Standards       18 to 24 in. stem.       B&B       2.50         2 to 3 ft.       stem.       B&B       2.50         2 to 3 ft.       65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.10       1.00         dentatum.       Arrow Wood.       12'         2 to 3 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum.       Linden Viburnum.       10'       2       2       1.00       .80       .75         4 to 5 ft.       1.25       1.00 <td>Viburnum</td> <td></td> <td></td> <td></td>	Viburnum			
2 to 3 ft	carlesi. Fragrant Viburnum. 4'			
3 to 4 ft	18 to 24 inB&B	1.75	1.50	1.25
18 to 24 in., own roots, B&B       2.25       2.00         2 to 3 ft., own roots, B&B       2.75       2.50         Standards       18 to 24 in. stem	2 to 3 ftB&B	2.00	1.75	1.50
2 to 3 ft., own roots, B&B 2.75 2.50 Standards  18 to 24 in. stem	3 to 4 ftB&B	2.50	2.25	2.00
Standards         18 to 24 in. stem.       B&B       2.50         2 to 3 ft. stem.       B&B       3.50         cassinoides. Withe Rod. 6'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.10       1.00         dentatum. Arrow Wood. 12'         2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00         hupeh viburnum. 6'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .55       .45       .40 </td <td>18 to 24 in., own roots, B&amp;B</td> <td>2.25</td> <td>2.00</td> <td></td>	18 to 24 in., own roots, B&B	2.25	2.00	
18 to 24 in. stem.       B&B       2.50         2 to 3 ft. stem.       B&B       3.50         cassinoides. Withe Rod. 6'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.10       1.00         dentatum. Arrow Wood. 12'         2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00         hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45	2 to 3 ft., own roots, B&B	2.75	2.50	
cassinoides.       Withe Rod.       6'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.10       1.00         dentatum.       Arrow Wood.       12'         2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum.       Linden Viburnum.       10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.25       1.00       .90         hupehense.       Hupeh Viburnum.       6'       6'       2 to 3 ft.       1.25       1.00         lantana.       Wayfaring Tree.       15'       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	Standards			
cassinoides. Withe Rod. 6'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.10       1.00         dentatum. Arrow Wood. 12'         2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupehense. Hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	18 to 24 in. stemB&B	2.50		
2 to 3 ft	2 to 3 ft. stemB&B	3.50		
3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.10       1.00         dentatum. Arrow Wood. 12'         2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00         hupehense. Hupeh Viburnum. 6'       2       2       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	cassinoides. Withe Rod. 6'			
4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.10       1.00         dentatum. Arrow Wood. 12'         2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00         hupehense. Hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	2 to 3 ft	.65	.55	.50
dentatum.       Arrow Wood.       12'         2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum.       Linden Viburnum.       10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupeh Viburnum.       6'         2 to 3 ft.       1.25       1.00         lantana.       Wayfaring Tree.       15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	3 to 4 ft	.75	.65	.60
dentatum.       Arrow Wood.       12'         2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum.       Linden Viburnum.       10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00         hupeh Viburnum.       6'         2 to 3 ft.       1.25       1.00         lantana.       Wayfaring Tree.       15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	4 to 5 ft	1.00	.80	.75
2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	5 to 6 ft	1.25	1.10	1.00
2 to 3 ft.       .45       .35       .30         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55				
3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55		. ~	٥.	9.0
4 to 5 ft.       .75       .65       .60         5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55				
5 to 6 ft.       1.00       .85       .75         6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55				
6 to 8 ft.       1.25       1.10       1.00         dilatatum. Linden Viburnum. 10'       2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupehense. Hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55				
dilatatum.       Linden Viburnum.       10'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupehense.       Hupeh Viburnum.       6'       6'       2 to 3 ft.       1.25       1.00         lantana.       Wayfaring Tree.       15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55				
2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupehense. Hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	6 to 8 ft	1.25	1.10	1.00
3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25       1.00       .90         hupehense. Hupeh Viburnum. 6'         2 to 3 ft.       1.25       1.00         lantana. Wayfaring Tree. 15'         2 to 3 ft.       .55       .45       .40         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55	dilatatum. Linden Viburnum. 10'			
4 to 5 ft	2 to 3 ft	.75	.60	.55
hupehense. Hupeh Viburnum. 6'         2 to 3 ft	3 to 4 ft	1.00	.80	.75
2 to 3 ft	4 to 5 ft	1.25	1.00	.90
2 to 3 ft	hupehense. Hupeh Viburnum. 6'			
2 to 3 ft	•	1.25	1.00	
2 to 3 ft				
3 to 4 ft	· · · · ·			
4 to 5 ft				
			.50	·
5 to 6 ft 1.00 .80 .70				·
	5 to 6 ft	1.00	.80	.70
lantana rugosum. Wrinkleleaf Wayfaring-tree. 15'	lantana rugosum. Wrinkleleaf Wa	y faring	-tree.	15 <b>'</b>
3 to 4 ft	3 to 4 ft	.75	.60	
4 to 5 ft				
5 to 6 ft				

		1-4 Each	5-24 Each	25 & up Each
Viburnum		230021	2,400022	
lentage	o. Nannyberry. 20'			
3	to 4 ft	.75	.65	.60
4	to 5 ft	.90	.80	.75
5	to 6 ft	1.25	1.10	1.00
6	to 8 ft	2.00	1.75	1.50
_	to 10 ft	2.50	2.25	2.00
10	to 12 ft	3.00	2.75	2.50
molle.	Kentucky Viburnum. 10'			
	to 3 ft	.45	.35	.30
	to 4 ft	.60	.50	.45
	to 5 ft	.75	.65	.60
	to 6 ft	1.00	.80	.75
6	to 8 ft	1.25	1.10	1.00
nudum				
	to 3 ft	.75	.60	.50
	to 4 ft	1.00	.75	.60
	to 5 ft	1.25	1.00	.75
5	to 6 ft	1.75	1.50	
opulus				
	to 3 ft	.55	.45	.40
	to 4 ft	.65	.55	.50
	to 5 ft	.75	.65	.60
	to 6 ft	1.00	.85	.75
	to 8 ft	1.25	1.10	1.00
	to 10 ft	1.75	1.65	1.50
	nanum. Dwarf Cranberry 1			4.0
	to 12 in	.55	.45	.40
	to 15 in	.65	.55	.50
	to 18 in	.75	.65	.60
	sterile. Common Snowball. to 3 ft		15	40
	to 4 ft	.55 .65	.45	.40
	to 5 ft	.90	.70	.65
	olium. Eggleaf Viburnum.		.10	.00
	to 3 ft	1.25	1.00	
	olium. Blackhaw. 12'	1.20	1.00	
_	to 3 ft	1.25	1.00	.90
	to 4 ft	1.50	1.35	1.25
_	to 5 ft	1.75	1.65	1.50
	to 6 ft	2.50	2.25	2.00
	to 8 ft	4.00	3.50	3.00
	to 10 ft	5.00	4.00	

TAINES VILLE, OIL	,		141
	1-4 Each	5-24 Each	25 & up Each
Viburnum	Hacii	Bacii	Lacii
pubescens. Downy Viburnum. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	
rhytidophyllum. Leatherleaf Viburi	num. 8	,	
18 to 24 inB&B	1.50	1.25	1.00
2 to 3 ftB&B	2.00	1.75	1.50
rufidulum. Southern Blackhaw. 10'			
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	1.75	1.65	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	4.00	3.50	3.00
	10°		
	.50		
	.75		
3 to 4 ft	1.00		
4 to 5 ft	1.50		
5 to 6 ft	1.50		
sieboldi. Siebold Viburnum. 10'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.50	1.00	.75
6 to 8 ft	2.50	1.50	
8 to 10 ft	3.50		
·			
theiferum. Tea Viburnum. 12'	1.25	1.00	
2 to 3 ft		1.00	
tomentosum. Doublefue Viburnum.		. ~	4.0
2 to 3 ft	.55		.40
3 to 4 ft	.65	.55	
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.80	.75
tomentosum plicatum. Japanese Si	nowball.	8 <b>'</b>	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
5 to 6 ft	2.50	2.00	
6 to 8 ft	4.00	3.00	
veitchi. Veitch Viburnum. 6'			
2 to 3 ft	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
venosum canbyi. Canby Viburnum	. 8'		
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
wrighti. Wright Viburnum. 8'			
18 to 24 in	1.00	.75	.50
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	
Vinca minor. Periwinkle.			
8 to 12 in	.12	.10	.08
minor alba. White Periwinkle.			
2 year	.40	.30	.25
	• 7.7 .		
minor rubra plena. Dbl. Red Peri		4.0	20
2 year	.50	.40	.30
Vitex agnus castus. Chaste-tree. 4'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
agnus castus alba. White Chaste-to	ree. 4'		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.65	.50	
macrophylla. Hemp-tree. 4'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	
negundo incisa. Cutleaf Chaste-tree	3. <b>//</b>		
3 to 4 ft	1.00	.75	
	_,,,		
Vitis aestivalis. Summer Grape. 40'	4 5	25	200
2 year		.35	
3 year	.55	.45	.40
amurensis. Amur Grape. 40'			
3 year	.75	.60	
coignetiae. Gloryvine. 40'			
2 year	.60	.50	.40
3 year	.75	.60	
4 year			

*****	1-4 Each	5-24 Each	25 & up Each
Vitis cordifolia. Frost or Winter Grape.	40 <b>'</b>		
2 year	.45	.35	.30
3 year	.55	.45	.40
	•••	• • • • • • • • • • • • • • • • • • • •	<b>, _ ,</b>
labrusca. Fox Grape. 40'	âF	0.5	9.0
2 year	.45	.35	.30
3 year	.55	.45	.40
rotundifolia. Muscadine Grape. 40		<b>50</b>	4.0
3 year	.60	.50	.40
4 year	.75	.60	.50
vulpina. Riverbank Grape. 40'	4 5	0.5	9.0
2 year	.45	.35	.30
3 year	.55	.45	.40
4 year	.75	.00	.50
Weigela Abel Carriere. 10'	9.5	25	20
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.40	.59
amabilis. Rose Weigela. 8'		~ <del>~</del>	2.0
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
candida. Snow Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
desboisi. Desbois Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Eva Rathke. $\delta'$			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
floribunda. Crimson Weigela. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.45	.35
groenewegeni. Greenway Weigela.	8'		
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	
100010	• • • •		

	7 4	F 0.4	95 6
	1-4 Each	5-24 Each	25 & up Each
Weigela			
Gustav Mallot. 8'		,	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.55	.45
hortensis rubra. 8'			
2 to 3 ft	25	.25	.20
3 to 4 ft	.40		
4 to 5 ft	.60		.35
± 10 0 10	.00	•40	.00
japonica. Japanese Weigela. 8'			
3 to 4 ft	.40		
4 to 5 ft	.50	.40	.35
rosea. Pink Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
rosea nana variegata. Dwarf Varie	nated 1	Vojaola	51
2 to 3 ft			
3 to 4 ft			
sieboldi argenteomarginata. Varie			8'
3 to 4 ft	.65	.50	
styriaca. 8'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
Vanhoutte. Van Houtte Weigela.	8 <b>'</b>		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Wistaria frutescens. American Wistaria	a. 30'		
2 year	.50	.35	.25
3 year	.60	.45	.35
frutescens magnifica. Yelloweye V		. 25'	
2 year	.50	.35	.25
3 year	.60	.45	.35
multijuga. Japanėse Wistaria. 30	,		
2 year	.50	.40	.35
3 year	.60	.50	.45
4 year	.75	.65	.55

	1-4 Each	5-24 Each	25 & up Each
Wistaria			
sinensis. Chinese Purple Wistaria.	40"		
2 year			.30
3. year		.45	
Standards. 4 ft. stem,		• • •	•
30 in. head	6:00		
2 year grafted flower-			
ing plant	1.25	1.00	
sinensis alba. Chinese White Wista	* *		2.0
2 year		.35	
3 year			.40
4 year	1.00	.75	
2 year grafted flower-	1.05	1 00	
ing plants	1.25	1.00	*
venusta. Silky Wistaria. 30'			
3 year	.60	.50	
4 year	.75		
Vanthaanna anhifalia 151		•	
Xanthoceras sorbifolia. 15'	4.00		
2 to 3 ftB&B 3 to 4 ftB&B			
5 to 4 tt	5.00		
Zanthorhiza apiifolia. Yellowroot. 3'			
12 to 15 in. clumps	.45	.35	.25
15 to 18 in. clumps	.50	.40	.30
Zanthoxylum americanum. Prickly Asi	h. 15'		
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
- C 1 1 1 7 11 COL			
Zelkova serrata. Sawleaf Zelkova. 50'	1 05	1.00	77
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00 $2.50$	1.75 $2.25$	
6 to 8 ft	$\frac{2.50}{3.50}$	4.40	
0 10 0 10	0.00		

## Herbaceous & Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

	5-24 each	25&up each
*Acaena buchanani. Bluish gray, Aug., 1"\$  *sanguisorbae. Bright green foliage, 2"	.20	\$ .18 .18
Acanthus mollis. Purple rose, July, 4' mollis latifolius. Rose, July, 2-3'	.20 .20	
*Achillea ageratifolia aizoon. White, May, June, 8"	.20 .20 .15 .15 .18 .20 .15	.18 .18 .12 .12 .15 .18 .12
*tomentosa. Yellow, June, 1'	.15 .30 .25 .40 .30	.12 .25 .20 .35 .25
Actaea alba. White, May, June, 3-4'	.15 .15	
Adiantum padatum Maidan Hair Forn	.25	10
*Aegopodium podograria variegatum. Variegated foliage, 1'	.15	

	5-24 each	25&up each
*Androsace lanuginosa. Rose, June, 8"	.35	040**
*lanuginosa leichtlini. Rose, June, 8"	.40	
*sarmentosa. Rose, June, 6"	.40	
sarmentosa. Rose, June, O	•40	
*Anemone baldensis. White and pink, July, 1'	.25	
*hupehensis. Mauve, Aug., Sept., 1'	.20	.18
*japonica alba. White, fall, 3'	.18	.15
japonica Alice. Rose pink, fall, 3'	.20	.18
japonica Louise Uhink. White, fall, 3'	.20	
japonica Prince Heinrich. Deep pink, fall,		
3'	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink,	•	,_,
fall, 2'	.20	.18
japonica Rose d' Autumn. Pink, fall, 3'	.20	.18
japonica rubra. Red, fall, 2'	.25	.20
japonica September Charm. Silvery pink,		•=
fall, 2'	.25	
*japonica Whirlwind. Pure white, fall, 3'	.20	.18
*pennsylvanica. White, July, 1½'	.15	,10
*pulsatilla. Blue, April, 15"	.18	.15
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.20	.18
*vernalis. White, April, 6"		
<b>.</b>		
*Antennaria dioica. White, May, 6"	.15	.12
*Anthemis cinerea. White, Aug., 1'	.20	.18
*montana. White, July, 10"	.20	.18
*nobilis. White, summer, 1'	.15	.12
tinctoria. Yellow, July, Aug., 3'	.15	.12
tinctoria E. C. Buxton. White, yellow eye,	1 5	10
July, Aug., 3'	.15	.12
tinctoria kelwayi. Yellow, July, Aug., 3'	.15	.12
tinctoria kelwayi. White, July, 3'	.18	.15
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'.	.25	
Antirrhinum cranifolium. Blue, July, Aug.,		
15"	.25	.20
For less than five, add five cents per plant to the	ne 5-2	1 rate.

.15

.15

.12

.12

*maritima alba. White, May, June, 6"...

*robusta. Crimson, May, June, 6" .....

	5-24 each	25&up each
Artemisia abrotanum. Fragrant foliage, 5'	.15	.12
absinthium. Wormwood, 4'	.15	.12
dracunculus. White, August, 2'	.20	.18
frigida. Silver foliage, 18"	.20	.18
lactiflora. White, Aug., 4'	.18	.15
pontica. Gray foliage, 12"	.15	.12
purshiana. Gray foliage, 3'	.15	.12
Silver King. White foliage, 3'	.15	.12
stelleriana. White, summer, 2'	.15	.12
Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.15	.12
Asclepias incarnata. Red, August, 4'	.15	.12
tuberosa. Orange, July, August, 2'	.15	.12
*Asperula cynanchica. Pink, summer, 10"	.20	
hexaphylla. White, June, 1'	.18	.15
*hirta. Pink, July, Aug., 6"	.20	
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea. Yellow, July, 3'	.20	.18
Asplenium felix faemina. Lady Fern	.15	.12
*Aster alpinus. Blue, June, July, 8"	.15	.12
*alpinus albus. White, June, July, 8"	.18	.15
*alpinus ruber. Rosy purple, July, 8"	.25	
amelloides. Purple, July, 18"	.20	
amellus elegans. Purple, Aug., 18"	.20	.18
amellus Rud. Goethe. Lavender blue, fall,		
2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.18	.15
Anita Ballard. Soft lavender, fall, 4'	.18	.15
Beauty of Colwall. Fine blue, Sept., 3'	.15	.12
Blanchette. Mauve blush, fall, 4'	.15	.12
Blue Gem. Blue, Sept., 3'	.25	
Climax. Blue, Sept., Oct., 3'	.15	.12
diplostephioides. Blue, July, 2'	.18	.15
dracunculoides. Light blue, July, 2'	.25	.20
Erica. Pink, fall, 3'	.15	.12
frikarti Wonder of Staefa. Lavender, fall,	, -	
2'	.45	4.0
Heather Glow. Rose, fall, 4'	.15	.12

	5-24 each	25&up each
Astilbe	caon	040-1
arendsi Moerheimi. White, July, 3'	.30	.25
arendsi Philadelphia. Lavender rose, July,		
2'	.30	
arendsi Rhineland. Crimson, shaded sal-	2.0	
mon, June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.25	.20
arendsi Salland. Red, July, 5'	.25 $.25$	.20
biternata. Cream, June, 4'	.20	.20
3'	.25	.20
rosea Queen of Holland. Rose pink,, July,	· <b>-</b> ·	,_,
3'	.25	.20
rubella Solferino. Violet pink, July, 3'	.30	.25
rubella Vesta. Lilac rose, July, 3'	.25	.20
Astrantia major. Silvery pink, May, 2'	.15	.12
*Aubrietia deltoidea. Purple, Apr., May, 4"	.18	.15
*deltoidea bougainvillei. Dark blue,		
April, 5"	.18	.15
*deltoidea eyrei. Rosy lilac, Apr., 5"	.18	.15
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.18	.15
*deltoidea leichtlini. Pink, April, 5"	.18	.15
*deltoidea purpurea. Purple, April, 5"	.18	.15
*hybrida. Various, Apr., May, 6"	.25	4 P
Baptisia australis. Indigo, June, 4'	.18	.15
tinctoria. Yellow, June, 3'	.18	.15
Belamcanda chinensis. Orange, summer, 3'	.15	.12
*Bellis perennis alba. White, Apr., May, 3"	:15	.12
*perennis rosea. Pink, April, May, 3"	:15	.12
*rotundifolia caerulescens. Blue, May, 2"	.20	.18
*Bellium bellidioeides. Blush, summer, 4"	.15	.12
Bocconia cordata. Creamy white, Aug., 6'	.15	.12
Boltonia asteroides. White, Sept., 5'	.15	.12
latisquama. Lavender, August, 5'	.15	.12
latisquama nana. Lavender, Aug., 2'	.20	
Boykinia rotundifolia. White, June 2'	.18	.15
Buphthalmum speciosum. Yellow, June, 3'	.15	.12
salicifolium. Yellow, summer, 2'	.18	.15
*Calamintha alpina. Purple, summer, 6"	.18	.15
For less than five, add five cents per plant to the	ie 5-24	f rate.

	· <b>-</b> ·	,
Calimeris incisa. Pink, summer, 2'	.25	
*Callirhoe involucrata. Red, all summer, 6"	.15	.12
*Caltha palustris. Yellow, Apr., May, 12"	.15	.12
Camassia leichtlini. Blue, May, 2'	.15	.12
quamash. Blue, May, 2'	.15	.12
*Campanula alliariaefolia.		
White, June, July, 2'	.18	.15
*bononiensis. Blue, June, 2'	.18	.15
*carpatica. Blue, July, August, 9"	.18	.15
* carpatica alba. White, July, Aug., 9"	.18	.15
*collina. Blue, July, Aug., 1'	.25	• 2. 0
*elatinoides. Blue, summer, 6"	.20	
*fenestrellata. Pale blue, summer, 3"	.20	.18
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
	.15	.12
*glomerata. Purple, June, July, 2'	.18	.12
*glomerata acaulis. Purple, June, 6"	.18	.15
*glomerata superba. Violet, June, July, 2' *grosseki. Blue, summer, 2'	.15	.12
*istriaca. Pale blue, June, July, 3"	.20	.14
*kolenatiana. Blue, July, 9"	.25	.20
lactiflora. Light blue, August, 4'	.18	.15
latifolia alba. White, July, 3'	.20	.18
latifolia macrantha. Purplish blue, July,		,,,
3'	.18	.15
medium. Mixed, June, July, 3'	.15	.12
medium. Separate colors, June, July, 3'	.18	.15
medium calycanthema. Mixed, July, 3'	.15	.12
medium calycanthema. Separate colors,		
July, 3'	.18	.15
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.18	.15
persicifolia alba. White, June, 2'	.20	.18
pyramidalis. Blue, July, 4-5'	.18	.15
pyramidalis alba. White, July, 4-5'	.18	.15
*raddeana. Purple, July, Aug., 1'	.25	.20
*raineri. Dark blue, July, 6"	.18	.15
*raineri alba. White, July, 6"	.20	.18
*rhomboidalis. Blue, July, 1'	.18	.15

	5-24 each	25&up each
Campanula		
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12"	.18	.15
*sarmatica. Pale blue, summer, 12"	.30	.25
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.18	.15
*turbinata alba. White, June, July, 6"	.18	.15
*trachelium. Blue, July, 2-3'	.15	.12
*Carex morrowi. White-edged foliage, 1'	.25	
*Carlina acaulis. White summer, 6"	.15	.12
Cassia marilandica. Yellow, July, 3-4'		
Catananche caerulea. Blue, June, July, 3'	.15	.12
Caulophyllum thalictroides	.15	.12
Cedronella cana. Pink, July, 3'	.25	.20
Centaurea babylonica. Yellow, July, 5'	.15	.12
*dealbata. Red, July, 1½'	.18	.15
macrocephala. Yellow, July, 3-4'	.18	.15
*montana. Blue, June, July, 2'	.15	.12
ruthenica. Straw color, July, 4'	.18	
Centranthus augustifolius. Rose, summer, 18"	.20	
ruber. Red, summer, 3'	.15	.12
ruber albus. White, all summer, 3'	.15	.12
Cephalaria alpina. Yellow, July, 5'	.15	.12
tatarica. Cream, summer, 6'	.15	.12
*Cerastium arvense compactum.	٦ ٢	1.0
White, July, 8"	.15	.12
*biebersteini. White, June, 6"	.18	.15 $.12$
*tomentosum. White, June, 6"		
*Ceratostigma plumbaginoides. Blue, fall, 6"	.18	.15
*Cheiranthus allioni. Orange, July 2'	.15	.12
Chelone glabra. White, rose tinged, July, 2'	.18	.15
lyoni. Deep rose, August, 2'	.18	.15
Chrysanthemum anemone—flowered Snow Queen—White.	.15	.12
*arcticum. White, fall, 2'	.15	.12
balsamita. Yellow, Aug., Sept., 2'	.25	.20
coreanum. Blush, fall, 3'	.18	.15
For less than five, add five cents per plant to th		
101 less than hve, and hve cents per plant to th	0-24	rate.

## Chrysanthemum

## 

Angelo-pink.

Boston-orange.

Brune Poitevine—deep velvety reddish bronze.

Canariense—yellow.

Comoleta—yellow.

Golden Queen-yellow.

Harvest Home—yellow.

Indian—coppery red.

L'Argentuillais-deep chestnut.

Marie Antoinette-deep pink.

Mrs. F. H. Bergen—pale pink.

Mrs. H. Craig—yellow, overlaid orange crimson.

Murillo—pink.

Oconto-white.

Old Homestead—pink.

Pacific Supreme—pink.

R. Marion Hatton—canary yellow.

Snowclad—white.

Tints of Gold—large golden yellow.

Emma Marie. Lemon yellow, fall, 2' .18 .15

Glory of Seven Oaks, Yellow,

Mrs. Willis J. Martin, Strawberry,

	5-24 each	25&up each
Chrysanthemum		
Normandie. Pink, early fall, 2'  Peggy Ann Hoover. Lilac pink, fall,	.18	.15
2'	.18	.15
Pink Cushion. Dwf. Pink, fall, 1'	.18	.15
Tassiva. White, Sept., 18"	.18	.15
Yellow Normandie. Yellow, early fall,		
2'	.18	.15
hardy large flowering, single, fall, 4'	.18	.15
California—yellow.	.10	•10
Excelsior—golden yellow.		
Gypsy Girl, crimson, shading chestnut		
Lady Smith—bright pink.	<b>∕ •</b>	
Mrs. Calvin Coolidge—cardinal red.		
Mrs. W. E. Buckingham—salmon pink	•	
		25
Korean hybrids. Oct., 2-2½'	.30	.25
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Daphne—daphne pink.		
Diana—rose pink, blended lilac rose.		
Mars—amaranth red.		
Mercury—bronze red.		10
maximum. White, all summer, 2'		
maximum Alaska. White, JulyAug., 2'		.12
maximum Etoile d'Or. White, July, Aug		
18"	.20	.18
maximum King Edward.		
White, all summer, 3'	.15	.12
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.18	.15
maximum Shasta. White, July-Aug., 2'	.15	.12
*morifolium. Rose, fall, 18"	.25	.20
zawadsky. Pink, June, July, 2'	.20	
Cimicifuga racemosa. White, July, 5'	.15	.12
Clematis davidiana. Blue, August, 3'	.18	.15
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.18	.15
recta. White, July, 3'	.18	.15
recta mandschurica. White, July, 4'	.18	.15

	5-24 each	25&up each
Codonopsis clematidea. White, June, 3'	.20	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.25	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.35	
*Convallaria majalis. Clumps, white, May, 6"	.18	.15
Coptis trifolia. White, summer, 6"	.18	.15
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.15	.12
lanceolata. Yellow, summer, 2'	.15	.12
*rosea. Rose, Aug., Sept., 1'	.15	.12
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yellow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.15	.12
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.18	
*Cynanchum acuminatifolium.		
White, summer, 18"	.18	.15
Cypripedium acaule. Rose-purple, May, June,	,	•10
1'	.20	.18
parviflorum. Yellow, May, June, 1'	.20	.18
spectabile. Rose, June, 2'	.20	
Delphinium belladonna.		
Sky blue, all summer, 4'	.15	.12
bellamosum. Dark blue, all summer, 4'	.15	.12
*chinense. Blue, July, 2'	.18	.15
*chinense album. White, July, 2'	.18	.15
elatum. Blue, July, 4'	.15	.12
formosum. Indigo, July, 4'	.18	.15
formosum coelestinum.		
Light blue, July, 3'	.15	.12
grandiflorum. Shades of blue, July, 3'	.15	.12
hybridum Blackmore and Langdon.		
Various, July, 4'	30	.25
hybridum Gold Medal.		
Shades of blue. July, 4'	.15	.12
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.30	.25
sibirica hybrida. Shades of blue, July, 3'	.15	.12

	5-24	25&up
	each	each
Dennstedtia punctilobula. Hay-scented Fern	.15	.12
Dianthus allwoodi. Pink, July, 1'	.18	.15
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.15	.12
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus alba. White, June, July, 1'	.15	.12
barbatus atrococcineus. Crimson, June,		10
1'	.15	.12
barbatus fl. pl. (Double Sweet William).	15	.12
mixed colors, June, July, 1'	.15 $.15$	.12
barbatus Giant White. June, 1' barbatus nigricans.	.10	,14
Dark velvety red, June, 1'	.15	.12
barbatus Pink Beauty. Pink, June, 1'	.15	.12
barbatus Salamoni. Salmon, June, 1'	.15	.12
barbatus Sutton's Scarlet.		•
Crimson, June, 1'	.15	.12
*caesius. Rose pink, June, July, 9"	.15	.12
*chinensis heddewigi.		
Mixed, June, July, 8"	.15	.12
*deltoides. Pink, June, 9"	.15	.12
*deltoides albus. White, June, 9"	.15	.12
*deltoides Brilliant. Red, June, 9"	.15	.12
giganteus. Red, July, 2'	.18	.15
*grisebachi. Purple, June, 1'	.20	.18
*graniticus. Purple, July, 6"	.18	.15
hardy pinks.		
Single, mixed, all summer, 9"	.15	.12
knappi. Yellow, summer, 1'	.18	.15
*latifolius atrococcineus.		
Crimson, summer, 1'	.15	.12
*plumarius. Mixed, summer, 8"	.15	.12
*plumarius fl. pl. Mixed, summer, 8"	.15	.12
*plumarius semperflorens.		
Pink, June, 9"	.15	.12
*Abbotsford. Crimson, all summer, 9"	.18	.15
*Beatrix. Salmon pink, June, 18"	.25	
*Bristol Jewel. White and crimson, June,	0	
18"	.30	
10	.00	

Dorycnium hirsutum. Pink, summer, 2'.....

For less than five, add five cents per plant to the 5-24 rate.

.20

.25

	5-24 each	25&up each
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, Apr., May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.20	.18
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.20	.18
Ruyschianum japonicum. Blue, summer,	0.0	4.0
2'	.20	.18
*Dryas octopetala. White, June, July, 4"	.35	
Dryopteris spinulosum. Wood Fern	.15	.12
thelypteris. Shield Fern	.15	.12
Echinacea purpurea. Purple, July, Aug., 3'	.15	.12
Echinops humilis. Blue, July, 2'	.18	.15
ritro. Deep steel blue, July, 3'	.15	.12
sphaerocephalus. Pale blue, July, 5'	.15	.12
*Edraianthus dinaricus. Lilac, July, 3"	.25	
*tenuifolius. Blue, summer, 5"	.25	.20
Elymus glaucus. Blue Lime Grass, 3'	.18	.15
*Epigaea repens. Pink, Apr., May, 4"	.30	
Epilobium angustifolium. Rose, Aug., 4'	.18	.15
*Epimedium sulphureum. Yellow, May, 1'	.40	
Eremurus himalaicus. White, June, 6'	1.50	
Erianthus ravennae. Plume Grass. 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.15	.12
*glabratus roseus. Pink, June, 1'	.20	.18
macranthus. Violet. June, 2'	.20	.18
*speciosus. Rich purple, June, July, 2'	.15	.12
*Erinus alpinus albus. White, May, 4"	.20	.18
*alpinus roseus. Rosy purple, May, 4"	.20	.18
*Erodium corsicum. Pink, summer, 6"	.30	
Eryngium alpinum. Blue, July, 2'	.20	.18
amethystinum. Blue, summer, 18"	.18	.15
bourgati. Blue, summer, 18"	.20	
*planum. Blue, July, Aug., 3'	.15	.12

*Erysimum kotschyanum. Orange, May, June,	5-24 each	25&up each
5"	.18	.15
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.18	.15
Eulalia gracillima. Japan Rush, 4-6'	.15	.12
japonica variegata. 4-6'zebrina. Zebra Grass, 4-6'	.15	.12
Eupatorium ageratoides. White, Aug., 3' *coelestinum. Blue, Sept., Oct., 18" purpureum. Purple, Aug., Sept., 5'	.15 .15 -	.12 .12 .12
Euphorbia corollata. White, July, Aug., 2'  *cyparissias. Yellow, May, 2"  *epithymoides. Yellow, May, June, 1'  *myrsinites. Yellow, May, June, 6"	.18 .15 .25	.15 .12
Festuca glauca. Fescue Grass, June, 10"	.15	.12
Foeniculum atrosanguineum. Summer, 3'	.18	.15
*Fragaria indica. White, May, 6"	.15	.12
Funkia. (See Hosta).		
Gaillardia grandiflora. Yellow and Crimson, all summer, 2'	.15	.12
son, all summer, 2'	.15	.12
*Galax aphylla. White, June, 10"	.20	.18
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July,	.18	.15
3'	.18	.15
Galium boreale. White, July, 1½'	.18	.15
*purpureum. Dark brown, Aug., 1'	.20	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
alba. White, Aug., 2'	.15	.12
*andrewsi. Blue, August, 2'	.15	.12
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	or.
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25

*Geranium endressi. Rose, summer, 18"	5-24 each .35	25&up each
*grandiflorum. Lilac, June, July, 15"	.15	
*grevilleanum. Mauve, June, July, 6"	.18	.15
*ibericum. Purple, May, June, 2'	.18	.15
*lancastriense. Mauve, May, June, 1'	.18	.15
*maculatum. Pink, May, June, 1'	.15	.12
*pratense album. White, July, Aug., 2'	.18	.15
*sanguineum. Red, June, July, 2'	.18	.15
*Geum atrosanguineum. Dark red, summer,		
1½'	.18	.15
*Lady Strathedon. Orange, summer, 15"	.18	.15
*montana. Yellow, July, 1'	.18	.15
*Mrs. Bradshaw. Double red, summer, 1'	.18	.15
*Orange Queen. Orange, summer, 15"	.20	.18
*sibericum. Scarlet, June, July, 1'	.20	
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.18	.15
*Globularia cordifolia. Pale blue, June, 4"	.20	.18
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.18	.15
Gypsophila acutifolia. Pink, July, 2-3'	.15	.12
*cerastoides. White, summer, 4"	.20	.18
paniculata. White, July, Aug., 2-3'	.15	.12
paniculata Bristol Fairy. Dbl. white, sum-	25	20
mer, 3' paniculata fl. pl. Dbl. white, July, Aug.,	.35	.30
3'	.35	.30
*repens. Bluish white, all summer, 6"	.15	.12
*repens rosea. Pink, summer, 6"	.20	.18
Helenium autumnale. Yellow, Aug., Sept., 5'	.18	.15
autumnale superbum. Yellow, Sept., 5'	.18	.15
bigelovi. Yellow, Sept., 4'	.20	.18
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July, 3'	.20	.18
*pumilum. Yellow, Aug., 15"	.20	.18
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.18	.15

	5-24 each	25&up each
*Helianthemum citrinum. Yellow, summer, 6"	.18	.15
*croceum. Saffron, June, July, 9"	.18	.15
*cupreum. Copper, June, July, 6"	.18	.15
*Fire Ball. Red, July, Aug., 12"	.18	.15
*mutabile. Flesh, May, June, 12"	.18	.15
*perfoliatum roseum. Salmon, summer, 6"	.18	.15
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.15	.12
maximiliana. Yellow, Sept., 6'	.15	.12
Miss Mellish. Yellow, Aug., Sept., 6'	.15	.12
mollis grandiflorus. Yellow, Aug., Sept.,		
4'	.15	.12
*multiflorus fl. pl. Yellow, summer, 4'	.18	.15
orgyalis. Bright yellow, Sept., 6-8'	.20	.18
rigidus. Yellow, Aug., 3'	.15	.12
Wolley Dod. Deep yellow, Sept., 7'	.15	.12
Heliopsis excelsa. Dbl. yellow, Aug. 3'	.18	.15
pitcheriana. Orange, July, Aug., 3'	.15	.12
*Helleborus niger. White, Feb., Mar., 1'	.65	
*Helxine soleiroli. Creeping herb, 1"	.18	.15
Hemerocallis Apricot. Apricot color, June, 2'	.18	.15
aurantiaca. Orange, June, July, 2½'	.18	.15
Dr. Regal. Orange yellow, May, 18"	.18	.15
dumortieri. Orange, June, 2'	.15	.12
flava. Lemon yellow, June, 3'	.18	.15
florham. Golden yellow, June, 3'	.20	.18
fulva. Bronze, August, 3'	.15	.12
Gold Dust. Indian yellow, June, 2½'	.15	.12
gracilis. Yellow, June, 2'	.18	.15
kwanso. Reddish orange, June, 2½'	.20	
luteola. Orange, June, 2'	.15	.12
May Queen. Orange, May, 4'	.25	•
middendorffi. Orange, June, 3'	.15	.12
minor. Yellow, June, 2'	.15	.12
Orange Man. Deep orange, June, 2'	.15	.12
Sovereign. Rich orange, June, 1½'	.15	.12
thunbergi. Lemon yellow, June, 2-3'	.15	.12
For less than five, add five cents per plant to th	e <b>5-2</b> 4	rate.

	5-24 each	25&up each
Hemerocallis hybrids. Named varieties, 2-3'  Bay State. Deep yellow, Aug. Gypsy. Deep orange, July. Harvest Moon. Orange, July. Lemona. Pale lemon yellow, Aug. Mrs. W. H. Wyman. Pale lemon, Aug. The Gem. Deep orange, June, July.		
*Hepatica triloba. Light blue, March, Apr., 4"	.15	.12
*Herniaria glabra. Green, summer, 4"	.18	.15
*Hesperis matronalis. Purple, June, July, 3'	.15	.12
*matronalis alba. White, June, July, 3'	.18	.15
		4.0
Heuchera americana. Greenish white, 3'	.20	.18
*brizoides. Red, June, July, 2'	.18	.15
*Grenadier. Red, summer, 15"	.35	O. W
*Pleu de Feu. Red, May, June, 2'	.30	,25
*rosamundi. Coral, summer, 18"	.30	.25
*sanguinea. Coral red, June, 1'	.18	.15
*sanguinea alba. White, June, 1'	.35	
*sanguinea hybrids. Various, summer, 18"	.18	.15
*villosa. White, summer, 12"	.20	.18
Hibiscus Mallow Marvels. Mixed, July, Aug.,		10
5'	.15	.12
Mallow Marvels. Separate colors, Aug.,	4.0	4 =
5'	.18	.15
Mallow Marvels. Giant Red, Aug., 5'	.18	.15
moscheutos. Rose, June, July, 5'	.15	.12
moscheutos crimson eye. White, red eye,	4 =	10
Aug., 5'	.15	.12
*Hieracium aurantiacum. Orange, summer, 6"	15	.12
*alpinum. Yellow, May, June, 9"	.20	.18
		4.0
Hosta caerulea. Blue, July, 1½'	.15	.12
lancifolia. Blue, July, 2'	.15	.12
ovata. Lavender, June, July, 1-2'	.18	.15
sieboldiana. Silvery foliage	.20	.18
sub-cordata grandiflora. White, Aug.,	0.0	
18"	.20	.18
undulata variegata. White foliage, 2'	.15	.12
For less than five, add five cents per plant to the	he 5-24	rate.

THINDS VIBBE, OHIO		111
	5-24 each	25&up each
*Houstonia purpurea. Purple, May, June, 1'	.20	
*serpyllifolia. Blue, April, 2"	.18	.15
*Hutchinsia alpina. White, May, June, 4"	.30	
Hyacinthus candicans. White, Aug., 3'	.18	.15
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.18	.15
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).	•	
*polyphyllum. Yellow, summer, 8"	.18	.15
*repens. Yellow, July, 4"	.25	.20
*rhodopaeum. Yellow, July, 4"	.20	.18
*Hyssopus officinalis. Purple, Aug., 18"	.18	.15
*Iberis gibraltarica. Delicate lilac, May, 1½'	.15	.12
*jordani. Rose, May, June, 6"	.30	.25
*saxatilis. White, summer, 8"	.18	.15
*sempervirens. White, May, June, 8"	.15	.12
*sempervirens Climax. White, May, 6"	.18	.15
*sempervirens Little Gem. White, April,		
6"	.18	.15
*sempervirens Snowflake. White, May, 9"	.25	.20
*tenoreana. Purplish white, June, 6"	.25	.20
*Incarvillea delavayi. Rosy purple, June, July,		
2'	.20	.18
*Inula ensifolia. Yellow, July, Aug., 8"	.18	.15
*Iris cristata. Light blue, May, June, 6"	.18	.15
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, June, 6"	.25	.20
germanica. May, June, 1½-2'.		
Afterglow. Soft lavender shading		
yellow	.15	.12
Ambassadeur. Smoky purple, purpl	le	
maroon falls	.18	.15
Aphrodite. Lilac pink	.18	.15
Asia. Smoky blue	.18	.15
Ballerine. Violet with deeper falls	.18	.15
Bruno. Bronze, red purple falls	.18	.15

	5-24 each	25&up each
Iris germanica.		
Caprice. Rosy red	.12	.09
Cecil Minturn. Pink	.15	.12
Celeste. Delicate blue	.12	.09
Chasseur. Yellow, red veining	.40	.35
Coppersmith. Coppery red	.25	
Darius. Yellow, lilac and white falls	.15	.12
Fairy White, bordered blue	.15	.12
Flavescens. Yellow	.15	.12
Florentina. Pale blue	.12	.10
Florentina alba. White	.15	.12
Germaine Perthius. Violet purple	.20	
Gold Imperial. Golden yellow	.25	.20
Her Majesty. Lilac pink	.12	.10
Honorabilis. Yellow, brown falls	.12	.09
Isolene. Lilac pink, old rose falls	.20	.18
King of Iris. Yellow, brown falls	.18	.15
King Edward. Red violet	.15	.12
Kochi. Rich deep claret purple	.18	.15
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	.20	.18
Leonidas. Lavender, mauve falls	.25	
Lohengrin. Lilac rose	.12	.10
Lord of June. Lavender blue, violet		
falls	.25	.20
Loreley. Light yellow, blue falls	.12	.09
Mary Barnet. Lavender blue	.15	.12
Midnight. Dark blue	.15	.12
Mme. Chobaut. Buff and wine, dotted	.18	
Moonlight. Silvery white	.15	.12
Monsignor. Violet purple, crimson		
falls	.15	.12
Nuce d'Orage. Slate gray with bronze		
and purple falls	.12	.10
Opera. Violet red, purple falls	.30	.25
Pallida Dalmatica, Lavender	.18	.15
Pallida speciosa. Light blue	.12	.09
Pocahontas. White	.30	.25
Prairie Gold. Yellow	.15	.12
	.10	.12
Princess Victoria Louise. Sulphur yellow, rich violet falls	.12	.10
yellow, fiell violet fails	.14	.10

TAINES VILLE, OIIIO		110
	5-24 each	25&up each
lris germanica		
Queen Caterina. Lavender violet,		
orange beard	.18	.15
Rhein Nixe. White, violet falls	.15	.12
Robt. W. Wallace. Violet purple	.15	.12
Shekinah. Pale yellow, shading to		
buff	.25	.20
Sherwin-Wright. Golden yellow	.12	.10
Souv. de Mad. Gaudichau. Deep vel-		
vety purple	.30	.25
Taj Mahal. White	.12	.10
Tamerlan. Light blue, darker falls	.12	.10
Thais. Soft rosy mauve	.18	.15
Victorine. White, mottled blue	.15	.12
Wedgewood. Blue	.15	.12
intermedia hybrids. May, 18"	.15	.12
Gerda. Creamy yellow, darker falls.	.10	•14
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	.30	.25
Astarte. Double dark violet.		
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		
Fascination. Double mauve pink, veil	ned w	hite.
Gold Bound. White, yellow shadings.		
Iphigenie. Double lavender pink.		
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kuma-funjin. Purple blue, orange bar	rs.	
Kumonoobi. Clear purple, white halo.		
Mahogany. Double rich dark red.		
Manadzuru. White, reined blue.		
Norma. Deep purple.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple & Gold. Violet purple, golden	throat	t.
Pyramid. Double violet purple, veine	d whit	te.
Royal. Mahogany red.		

	3014	
	5-24 each	
Iris kaempferi	Cacii	00011
Seacrest. Foam white.		
Uchiu. Crimson purple, white v	veins.	
Uchi-Wa. Double sky blue.		
Warei-hotei. Lavender blue, lig	tht blue halo	•
Wase-banri. Double white, vein		
William Tell. Double white, ve		
prismatica. Violet, May, June, 2'.		.15
pseudacorus. Yellow, June, 3'		.12
*pumila alba. Dwarf, white, April,		.12
*pumila caerulea. Dwarf, blue, Ap		
*pumila californica. Yellow, April,	•	.18
*pumila Curiosa. Yellow, Apr., May		.20
*pumila Fairy. Pale blue, April, 6		.18
*pumila Grande. Violet, blue falls,		•••
May, 9"		.20
*pumila Louise. Dark blue, April,		•= •
*pumila lutea. Pale yellow, April,		.12
*pumila Schneecuppe. White, Apri		
*pumila Sambo. Violet, April, 9"		
sibirica. Purplish blue, June, 3'		.12
sibirica alba. White, June, 3'		
sibirica Emperor. Clear blue, May		.18
sibirica Snow Queen. White, May,		.12
*Stewart. Dwarf, yellow, April, 9"		.15
*tectorum. Blue, June, 1'		.20
*verna. Blue, May, June, 6"		
versicolor. Blue, June, 2'		
		10
Isatis tinctoria. Yellow, May, June, 6'		.12
*Jasione humilis. Blue, July, Aug., 6".		.15
*perennis. Blue, June, July, 6"		.15
*Jeffersonia diphylla. White, May, 8".		.15
Kniphofia pfitzeri. Coral, Aug., Sept.,	4'20	.18
uvaria. Crimson to yellow, Aug., S		.15
*Lactuca perennis. Blue, June, 15"		.18
*Lamium maculatum. Purple, July, Aug	g., 8"20	.18

	5-24 each	25&up each
Lilium		
speciosum rubrum. Pinkish red, Aug., 3'	.30	.25
superbum. Orange, July, Aug., 5'	.15	.12
*tenuifolium. Scarlet, June, 18"	.20	.18
testaceum. Apricot, June, July, 5'	2.50	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.25	.20
tigrinum. Orange, spotted, Aug., 4'	.20	.18
umbellatum. Scarlet red, July, 2'	.25	.20
washingtonianum. White, dotted purple,		
June, July, 4'	.60	
willmottiae. Orange, July, 4'	.75	
*Limonium auriculaefolium. Blue, June, July,		
6"	.20	.18
eximium. Lilac rose, Aug., 2'	.18	.15
*gmelini. Purplish blue, Aug., 18"	.20	.18
*latifolium. Blue, July, Aug., 2'	.15	.12
*Linaria aequitriloba. Pale mauve, June, 1"	.20	.18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6"	.20	
*cymbalaria. Lavender, summer, 4"	.18	.15
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.25	.20
Linum austriacum. Blue, summer, 3'	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July, 1'	.18	.15
*narbonnense. Blue, June, July, 2'	.18	.15
*perenne. Blue, June, July, 1½'	.15	.12
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	
*viscosum. Rose, summer, 18"	.18	.15
*Lithospermum graminifolium. Blue, June, 4"	.35	
*purpureo-caeruleum. Blue, May, 10"	.35	
purpureo-caeruleum. Brue, may, 10	.00	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.15	.12
siphilitica. Blue, Sept., 3'	.15	
*Lotus corniculatus. Yellow, June, 6"	.30	.25
Lupinus polyphyllus. Blue, June, July, 3'	.18	.15
polyphyllus albus. White, June, July, 3'.	.18	.15
*Lychnis alpina. Rose color, June, 1'	.18	.15
arkwrighti. Scarlet, summer, 2'	.18	.15
For less than five, add five cents per plant to the	he 5-24	1 rate.

	5-24 each	25&up each
Lychnis		10
chalcedonica. Scarlet, July, 3'	.15	.12
coronaria. Crimson, July, 2'	.15	.12
coronaria alba. White, July, 2'	.15 $.15$	.12
flos jovis. Pink, June, 18"	.15	.12
*haageana. Scarlet, June, July, 1' tristis. Pink, summer, 2'	.18	.12
*viscaria splendens fl. pl. Red, June, 1'	.20	.18
Lysimachia clethroides. White, July, Aug., 3'	.18	.15
*nummularia. Yellow, June, July, 6"	.15	.12
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.20	.18
Lythrum alatum. Magenta, July, Aug., 3'	.15	.12
salicaria roseum. Rose, July, 4'	.15	.12
virgatum. Deep rose, July, Aug., 1½'	.18	.15
Malva alcea. Rosy purple, July, Aug., 3'	.15	.12
moschata. Rose, July, Aug., 2'	.15	.12
moschata alba. White, July, Aug., 2'	.15	.12
Marrubium vulgare. White, summer, 3'	.25	
Matricaria Golden Ball. Yellow, summer, 1'	.15	
parthenoides. White, May, 1'	.15	.12
*Mazus reptans. Lilac, April, 4"	.20	.18
Melissa officinalis. White, Aug., 2'	.15	.12
Mentha piperita. Peppermint, Purple, 2'	.15	.12
*requieni. Mauve, July, Aug., 2"	.20	.18
*Mertensia virginica. Purplish blue, March,		
April, 2'	.15	.12
*Micromeria rupestris. White, fall, 10"	.18	.15
*Mimulus luteus. Yellow, summer, 1'	.30	
Mitchella repens. White shaded pink, March,		
4"	.18	.15
Monardi didyma. Red, July, Aug., 3'	.15	.12
didyma Cambridge. Scarlet, July, Aug.,		
3'	.15	.12
didyma Sunset. Mahogany, July, Aug.,		
3'	.18	.15
didyma splendens. Scarlet, July, Aug., 3'	.15	.12
didyma violacea. Violet, July, Aug., 3'	.15	.12
fistulosa. Lilac, July, 3'	.15	.12
For less than five, add five cents per plant to th	e 5-24	rate.

178 HENRY KUHANKIE & BUN		
	5-24 each	25&up each
Mulgedium Bourgaei. Lilac, Summer, 5'	each .25	.20
*Myosotis alpestris. Blue, April, May, 8"	.15	.12
*alpestris alba. White, May, June, 8"	.15	•1.4
*alpestris pink. May, June, 8"	.15	
*palustris. Blue, all summer, 6"	.15	.12
*palustris Pink Beauty. All summer, 6"	.18	.15
*Nepeta hederacea. Blue, May, 2"	.15	.12
macrantha. Lavender, summer, 2'	.18	.15
*mussini. Blue, June, July, 1'	.18	.15
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, summer,	2 =	
1'	.25	.20
*Nierembergia rivularis. Creamy white, sum-		
mer, 4"	.18	.15
Oenothera fraseri. Yellow, summer, 1'	.15	.12
fruticosa major. Yellow, summer, 2'	.15	.12
fruticosa youngi. Lemon, June, July, 2'	.18	.15
lamarckiana. Yellow, July, Aug., 4'	.15	.12
*missouriensis. Yellow, July, Aug., 6"	.20	.18
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., $1\frac{1}{2}$ trichocalyx. White, summer, $1$	.18 $.25$	.15
Onoclea sensibilis. Sensitive Fern struthiopteris. Ostrich Fern	.15 $.15$	.12
	.20	.12
Onopordon bracteatum. Pink, July, 5'		
*Opuntia fragilis. Yellow, June, 4"	.25 $.25$	.20
*humifusa. Yellow, June, 10"	.25	.20
megacantha. Yellow, June, 3'		.20
Origanum vulgare. Pink, summer, 2'	.25	
*Orobus vernus. Rose purple, May, 1'	.35	
Osmunda cinnamonea. Cinnamon Fern	.15	.12
regalis, Royal Fern	.15	.12
Pachysandra terminalis. White, May, 3"		
2 year from pots	.12	.10
Paeonia officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.		
August Dessert. Velvety rose	.50	
Beauty of France. Pale rose	.50	.40
For less than five, add five cents per plant to th	ne <b>5-2</b> 4	I rate.

	5-24 each	25&up each
Paeonia sinensis	caon	04022
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.35	.30
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.30	.25
Eugene Verdier. Pink	.40	.35
Felix Crousse. Brilliant red	.60	.50
Festiva maxima. Finest early white	.40	.35
Karl Rosenfield. Early red	.50	
L'Esperance. Rose pink	.60	.50
L'Indispensible. Shell pink	.60	.50
Livingstone. Soft pink	.75	.60
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	
Marie Lemoine. Creamy white	.60	.50
Marquise of Lansdowne. Large, pink	.60	
Mons. Martin Cahuzac. Dark purple	1 00	
garnet	1.00	
Mons. Jules Elie. Pink with darker	0.0	<b>~</b> 0
guard petals	.60	.50
Mrs. Van Leeuwen. Light crimson	.50	0.0
Roem von Boskoop. Deep rose	.35	.30
Solfaterre. Cream	.60	.50
Souv. de l'Exposition Universelle.	25	200
Brilliant cherry, silver reflex	.35	.30
Therese. Violet rose	.75	
Triumph de Paris. Light pink, yellow center	.35	.30
Virginie. Lilac rose	.35	.30
Wm. Mesman. White	.35	.30
Zoe Calot. Soft pink	.35	
		.00
single. Named colors, red, white, pink	1.00	
single Japanese. Named varieties	1.25	
Alba Grandiflora. White.		
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to whit	e	
Shi-pen-kue. Nearest to blue in Peonie	.S.	

	5-24 each	25&up each
*Papaver alpinum. Various, Summer, 6"	.18	.15
*nudicaule. All colors, summer, 8"	.15	.12
orientale bracteatum. Red, June, 2'	.18	.15
orientale. Orange scarlet, June, 2'	.15	.12
Beauty of Livermore. Crimson, June,	0	V
3'	.35	
Enfield Beauty. Salmon, June, 2'	.18	
Fairy. Pale pink, June, 2'	.35	
Lulu A. Neeley. Ox-blood red, June,		
3'	.40	
May Sadler. Salmon, June, 2'	.35	
Mrs. Perry. Salmon pink, June, 3'	.20	.18
Olympia. Scarlet, June, 3'	.25	.20
Perry's White. White, June, 3'	.25	, , ,
Princess Victoria Louise. Salmon,		
June, 2'	.20	.18
Wurtembergia. Rose-red, June, 2'	.35	
pilosum. Brick red, June, 3'	.20	.18
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.20	.18
Pennisetum japonicum. Fountain Grass	.20	.18
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.20	.18
barbatus. Scarlet, July, 3'	.15	.12
barbatus coccineus. Scarlet, July, Aug.,		
4'	.18	.15
barbatus Pink Beauty. Pink, summer, 2'	.25	.20
digitalis. White, August, 3'	.18	.15
glaber. Blue, summer, 2'	.20	
hirsutus. Rosy purple, July, Aug., 2'	.18	.15
ovatus. Blue, July, Aug., 3'	.18	.15
*procerus. Blue, July, 1'	.20	
*pygmaeus. Purplish blue, summer, 6"	.20	.18
unilateralis. Blue, June, 2'	.18	.15
Phalaris arundinacea variegata. Ribbon Grass	.15	.12
*Phlox amoena. Pink, May, 4"	.15	.12
*arendsi Louise. Lilac, all summer, 1'	.30	
*divaricata. Lavender, May, June, 1'	.15	.12
*divaricata laphami. Violet, June, 1'	.25	.20
For less than five, add five cents per plant to th	e 5-24	rate.

rainesville, onto		101
	5-24 each	25&up each
Phlox		
glaberrima. Pink, June, 18"	.18	.15
maculata. Purplish red, May, June, 4'	.15	.12
*ovata. Red, May, June, 1'	.18	
paniculata. 2-3'		
Africa. Carmine, red eye	.18	.15
Antonin Mercie. Lilac, white center	.18	.15
Athis. Salmon pink	.12	.10
B. Compte. Rich French purple	.18	.15
Baron von Dedem. Salmon red	.18	.15
Beacon. Cherry red	.18	.15
Bridesmaid. White, red eye	.12	.10
Brilliant. Deep rose, dark eye	.12	.10
Brunette. Deep rose	.15	.12
Cameron. Shell pink	.15	.12
Caran de Ache. Bright carmine rose	.15	.12
Caroline Vandenburg. Lavender blue	.25	
Champs Elysees. Rich purplish crim-		
son	.15	.12
Commander. Crimson	.18	.15
Count Zeppelin. White, red eye	.18	
Daily Sketch. Salmon pink, carmine	0.0	
eye	.30	10
Deutschland. Orange scarlet	.20	.18
Enchantress. Salmon pink, dark eye	.18	.15
Etna. Scarlet	.18	
Elizabeth Campbell. Salmon pink	.18	
Evelyn. Salmon rose	.20	.18
Feuerbrand. Orange scarlet	.20	.18
Frau Von Lassburg. White	.15	.12
G. A. Strohlein. Orange scarlet, red	.18	.15
Gen. Von Heutz. Orange scarlet, white	,10	.10
eye	.15	.12
George Stipp. Salmon, lighter eye	.25	.20
Grideur. Pink, crimson center	.15	.12
Gustave Lind. Deep salmon	.30	
J. H. Slocum. Red	.15	.12
Johnson's Favorite. Salmon rose	.15	.12
Jules Sandeau. Large pink	.18	.15

	each	each
Phlox paniculata.	4 -	1.0
Le Mahdi. Deep purple	.15	.12
Leo Schlageter. Bright scarlet	.35 .25	.30
Lilian. Fine light pink	.18	.15
Mad. Paul Dutrie. Soft pink	.16	.20
Malmaison. Salmon, red eye  Maid Marian. Soft lavender	.18	.15
Mrs. Jenkins. Pure white	.15	.12
Mrs. Ingalls. Shell pink	.15	.12
Mrs. Milly van Hoboken. Soft pink	.20	.18
Mrs. Scholton. Dark salmon	.18	.15
Miss Lingard. White	.18	.15
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.25	.20
Pantheon. Deep salmon rose	.15	.12
Peachblossom. Shell pink	.15	.12
Pres. Poincare. White, rose eye	.15	.12
Prof. Virchow. Orange scarlet	.18	.15
Rheinlander. Salmon pink, claret eye	.15	.12
Rokoko. Soft pink	.20	.18
Rosenberg. Dark red	.18	.15
eye	.15	.12
Sir Edward Landseer. Bright crimson	.18	.15
Special French. Soft pink	.15	.12
Thor. Deep salmon pink	.18	.15
White Le Mahdi. White	.15	.12
Widar. Light reddish violet, white eye	.18	.15
*pilosa. Lavender, May, 1'	.18	.15
	.15	
*reptans. Lilac, May, 6-12"		.12
*stellaria. Creeping, May, 4"	.15	.12
*subulata alba. White, April, May, 4"	.15	.12
*subulata atropurpurea. Purple, Apr., 4"	.20	.18
*subulata Blue Hills. Light blue, Apr., 4"	.20	
*subulata Fairy. Blue, purple eye, Apr., 4"	.18	.15
*subulata G. F. Wilson. Lilac, May, 6"	$.1\dot{5}$	.12
*subulata lilacina. Light blue, April, May,		
4"	.15	.12
*subulata Little Dot. Lilac, April, 4"	.15	.12
*subulata nelsoni. White, May, 4"	.15	.12
,,		

	5-24 each	
Phlox		
*subulata Perfection. Rose, pink eye,		
April, 4"	.15	.12
*subulata rosea. Pink, May, 4"	.12	.10
*subulata The Bride. White, pink eye,		4.0
May, 5"	.15	.12
*subulata Vivid. Pink, red eye, April, 4"	.18	.15
Phygelius capensis. Red, Aug., Sept., 3'	.20	10
Physalis francheti. Red pods, Oct., 2'	.15	.12
Physostegia virginiana. Rose, August, 3'	.15	.12
virginiana alba. White, August, 3'	.15	.12
virginiana Vivid. Deep pink, Aug., 2'	.18	.15
*Phyteuma orbiculare. Purple, June, July, 2'	.25	.20
*scheuchzeri. Violet, June, 1'	.18	.15
Platycoden grandiflorum. Blue, summer, 2'	.15	.12
grandiflorum album. White, summer, 2'	.15	.12
*mariesi. Deep blue, summer, 1'	.15	.12
*mariesi album. White, summer, 1'	.15	.12
Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.15	.12
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.15	.12
*caeruleum album. White, June, July, 1½'	.15	
*confertum. Blue, June, July, 18"	.18	.15
*reptans. Blue, May, June, 6"	.18	.15
*richardsoni. Sky blue, May, June, 6"	18	.15
Polygonum compactum. White, Aug., Sept.,		
1 1/2'	.15	.12
cuspidatum. White, Aug., Sept., 1½'	.15	.12
oxyphyllum. Creamy white, Sept., 3'	.18	.15
spaethi. Pink, Sept., 6'	.35	
Polystichum acrostichoides. Christmas Fern	.12	.10
*Potentilla atrosanguinea. Red, summer, 18"	.18	.15
*argentea. Yellow, summer, 18"	.20	.18
*crinita. Yellow, summer, 1'	.18	.15
*nepalensis. Showy red, May, June, 2'	.15	.12
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.20	.18
*pyrenaica. Yellow, summer, 18"	.15	.12
*tridentata. White, summer, 1'	.18	.15

	5-24 each	25&up each
*Primula acaulis. Yellow, May, 9"	.18	.15
*auricula alpina. Various, May, 6"	.18	.15
*beesiana. Purple, May, 18"	.25	.20
*bulleyana. Apricot, June, 18"	.25	.20
*bulleyana hybrids. Various, May, 18"	.25	.20
*cashmiriana. Light lilac, May, 8"	.25	.20
*cortusoides. Deep rose, June, 10"	.20	.18
*denticulata. Purple, yellow eye, May,		2.0
6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	0.0
florindae. Yellow, May, 4'	.35	.30
*japonica atrosanguinea. Red, May, June,	20	10
1'	.20	.18
* japonica pink. May, June, 1'	.20	.18
*moerheim hybrids. Various, May, 12"	.25	.20
*polyanthus. White or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.25	.20
*veris. Yellow, April, May, 9"	.18	.15
*veris Giant Munstead. Various, May, 1'	.20	.18
*veris Gold Laced. Various, May, 9"  *Pulmonaria saccharata. Violet, April, May, 8"	.25 $.20$	.20
*Prunella grandiflora. Violet, summer, 8"	.18	.15
*incisa rubra. Red, summer, 6"	.18	.15
*webbiana. Purple, summer, 6"	.18	.15
Pyrethrum roseum. Various, May, June, 1'	.15	.12
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.20	.18
uliginosum. White, September, 5'	.15	.12
*Ranunculus repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.20	.18
Rudbeckia Autumn Glory. Yellow, Aug., Sept.,		
6'	.15	.12
hirta. Yellow, Aug., Sept., 3'	.15	.12
laciniata. (Golden Glow). Yellow, Aug.,		
6'	.15	.12
nitida. Single yellow, Aug., Sept., 6'	.15	.12
Rayon d'Or. Yellow, Aug., 5'	.15	.12
For less than five, add five cents per plant to the	e 5-24	rate.

	5-24 each	25&up each
Rudbeckia .		
speciosa. Yellow, July, Aug., 2'	.15	.12
subtomentosa. Lemon yellow, August,		
Sept., 4'	.15	.12
*Ruta graveolens. Yellow, summer, 2½'	.15	.12
*Sagina subulata. White, July, Aug., 3"	.18	.15
Salvia argentea. Pinkish white, June, 3'	.15	.12
azurea. Blue, August, 4'	.15	.12
azurea grandiflora. Blue, August, 4'	.18	.15
farinacea. Blue, July, 2-3'	.15	.12
glutinosa. Yellow, June, July, 3'	.15	.12
officinalis. Blue, summer, 18"	.15	.12
pitcheri. (See azurea grandiflora).		
pratensis. Deep blue, June, 3'	.15	.12
pratensis rubicunda. Rose, June, July, 3'	.20	
viscosa. Pink, July, 3'	.18	.15
*Sanguinaria canadensis. White, April, 8"	.15	.12
*Santolina chamaecyparissus. Gray foliage, 1'	.18	.15
*Saponaria caespitosa. Rose, July, 3"	.20	.18
*ocymoides. Pink, summer, 9"	.15	.12
officinalis rosea pl. Pink, summer, 18"	.15	.12
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.18	.15
*cordifolia. Rose pink, May, June, 1'	.18	.15
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.18	.15
*decipiens. White, May, June, 4"	.20	.18
*granulata. White, May, June, 1'	.20	.18
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.20	2.0
*lantoscana. White, May, June, 1'	.25	.20
*lingulata rosea. Pink, April, 1'	.18	.15
*lingulata leichtlini. Rose, April, 1'	.18	.15
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	10
*McNabiana. White, May, June, 12"	.20	.18
*purpurea. Rosy purple, April, 1'	.18	.15
*sarmentosa. White, summer, 2'	.30	
*umbrosa. Pink, May, June, 1'	.25	.20

Scabiosa caucasica. Lavender, all summer, 1' caucasica alba. White, summer, 1' caucasica House's Hybrids. Various, summer, 1'	5-24 each .20 .20	25&up each
japonica. Lavender, Aug., Sept., 18"	.18	.15
*Schivereckia bornmulleri. White, summer, 4"	.20	.18
*Scutellaria alpina. Blue, summer, 6"	.18	.15
*coelestina. Blue, summer, 1'	.20	.18
*orientalis. Yellow, June, July, 8"	.20	.18
*Sedum acre. Yellow, June, July, 4"	.15	.12
*aizoon. Yellow, July, Aug., 1'	.15	
*album. White, July, 4"	.15	.12
*altissimum. Yellow, July, Aug., 9"	.18	.15
*anglicum. Pink, July, Aug., 3"	.20 $.15$	.12
*douglasi. Yellow, July, 2" *ewersi. Pink, Aug., Sept., 6"	.15	.12
*glaucum. Blue foliage, 2"	.15	.12
*kamtschaticum. Yellow, July, 6"	.15	.12
*lydium. White, July, 2"	.15	.12
*maximowiczi. Yellow, July, Aug., 1'	.15	.12
*maximum. Pink, Sept., Oct., 18"	.15	.12
*middendorffianum. Yellow, June, July,		
4"	.18	.15
*obtusatum. Yellow, July, Aug., 3"	.20	.18
*reflexum. Yellow, July, Aug., 8"	.15	.12
*sarmentosum. Yellow, July, 3"	.15	.12
*sexangulare. Yellow, June, July, 6"	.15	.12
*sieboldi. Pink, July, Aug., 1' *spectabile. Pink, Aug., Sept., 1½'	.15	.15
*spectabile Brilliant. Crimson, Sept., 1½'	.15	.12
*spurium album. White, July, Aug., 6"	.15	.12
*spurium splendens. Rosy crimson, Aug.,		
6"	.15	.12
*stoloniferum. Pink, July, Aug., 6"	.15	.12
*stoloniferum coccineum.		
Crimson, Aug., 6"	.15	.12
*ternatum. White, May, June, 4"	.15	.12
*Sempervivum arachnoideum. Red, June, 4"	.18	.15
*arenarium. Yellow, July, 6"	.18	.15
*alberti. White, July, 8"	.20	.18
For less than five, add five cents per plant to the	ne <b>5-2</b> 4	1 rate.

	5-24 each	25&up each
Sempervivum		· "
*atroviolaceum. Reddish purple, 8"	.25	
*brauni. Bronze, July, 6"	.18	
*doellianum. Red, June, July, 6"	.18	.15
*funcki. Brown, June, July, 6"	.18	.15
*fauconetti. Pink, June, 6"	.20	.18
*fimbriatum. Pink, July, 8"	.20	.18
*glaucum. Pink, July, Aug., 6"	.20	.18
*globiferum. Yellow, June, 12"	.15	.12
*tectorum violaceum. Violet red, June, 4"	.15	.12
*Shortia galacifolia. White, June, 8"	.25	.20
Sidalcea Rose Queen. Rose Pink, July, Aug.,		•
4'	.15	.12
*Silene alpestris. White, May, June, 6"	.18	.15
*maritima. White, summer, 1'	.18	.15
*maritima rosea. Pink, summer, 1'	.20	.18
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.15	.12
*roemeri. White, July, Aug., 1'	.25	.14
*saxifraga. White, summer, 6"	.18	:15
*schafta. Bright pink, July, 6"	.15	.12
Silphium perfoliatum. Yellow, July, 6'	.18	:15
	•10	,10
*Sisyrinchium angustifolium. Blue, June, July,	4.0	
6"	.18	.15
Smilacina racemosa. White, April, 2-3'	.15	.12
Solidago canadensis. Yellow, fall, 4-5'	.15	12
rigida. Yellow, fall, 3-4'	.15	.12
shorti. Yellow, fall, 4'	.18	.15
Spigelia marilandica. Red, June, July, 2'	.25	
Spirea aruncus. White, June, July, 3-5'	.20	.18
camtschatica. White, July, 6'	.18	.15
chinensis. Silvery pink, June, July, 2'	.15	.12
eximea. Pink, June, July, 2'	.18	.15
filipendula. Single, white, June, July, 1'	.18	.15
filipendula fl. pl. White, summer, 15"	.25	
lobata. Pink, July, 4'	.18	.15
palmata. Rosy crimson, June, July, 2'	.15	.12
ulmaria fl. pl. White, June, 3-4'	.18	.15
venusta magnifica. Deep pink, July, 3'	.18	

	5-24 each	25&up each
Stachys lanata. Purple, June, July, 1½'	.15	.12
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.18	.15
Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept. 1' laevis alba. White, Aug., Sept., 1'	.15 .15	.12
Tanacetum vulgare. Yellow, summer, 3'	.15	.12
Teucrium chamaedrys. Rose, Aug., 1' orientale. Blue, August, 10"	.18	.15 .18
Thalictrum adiantifolium. Yellow, June, 4'	.15	.12
aquilegifolium. White, June, 5'	.15	.12
aquilegifolium purpureum.	.20	.18
Purple, June, 3'baicalens. Yellow, June, 4'	.18	.15
dipterocarpum. Lilac, June, 4'	.20	.18
glaucum. Golden-yellow, June, 4'	.18	.15
minus. Greenish yellow, June, July, 2'	.18	.15
Thermopsis caroliniana. Yellow, June, 6' mollis. Yellow, June, July, 2-3'	.20 .20	.18 .18
*Thymus odoratissimus. Lilac, summer, 6"	.18	.15
*nitidus. Rose, June, July, 3"	.20	.18
*serpyllum. White, June, 4"	.15	.12
Purple, June, July, 3-5"	.15	.12
*serpyllum coccineus. Scarlet, June, 4"	.18	.15
*serpyllum lanuginosus.	1.0	4 ==
Rosy purple, June, July, 5"*serpyllum roseus. Rose, summer, 8"	.18	.15
*vulgaris. Lilac, June, July, 8"	.15	.12
*Tiarella cordifolia. Creamy white, June, 8"	.15	.12
Tradescantia virginiana. Blue, all summer, 2'	.15	.12
*Trientalis borealis. White, fall, 6"	.15	.12
*Trifolium rubens. Purplish red, summer, 1'	.18	
*Trillium erectum. Purple, May, 1'	.15	.12
Tritoma. (See Kniphofia).		

TAINES VILLE, CITO		100
	5-24 each	25&up each
Trollius asiaticus.		
Rich orange, July, Aug., 2'	.25	.20
*europeus. Citron yellow, July, Aug., 1'	.20	.18
*europeus Fire Globe. Orange, summer, 1'	.35	
europeus Orange Globe.		
Orange, summer, 18"	.25	.20
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, sum-		
mer, 18"	.35	
, and the second		
*Tunica saxifraga. Light pink, June, July, 6"	.18	.15
*saxifraga alba. White, summer, 6"	.18	
*saxifraga alba fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.18	.15
T. I	0.0	1.0
Verbascum chaixi. White, summer, 3'	.20	.18
densiflorum. Yellow, June, July, 6'	.15	.12
olympicum. Yellow, July, Aug., 5'	.15	.12
phoeniceum. Various, May, June, 3'	.18	.15
willmottiae. White, summer, 5'	.18	.15
*Verbena canadensis. Purple, Aug. 18"	.25	.20
hastata. Blue, Aug., Sept., 3'	.15	.12
Warrania Arran Comb		
Vernonia noveboracensis. Purple, Aug., Sept.,	1 5	10
5'	.15	.12
*Veronica allioni. Violet, June, 2"	.20	.18
*alpestris. Pale blue, June, 18"	.15	.12
*amethystina Royal Blue.		
June, July, 12"	.18	.15
*caucasica. White, July, 6"	.20	.18
*chamaedrys. Blue, May, June, 18"	.18	.15
*elegantissima. Blue, July, Aug., 2'	.15	.12
*erica. Pink, summer, 10"	.15	.12
*filiformis. Blue, May, 2"	.18	.15
*gentianoides. Pale blue, June, July, 1'	.20	.18
*incana. Pale blue, July, Aug., 1½'	.15	.12
*longifolia subsessilis. Blue, Aug., Sept., 2'	.20	.18
*orchidea. Blue, July, 18"	.18	.15
*pectinata rosea. Pink, May, June, 6"	.15	.13
	.18	.15
*peduncularis. White, June, 6"	.15	.13
*pulchella. Blue, May, 1'	.19	.14

	5-24 each	25&up each
Veronica		
*repens. Pale blue, May, June, 2"	.15	.12
*rupestris. Blue, June, 6"	.15	.12
*rupestris alba. White, June, 4"	.25	.20
*rupestris nana. Dark blue, June, 2"	.20	.18
*saxatilis. Pale blue, July, 6"	.20	.18
*spicata. Blue, July, Aug., 2'	.15	.12
*spuria. Blue, June, 3'	.15	.12
*teucrium prostrata. Blue, June, 1'	.15	.12
*True Blue. June, July, 12"	.18	.15
virginica. Pale blue, Aug., 4'	.18	.15
*Vesicaria utriculata. Yellow, Apr., May, 8"	.20	.18
Vinca minor. Blue, all summer, 6"	.10	.08
minor alba. White, all summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.12	.10
*bosniaca. Rosy mauve, June, July, 4"	.18	.15
*cornuta Admiration. Purple, all summer,		
6"	.15	.12
*cornuta alba, type. White, all summer,		
6"	.15	.12
*cornuta Apricot. Apricot, summer, 6"	.20	.18
*cornuta Arkwright Beauty. Red, summer,		
6"	.25	
*cornuta atropurpurea type. Purple, 6"	.15	.12
*cornuta Blue Perfection. Blue, all sum-	• 10	•
mer, 6"	.15	.12
<i>'</i>	.10	• 12
*cornuta florariensis. Pale blue, summer, 6"	20	.18
	.20	.10
*cornuta G. Wermig. Violet, all summer,		4.0
6"	.15	.12
*cornuta Lord Nelson. Blue, summer, 6"	.20	
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.15	.12
*cornuta Mauve Queen. Mauve, all sum-		
mer, 6"	.15	.12
*cornuta Papilio. Violet, all summer, 6"	.15	.12
*cornuta Primrose Dame. Yellow, summer,		
6"	.20	.18
For less than five, add five cents per plant to th	ie <b>5-2</b> 4	rate.

.10

.06

.08

.05

Rhubarb ......

Strawberries .....

1

## **CONIFEROUS EVERGREENS**

Abies balsamea A. concolor A. c. violacea A. firma A. fraseri A. homolepis A. nordmanniana A. pectinata A. pectinata pyramidalis A. veitchi Cedrus deodara C. libani Chamaecyparis lawsoniana C. l. pendula C. l. Triomphe de Boskoop C. nootkatensis C. obtusa compacta C. o. crippsi C. o. gracilis C. o. nana C. pisifera C. p. aurea C. p. filifera C. p. filifera aurea C. p. filifera aurea nova C. p. plumosa C. p. plumosa aurea
C. p. plumosa argentea
C. p. plumosa lutescens
C. p. plumosa sulphurea C. p. squarrosa Cryptomeria japonica lobbi Juniperus chinensis J. c. albovariegata J. c. columnaris J. c. globosa J. c. mas J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. communis J. c. dayi J. c. depressa J. c. depressa aurea J. c. depressa plumosa J. c. hibernica J. c. kraccovica J. c. suecica J. c. suecica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. glauca J. japonica J. j. aurea J. recurva J. rigida J. sabina J. s. tamariscifolia J. s. von ehron J. scopulorum J. sphaerica J. squamata J. s. meyeri J. virginiana J. v. cannarti J. v. elegantissima J. v. glauca

J. v. globosa J. v. keteleeri J. v. kosteri J. v. pendula J. v. schotti J. v tripartita J. s. venusta Picea alba P. a. gloriosa P. alcockiana P. canadensis P. engelmanni
P. excelsa
P. e. aurea
P. e. clanbrasiliana P. e. maxwelli P. e. nana compacta
P. e. nana pyramidalis
P. e. pendula
P. e. pygmaea
P. e. pygmaea P. e. pygmaea
P. e. remonti
P. glauca conica
P. mariana
P. m. doumeti
P. omorika
P. orientalis
P. polita
P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi
P. rubra
Pinus banksiana
P. densiflora P. densiflora P. flexilis P. montana P. m. mughus P. nigra
P. ponderosa
P. resinosa
P. strobus P. sylvestris P. thunbergi Pseudotsuga douglasi Sciadopitys verticillata Taxus baccata T. b. erecta
T. b. fastigiata
T. b. repandens T. b. washingtoni T. canadensis T. cuspidata
T. c. brevifolia
T. c. brevifolia compacta
T. c. capitata Thuja occidentalis T. o. aurea douglasi T. o. columbia T. o. compacta T. o. compacta Parson's T. o. elegantissima T. o. ellwangeriana T. o. ericoides T. o. globosa
T. o. hoveyi
T. o. Little Gem
T. o. lutea T. o. pumila T. o. pyramidalis T. o. douglasi pyramidalis

# Coniferous Evergreens Continued

T. o. recurva nana

T. o. recurva mana
T. o. reevesi
T. o. reidi
T. o. riversi
T. o. rosenthali
T. o. spiralis
T. o. umbraculifera
T. o. vervaeneana
T. o. wareana
T. o. wareana
T. o. wareana
T. o. woodwardi

T. o. woodwardi

T. orientalis T. o. conspicua
T. o. elegantissima
T. o. nana aurea
T. o. sieboldi
T. plicata
T. standishi

Tsuga canadensis T. caroliniana T. sieboldi

### BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena A. a. hinodegiri
A. ledifolia
Berberis ilicifolia
B. julianae

B. sargentiana B. triacanthophora

B. verruculosa
Bruckenthalia spiculifolia
Buxus microphylla

B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris C. v. alba C. v. alporti C. v. aurea C. v. carnea C. v. searlei

Chamaedaphne calyculata Crataegus pyracantha lalandi

C. p. yunnanensis Daphne cneorum Erica carnea
E. darleyensis
E. vagans
Euonymus patens

E. radicans
E. r. acutus
E. r. argenteo-marginatus

E. r. carrieri E. r. colorata E. r. minima E. r. vegetus Ilex cornuta I. crenata I. c. bullata

I. c. latifolia I. c. microphylla I. glabra

I. opaca

Kalmia latifolia

Laurocerasus o. schipkaensis Leiophyllum buxifolium pros-

tratum

Leucothoe catesbaei Lonicera nitida

L. pileata

Mahonia aquifolium Osmanthus aquifolium Pachistima canbyi Pieranian

P. japonica
Rhododendron carolinianum
R. catawbiense
R. maximum Skimmia japonica Stranvaesia davidiana

Viburnum rhytidophyllum

# DECIDUOUS SHADE TREES

Acer campestre

A. cappadocicum

A. dasycarpum
A. d. pyramidale
A. d. wieri
A. nigrum A. platanoides A. p. schwedleri A. pseudoplatanus

A, rubrum A. saccharum Aesculus carnea

A. glabra A. hippocastanum A. h. baumanni A. octandra A. turbinata

Ailanthus glandulosa A. vilmoriniana

Alnus cordata

A. glutinosa

A. g. laciniata
A. incana
A. japonica
Betula alba

B. a. fastigiata
B. a. laciniata
B. fontinalis

B. maximowicziana

B. Inaximowiczian
B. lenta
B. lutea
B. nigra
B. papyrifera
B. p. cordifolia
B. populifolia
Carpinus betulus
C caroliniana

C. caroliniana C. cordata C. japonica C. yedoensis

### **Deciduous Shade Trees Continued**

Castanea sativa Catalpa bignonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense Davidia involucrata Fagus americana F. sylvatica
F. s. fastigiata
F. s. heterophylla
F. s. pendula
F. s. purpurea
F. s. riversi
Frayinus americana Fraxinus americana Fraxinus americana
F. chinensis
F. excelsior
F. lanceolata
F. mandshurica
F. nigra
F. pennsylvanica
Ginkgo biloba
Gleditsia elegantissima
G. janonica G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Juglans cineria J. nigra J. regia J. sieboldiana Larix dahurica L. europea L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron chinense L. tulipifera L. t. pyramidale Magnolia acuminata M. conspicua
M. fraseri
M. hypoleuca
M. macrophylla M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. chinense
P. sachalinense
Platanus occidentalis
P. orientalis Populus alba P. berolinensis P. bolleana P. certinensis P. maximowiczi P. nigra italica P. simoni

P. suaveolens przewalski Prunus serotina Pseudolarix kaempferi Ptelia trifoliata Quercus alba Q. bicolor Q. cerris Q. coccinea Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. robur Q. rubra Q. texana Q. velutina Robinia pseudoacacia R. p. bessoniana
R. p. decaisneana
Salix babylonica S. b. dolorosa
S. b. salamoni
S. elegantissima S. niobe S. pentandra S. sieboldiana S. vitellina S. v. britzensis S| v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia S. aucuparia S. quercifolia Taxodium distichum Tilia americana T. cordata
T. euchlora
T. henryana
T. heterophylla T. oliveri
T. platyphyllus
T. tomentosa T. vulgaris Ulmus americana Ulmus americana
U. a. moline
U. a. vase-shaped
U. campestris
U. c. klemmeri
U. c. latifolia
U. c. monumentalis
U. c. purpurea
U. c. vegeta
U. c. wheatleyi
U. fulva
U. glabra U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila U. racemosa Zelkova serrata

## **DECIDUOUS SMALL TREES**

Acanthopanax ricinifolium A. r. maximowiczi Acer buergerianum

A. ginnala

A. griseum A. japonicum aureum

A. nikoense A. palmatum

A. p. atropurpureum
A. p. filicifolium
A. p. roseo-marginata
A. pennsylvanicum
A. platanoides globosum

A. spicatum A. tartaricum Albizzia julibrissin rosea

Albizzia julibrissin ro Alnus pendula Amygdalus davidiana A. d. alba A. persica alboplena A. p. Clara Meyer A. p. rosea plena A. p. rubroplena Aralia japonica A. spinosa A. spinosa

Asimina triloba

Broussonetia papyrifera

Cercis canadensis Cladrastis lutea Cornus florida

C. f. plena C. f. rubra C. kousa C. mas C. officinalis

Crataegus aprica C. arnoldiana C. carrieri C. coccinea

C. coccinioides
C. cordata
C. crusgalli
C. cuneata
C. hunchensis C. hupehensis C. macracantha

C. mollis C. monogyna C. nitida

C. oxyacantha
C. o. plena
C. o. pauli
C. o. punicea C. peregrina

C. persistens
C. pinnatifida major
C. prunifolia
C. prunifolia C. punctata C. succulenta C. tomentosa C. viridis

Diospyros virginiana
Gordonia alatamaha
Halesia tetraptera
Idesia polycarpa
Koelreuteria paniculata
Laburnum alpinum

L. vulgare L. watereri

Maackia amurensis Magnolia glauca

M. kobus M. lennei M. soulangeana

M. s. nigra

Malus angustifolia

Malus angustifolia
M. arnoldiana
M. baccata
M. b. mandshurica
M. brevipes
M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M florenting

M. florentina
M. floribunda
M. f. atrosanguinea
M. f. lemoinei
M. fusca
M. glaucoscopa

M. fusca
M. glaucescens
M. halliana
M. h. parkmani
M. hopa
M. ioensis
M. i. bechteli
M. micromalus
M. niedzwetzkyana
M. Oekonemurat Echtermeyer
M. purpurea

M. purpurea
M. p. aldenhamensis
M. p. eleyi
M. prunifolia rinki

M. robusta
M. r. fastigiata
M. r. persicifolia
M. sargenti
M. scheideckeri
M. sieboldi M. sieboldi M. spectabilis M. s. alba plena M. sublobata

M. theifera M. t. rosea M. toringoides M. tschonoski

M. yunnanensis veitchi M. zumi

M. z. calocarpa Morus alba pendula Nyssa aquatica N. sylvatica

Oxydendrum arboreum

Oxydendrum arboreu
Prunus americana
P. a. Newport
P. armeniaca sibirica
P. avium plena
P. cerasifera pissardi
P. hortulana
P. incisa
P. lannesiana
P. l. Amavadori

P. l. Amayadori
P. l. Jonioi
P. l. sirotae
P. maacki P. moseri fl. pl. P. mume

P. padus P. pennsylvanicum

## **Deciduous Small Trees Continued**

P. serrulata

P. serrulata
P. s. Amanogawa
P. s. Giqiko
P. s. Hata-zakura
P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura
P. s. Hisakura
P. s. Jas. H. Veitch
P. s. Kuramayami
P. s. Kuramayami
P. s. Miyako
P. s. sachalinensis
P. s. Shirofugen
P. s. Shogetsu
P. s. Sumizome
P. sieboldi syn. Nade

P. sieboldi syn. Naden P. spinosa

P. subhirtella

P. s. ascendens
P. s. autumnalis
P. s. pendula
P. virginiana

P. yedoensis P. y. taizanfukun

Pyrus calleryana

P. salicifolia P. serrulata

Rhus cotinus

R. javanica syn. osbecki Robinia fertilis

R. hispida R. holdti

R. pseudoacacia Marguerite Salix caprea

S. matsudana

S. regalis

Sophora japonica Sorbus americana

S. commixta S. spuria

Styrax japonica S. obassia

Syringa japonica

S. pekinensis

### **DECIDUOUS SHRUBS**

Abelia grandiflora

A. schumanni

pentaphyllum Acanthopanax

Aesculus parviflora Alnus rugosa

A. viridis

Amelanchier alnifolia

A. asiatica

A. canadensis

A. laevis
A. l. rosea
A. oblongifolia
A. rotundifolia syn. vulgaris

A. sanguinea

A. stolonifera

Amorpha canescens A. fruticosa

Amygdalus nana georgica Aronia arbutifolia

A. atropurpurea A. melanocarpa

A. m. elata

Artemisia abrotanum

Azalea calendulacea A. canescens

A. kaempferi

A. lutea

A. mollis

A. nudiflora

A. pontica

A. poukhanensis

A. viscosa A. yodogawa Baccharis halimifolia

Benzoin aestivale Berberis aggregata

B. diaphana B. henryana B. koreana

B. neuberti

B. thunbergi
B. t. atropurpurea
B. t. minor
B. t. pluriflora
B. t. p. erecta

B. vernae B. wilsonae

Berchemia racemosa Bischoffia trifoliata

Buddleia davidi

B. d. superba B. d. veitchi

B. farquhari B. Ile de France

B. The de France
B. intermedia
B. lindleyana
B. paniculata
Callicarpa americana
C. giraldiana
C. japonica
C. purpurea
Calveanthus floridus

Calycanthus floridus

C. occidentalis Caragana arborescens C. boisi C. frutex

Caryopteris incana

C. tangutica Ceanothus americanus Cephalanthus occidentalis

Cercis chinensis

Chionanthus virginica
Chionanthus virginica
Clerodendron trichotomum
Clethra alnifolia
C. barbinervis
C. paniculata
Colutea arborescens
C. cilicica
C. media
Comptonia asplonifolia

Comptonia asplenifolia

Cornus alba C. a. elegantissima
C. a. sibirica
C. a. spaethi
C. alternifolia C. alternitona
C. amomum syn. sericea
C. baileyi
C. pubescens
C. sanguinea
C. s viridissima
C. stolonifera
C. s. flaviramea
Corylus americana C. avellana
C. a. atropurpurea
C. rostrata
Cotoneaster acutifolia
C. a. villosula C. a. villosula
C. adpressa
C. ambigua
C. apiculata
C. dammeri
C. dielsiana
C. divaricata
C. foveolata
C. francheti
C. himalaicus
C. horizontalis
C. h. perpusilla
C. hupehensis
C. integerrima
C. lucida
C. melanocarpa
C. microphylla
C moupinensis
C. nitens
C. obscura
C. racemiflora C. racemiflora soongarica
C. rotundifolia
C. rosea
C. salicifolia C. s. floccosa C. simonsi C. tenuipes C. wilsoni C. zabeli Cydonia cathayensis C. japonica
C. j. Falconet Charlet
C. j. pygmaea
C. j. rosea plena
C. j. umbilicata
C. kermesiana semi-plena
C. maulei
Cytisus nigricans Cytisus nigricans C. scoparius C. s. andreanus C. spachianus Daphne mezereum
D. m. alba
Deutzia gracilis
D. lemoinei D. l. avalanche D. I. compacta D. myriantha Boule Rose D. parviflora D. rosea D. rosea campanulata D. r. carminea

D. r. eximea D. r. venusta D. scabra D. s. candidissima
D. s. Pride of Rochester
D. s. rosea plena
D. s. watereri
D. s. wellsi D. vilmorinae Diervilla sessilifolia D trifida Dirca palustris Eleagnus angustifolia E. argentea
E. longipes
E. umbellata
Elsholtzia stauntoni Enkianthus campanulatus E. perulatus Euonymus alatus E a. compacta F. americanus E. atropurpureus E. bungeanus E. e. fructu-coccineus E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia hupehensis Exochorda grandiflora E. giraldi
E. g wilsoni
Fontanesia fortunei
Forsythia europea Forsythia euro F. intermedia F. i. spectabilis F. ovata F. suspensa F. s. atrocaulis F. s. fortunei F. s. sieboldi F. viridissima Fothergilla, ga. Fothergilla gardeni Genista juncea G. pilosa G. sagittalis G. tinctoria Hamamelis japonica H. j. rubra
H. vernalis
H. v. tomentella
H. virginiana Hibiscus syriacus H. variegatus H. v. meehani Hippophae rhamnoides Holodiscus d. ariaefolius Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa
H. o. Thos. Hogg
H. paniculata
H. p. grandiflora
H. p. praecox

H. quercifolia H. radiata Hypericum arnoldiana H. aureum H. bucklei H. densiflorum H. kalmianum H. lobocarpum H. moserianum H. patulum H. p henryi H. prolificum Ilex geniculata I. laevigata I. monticola I. serrata svn. sieboldi I. verticillata
I. v. chrysocarpa
Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. formosa syn. penduliflorum L. f. albiflora Ligustrum acuminatum L. a. macrocarpum L amurense L. ibolium L. ibota L. i. nanum L. i. regelianum L. lodense L. ovalifolium L. o. variegatum L. vulgare L. v. foliosum
L. v. leucocarpum
Lonicera bella albida L. bella rosea L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. Kesselringi L. kohneana L. korolkowi floribunda L. ledebouri L. maacki L, m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. grandiflora

L. t. lutea L. t. sibirica L. virginalis alba L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina Magnolia parviflora M. stellata M. s. rosea Myrica carolinensis M. cerifera M. gale Nandina domestica Neillia longeracemosa N sinensis Nemopanthus mucronatus Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus Albatre P. Argentine P. Avalanche P. Banniere P. Bouquet Blanc P. Bouquet Blanc
P coronarius
P. c. aureus
P. c. nanus
P. c. multiflorus plenus
P. Dame Blanche
P. dianthiflorus plenus
P. falconeri
P. Favorito P. Favorite P. Gerbe de Neige P. Glacier P. grandiflorus P. grandiflorus P. lemoinei erectus
P. lewisi
P. Magdalene P. nepalensis P. nivalis
P. Norma
P. Ophelia
P. Pavillon Blanc P. pyramidale P. Sybille P. virginal
P. Voie Lactee
P. zeyheri Photinia villosa P. v. laevis
P. v. laevis
Physocarpus intermedius
parvifolius
P. monogynus
P. opulifolius
P. o. luteus
P. o. nanus
Pieris mariana Pieris mariana Potentilla fruticosa Prinsepia sinensis Prunus besseyi P. demissa
P. dunbari
P. glandulosa
P. g. albiplena
P. g. sinensis P. japonica
P. maritima
P. pumila

S. incana P. tomentosa P. triloba P. t. plena S. irrorata S. jessoensis Rhamnus caroliniana
R. cathartica
R. dahurica
R. frangula
R. f. asplenifolia
R. koraiensis
R. purshiana
Rhodora canadensis S. matsudana tortuosa S. mutabilis S. myricoides rigida S. nigricans cotinifolia S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis Rhodora canadensis S. c. acutiloba Rhodotypos kerrioides Rhus canadensis S. nigra S. n. aurea S. n. variegata R. copallina R. glabra R. typhina S. pubens R. t. laciniata S. p. leucocarpa Ribes alpinum S. racemosus Shepherdia argentea R. aureum Smilax rotundifolia R. fasciculatum R. gordonianum Sophora vicifolia Sorbaria aitchisoni R. sanguineum S. arborea glabrata S. lindleyana Robinia Ellioti R. kelseyi S. sorbifolia R. pseudoacacia umbraculi-Spirea arguta fera S. billiardi R. viscosa S. bumalda S. b. Anthony Waterer S. b. walluffi Rosa acicularis R. blanda R. canina S. chamaedryfolia ulmifolia R. coriifolia froebeli R. davurica S. dasyantha S. douglasi S. fortunei R. ecae R. foetida R. f. persiana S froebeli R. fujisanensis S. japonica S. j. ovalifolia S. j. ruberrima S. latifolia R. helenae R. hugonis R. humilis R. lucida S. margaritae S. nipponica rotundifolia R. marreti R. moyesi R. multiflora S. prunifolia S. pubescens R. m. cathayensis S. reevesiana S. r. lanceata R. nitida S. salicifolia R. palustris R. pendulina R. rouletti S. superba S. syringiflora R. rubiginosa S. thunbergi R. r. hybrids S. tomentosa R. rubrifolia S. trichocarpa S. van houttei S. veitchi R. rugosa R. r. alba R. r. hybrids S. wilsoni Staphylea bumalda R. sericea R. setigera S. colchica R. spinosissima altaica S. pinnata S. trifolia R. s. hispida R. s. hybrids Stephanandra flexuosa R. wichuraiana
R. w. hybrids
R. hybrid perpetuals
R. hybrid tea Stewartia pentagyna S. p. grandiflora S. pseudocamellia Symphoricarpos chenaulti R. climbing S. mollis R. polyantha hybrids S. occidentalis S. o. heyeri Rubus deliciosus R. odoratus S. racemosus R. phoenicolasius S. vulgaris Symplocos paniculata Salix discolor

Syringa affinis

S. doniana

S. a. giraldi
S. chinensis
S. c. alba
S. c. metensis
S. c. saugeana
S. emodi
S. henryi eximea
S. h. lutece
S. josikea
S. microphylla
S. oblata
S. o. dilatata
S. palibiniana
S. persica
S. p. alba
S. villosa
S. vulgaris
S. vulgaris
S. vulgaris
S. vulgaris alba
S. v. hybrids
Tamarix africana
T. gallica
T. g. indica
T. juniperina
T. odessana
T. pentandra
T. tetandra purpurea
Ulex europeus
Vaccinium corymbosum
V. vacillans
Viburnum acerifolium
V. americanum
V. bitchuiense
V. carlesi
V. cassinoides
V. dentatum
V. dilatatum
V. dilatatum
V. hupehense
V. lantana
V. l. rugosum
V. lentago

V. molle
V. nudum
V. opulus
V. o. nanum
V. o. sterile
V. ovatifolium
V. prunifolium
V. prunifolium
V. pubescens
V. rufidulum
V. sargenti
V. sieboldi
V. theiferum
V. tomentosum
V. t. plicatum
V. veitchi
V. venosum canbyi
V. wrighti
Vitex agnus castus
V. a. c. alba
V. macrophylla
V. negundo incisa
Weigela Abel Carriere
W. amabilis
W. candida
W. desboisi
W. Eva Rathke
W'. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea
W. rosea
W. rosea
M. rosea
W. rosea nana variegata
W. sieboldi argenteomarginata
W. styriaca
W. van Houtte
Xanthoceras sorbifolia
Zanthorhiza apiifolia
Zanthoxylum americanum

## VINES

Actinidia arguta
Akebia lobata
A. quinata
Ampelopsis aconitifolia
A. henryana
A. heterophylla
A. h. amurensis
A. h. elegans
A. quinquefolia
A. q. engelmanni
A. q. murorum
A. q. saintpauli
A. tricuspidata veitchi
A. t. lowi
Aristolochia sipho
A. tomentosa
Bignonia grandiflora
B. g. Mad. Gallen
B. radicans
B. speciosa
Celastrus orbiculatus
C. scandens
Clematis apiifolia

C. chrysocoma sericea
C. crispa
C. fargesi
C. flammula
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. veitchi
C. viorna
C. virginiana
C. vitalba
C. viticella
Decumaria barbara
Hedera helix
H. h. Albany

## **Vines Continued**

H. h. baltica H. h. conglomerata H. h. gracilis

Hydrangea petiolaris Lonicera alseusmoides L. browni plantierensis

L. caprifolium

L. fuchsoides L. heckrotti

L. henryi

L. hirsuta

L. japonica

L. j. halleana L. j. reticulata aurea

L. periclymenum belgica

L. prolifera syn. sullavanti

L. sempervirens

L. tellmanniana

L. thibetica

L. verna

Periploca graeca

P. sepium

Polygonum auberti

Pueraria thunbergiana

Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor

V. m. alba V. m. rubra plena Vitis aestivalis

V. amurensis
V. coignetae
V. cordifolia
V. labrusca
V. rotundifolia
V. vulpina
Wistaria frutescens

W. f. magnifica W. multijuga W. sinensis

W. s. alba

W. venusta

#### LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

### PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

# Woody Plants for August and September Flowering

Baccharis halimifolia Bignonia grandiflora Buddleia in variety Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

## Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia Ampelopsis tricuspidata veitchi

Aronia arbutifolia Aronia atropurpurea Benzoin aestivale *Betula papyrifera *Betula populifolia *Betula lenta

*Betula lutea Cornus in variety
*Crataegus in variety
Euonymus in variety

*Hypericum prolificum *Juniperus virginiana *Juniperus communis *Ligustrum in variety

Lonicera in variety Morus alba

*Myrica carolinensis

Nyssa sylvatica *Pinus in variety Photinia villosa Prunus besseyi

Prunus padus Prunus pennsylvanicum Prunus serotina

*Rhamnus in variety

*Rhus copallina

*Rhus glabra
*Rhus typhina
Ribes in variety Sambucus in variety

*Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety

Vitis in variety
*Weigela hybrida in variety

# Low Woody Plants for Rock Gardens

Chamaesyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horibontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum Euonymus radicans minima

Hypericum henryi Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis glauca Juniperus suecica nana Juniperus sabina tamariscifolia Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

# **Woody Plants Enduring Shade**

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota

Ligustrum vulgare Ribes alpinum Rhus canadensis Rubus odoratus Symphoricarpus vulgaris Vinca minor

#### For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus glutinosa Alnus incana Cornus florida Euonymus radicans and varieties Fagus americana Hedera helix Kalmia latifolia

Amelanchier in variety Benzoin aestivale Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerfolium Zanthorhiza apiifolia

# Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Eunonymus radicans
acutus
*Lonicera halleana
*Lonicera japonica
Lonicera tatarica

Physocarpus opulifolius

*Rhus typhina
Robinia pseudacacia
*Rosa setigera
*Rosa wichuraiana
*Rubus odoratus
Salix caprea
Salix discolor
Salix incana
*Symphoricarpus vulgaris

Vinca minor Vitis vulpina

### Plants for the Herb Garden

Achillea millefolium
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia absinthium
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum
citriodorus
Thymus vulgaris
Valeriana officinalis

## SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B", this charge is included in the printed price.

#### **DECIDUOUS SHRUBS**

18-24"	•	•	•	•	•	•	•		•	•	•	•	•	•	. \$	.25
2- 3'		•	•		•	•	•				•	•	•	•	•	.35
3- 4'		•	•	•			•	•			•	•	•	•	•	.50
4-,5'			•			į.	•			•	•				• ·	.60
5- 6'	•		•	•	•	•	•				•		•	•	•	.75
6- 8'		•		•			•				•	•	•	•		1.00
8-10'	•			•	•				•		•	•	•	•	•	1.50

#### **DECIDUOUS TREES**

	Diameter of Ball
$1\frac{1}{4}$ "	
$1\frac{1}{2}$ "	18"
1 3/4 " 3.75	21"
2 " 5.00	24"
$2\frac{1}{2}$ "	30"
3 " 9.00	36"
$3\frac{1}{2}$ "12.50	42"
4 "16.00	48"
4 ½ "24.00	54"
5 "32.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.



